

1st November 2011



Opening doors around the world

Retail price list
and
Warranty information



Opening doors around the world

Retail price list and Warranty information

CONTENTS

1. Gliderol Series A & AA Roller Door
2. Gliderol Series B Roller Door
3. Gliderol Series Mini Roller Door
4. Roll A Glide Insulated Roller Door
5. Roll A Glide Compact Insulated Roller Door
6. Roll A Glide Manual 77 Insulated Roller Door
7. Safe T Glide Sectional Door Single Skin
8. Insul Glide Sectional Door Insulated
9. Manufacturer's Warranty

To order any of the Gliderol Garage Doors in this Retail Price List, please contact our sales office for a product order form

Gliderol Series A & AA Roller Door

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



	'A' SERIES CURTAIN WIDTH (Curtain width = opening + 50mm)								
HEIGHT	4' 2" 1270mm	6' 2" 1880mm	7' 2" 2185mm	7' 8" 2337mm	8' 2" 2490mm	8' 8" 2650mm	9' 2" 2800mm	10' 2" 3100mm	11' 2" 3400mm
Up to 3' 10" 1200mm	575	607	684	711	725	761	803	936	1098
4' 1" to 7' 1240 to 2135	633	672	711	728	762	802	826	964	1133
7' 1" to 8' 2160 to 2440mm	748	777	791	802	838	864	910	1025	1203
8' 1" to 9' 2465 to 2740mm	788	835	890	916	966	985	1016	1146	1386
9' 1" to 10' 2770 to 3055mm	903	955	998	1057	1079	1102	1118	1260	1594

	'AA' SERIES CURTAIN WIDTH (Curtain width = opening + 100mm)			
HEIGHT	12' 4" 3760mm	14' 4" 4370mm	14' 10" 4521mm	16' 5" 5003mm
Up to 3' 10" 1200mm	1322	1504	1656	1730
4' 1" to 7' 1240 to 2135	1371	1583	1686	1880
7' 1" to 8' 2160 to 2440mm	1497	1834	1953	2056
8' 1" to 9' 2465 to 2740mm	1675	1940	2058	2160
9' 1" to 10' 2770 to 3055mm	1912	2226	2329	2409

PLASTISOL COLOURS

- White
- Vandyke Brown
- Mushroom
- Terracotta
- Olive Green
- Black
- Juniper Green
- Burgundy
- Navy Blue
- Honesty
- Goosewing Grey
- Merlin Grey
- Ocean Blue

LAMINATE COLOURS

- Golden Oak
- Rosewood (ADD 20%)
- Mahogany Woodgrain (ADD 7%)

NON COLOURED

- Zinalume

AUTOMATION

Glidermatic Heavy Duty Motor (with 2 handsets) (white price blocks) £370

Glidermatic Dual Motor (with 2 handsets) (grey price blocks) £425

A central lock is not supplied on automated doors as standard. Should a lock be required, please state at time of ordering (cost £10 net).

RW1 ROL-A-MATIC Retrofit Operator (white price blocks) suitable for most continuous sheet curtain doors (up to 12m²). £390

Wireless digital entry key pad (wall mounted) £100

OPTIONS

Additional Hand Transmitter refer to parts price list

External Manual / electric Key Release refer to parts price list

Mullions (7ft. & 8ft.) £99

Reverse Roll £66

Infill Panels (per linear metre) £36

Hand Transmitter Cradle refer to parts price list

Hand Transmitter Sun Visor Clip refer to parts price list

Steel Panel Wrap per metre (x door width) £22

Windlock per pair per metre (x door height) (AA doors only) £66

Prices include delivery to distributor premises on mainland U.K.
Delivery to site £40 per door.

Order forms are available from our sales office.



Gliderol Series B Light Industrial Roller Door

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



HEIGHT	CURTAIN WIDTH (Opening width + 100mm)								
	6'-4" 1930mm	7'-4" 2235mm	8'-4" 2540mm	9'-4" 2850mm	10'-4" 3150mm	11'-4" 3450mm	12'-4" 3760mm	14'-4" 4370mm	16'-4" 5000mm
1201 - 2100mm	1025	1065	1104	1145	1449	1509	1608	1799	2053
2101 - 2400mm	1250	1299	1341	1390	1489	1554	1728	1915	2193
2401 - 2700mm	1269	1312	1365	1407	1505	1594	1858	1986	2247
2701 - 3000mm	1278	1319	1371	1414	1515	1643	1978	2193	2350
3001 - 3300mm	1287	1338	1381	1430	1526	1658	2014	2266	2451
3301 - 3600mm	1341	1390	1443	1493	1596	1729	2081	2350	2553
3601 - 4200mm	1390	1443	1493	1555	1739	1854	2184	2451	2636
4201 - 4800mm	1399	1452	1511	1575	1762	1876	2234	2523	2665
4801 - 4900mm	1443	1503	1564	1627	1801	1948	2318	2595	2780

AUTOMATION

Glidermatic Dual Motor (with 2 handsets) **£425** (white blocks) (not remote control)

IGDU Heavy Industrial Motor £600
(Required for doors in shaded area).

SINGLE PHASE POWER REQUIRED

PLEASE NOTE

- Doors in the top left hand corner of the price list, to the left of the dark line are hand operated, no chain hoist.
- Doors between the two dark lines are fitted with 1 to 1 direct chain hoist (included in door price).
- Doors in the bottom right hand corner of the price list, to the right of the second dark line are fitted with a 4 to 1 reduced chain hoist planetary gears (included in door price).

PLASTISOL COLOURS LAMINATE COLOURS

- White
- Vandyke Brown
- Mushroom
- Terracotta
- Olive Green
- Black
- Juniper Green
- Burgundy
- Navy Blue
- Honesty
- Goosewing Grey
- Merlin Grey
- Ocean Blue

- Golden Oak
- Rosewood (ADD 20%)
- Mahogany Woodgrain (ADD 7%)

NON COLOURED

- Zincalume

OPTIONS

Steel panel wrap £22 per metre (x door width)

Windlock £66 per pair per metre (x door height)

Prices include delivery to distributor premises on mainland U.K.
Delivery to site **£50** per door.

Order forms are available from our sales office.



Gliderol Series A Mini Roller Door

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



	'A' SERIES CURTAIN WIDTH (Opening width + 50mm)						
HEIGHT	7' 2" 2185mm	7' 8" 2337mm	8' 2" 2490mm	8' 8" 2650mm	9' 2" 2800mm	10' 2" 3100mm	11' 2" 3400mm
4' 1" to 7' 1240 to 2135	772	783	794	833	865	982	1097

PLASTISOL COLOURS

- White
- Vandyke Brown
- Mushroom
- Terracotta
- Olive Green
- Black
- Juniper Green
- Burgundy
- Navy Blue
- Honesty
- Goosewing Grey
- Merlin Grey
- Ocean Blue

LAMINATE COLOURS

- Golden Oak
- Rosewood
(ADD 20%)
- Mahogany Woodgrain
(ADD 7%)

NON COLOURED

- Zincalume

AUTOMATION

RW•1 Retrofit Operator (with 2 handsets)	£390
Wireless digital entry key pad (wall mounted)	£100

OPTIONS

Additional Hand Transmitter	refer to parts price list
External Manual / Electric Key Release	refer to parts price list
Infill Panels (per linear metre)	£36
Hand Transmitter Cradle	refer to parts price list
Hand Transmitter Sun Visor Clip	refer to parts price list
Steel Panel Wrap per metre (x door width)	£22

Prices include delivery to distributor premises on mainland U.K.
Delivery to site £40 per door.

Order forms are available from our sales office.



Roll-A-Glide Insulated Roller Door

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



Guide Height	Over Guide Width							
	2050mm 6' 9"	2550mm 8' 4"	3050mm 10'	3550mm 11' 8"	4050mm 13' 4"	4600mm 15' 1"	5050mm 16' 7"	5200mm 17' 1"
1702mm 5' 7"	1244	1325	1439	1562	1725	1974	2044	2130
	1412	1540	1695	1864	2079	2384	2474	2585
1981mm 6' 6"	1244	1358	1466	1562	1779	1974	2044	2130
	1427	1601	1785	1934	2210	2483	2626	2769
2134mm 7'	1293	1368	1487	1607	1763	2017	2103	2326
	1483	1659	1852	2011	2294	2582	2732	2883
2286mm 7'6"	1303	1401	1492	1628	1844	2103	2174	2326
	1541	1700	1896	2067	2357	2652	2807	2960
2438mm 8'	1368	1433	1607	1650	1893	2122	2211	2364
	1580	1741	1967	2111	2401	2746	2896	3048
2590mm 8' 6"	1514	1628	1708	1871	1936	2190	2266	2412
	1619	1783	2038	2153	2445	2840	2987	3134
2743mm 9'	1569	1650	1758	1898	1995	2439	2482	N/A
	1717	1914	2144	2271	2629	2995	3152	N/A
3000mm 9' 10"	1633	1703	1828	1957	2082	2477	2536	N/A
	1814	2045	2251	2389	2814	3149	3317	N/A

Shaded boxes indicate laminate finish prices

IMPORTANT NOTES:

- Doors above the dark line are supplied with 70mm guides and 270mm steel end plates as standard.
- Doors outside the dark line are supplied with 90mm guides and 300mm steel end plates as standard.
- Doors with 70mm or 90mm guides are available with half or full boxes.
- Doors supplied with half or full boxes are supplied with 300mm aluminium head plates.
- Guides/head plates/vision slats are available to colour match the door colour (except laminated finishes, which are supplied in Vandyke Brown)
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

COLOURS

* denotes laminate finish

- White
- Black
- Honesty
- Racing Green
- Burgundy
- Vandyke Brown
- Night blue
- Anthracite Grey
- Medium Oak
- * White
- * Cream
- * Dark Green
- * Moss Green
- * Pine
- * Brilliant Blue
- * Steel Blue
- * Dark Red
- * Italian Oak
- * Dark Oak
- * Natural Oak
- * Golden Oak
- * Anthracite Grey
- * Light Grey
- * Slate Grey
- * Pearl Grey
- * Mahogany
- * Rosewood
- * Black

PLEASE ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form).

All Gliderol Roll-A-Glide doors are supplied with remote control operation with 2 handsets, a bottom rail safety edge, internal manual release and alarm as standard. Doors over 9m² (see above price matrix) are supplied as standard with a safety break device. All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 180mm / 140mm (width of the guides = 2 x 90mm / 70mm).

FITTING BETWEEN THE OPENING

If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening.

When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up). Motors may be fitted to the left or right. Please state which side when ordering (as viewed from the inside looking out (VILO)).

Options

Half box (to match door curtain except laminated finishes)	£40 per metre
Full box (to match door curtain except laminated finishes)	£81 per metre
Lockable Override Covers to suit external fitted boxes	£46
Vision slats	£23 per metre

Powdercoating

Full box (including headplate)	£60
Half box (including headplate)	£40
Guides	£40

(All powdercoating prices are NET, not subject to discount).

Actual RAL colours and finish may vary slightly from door curtain colours.

Optional Extras

External manual release	£152
Additional handset	£53
Electric photo cell	£141
Battery backup	£269

Wireless Switches

Standard key pad	£176
Anti vandal key pad	£215
Anti tamper key switch	£176
Rocker switch (open/close)	£73

Prices include delivery to distributor premises on mainland U.K.
Delivery to site £40 per door.

Order forms are available from our sales office.



Roll-A-Glide Compact Insulated Roller Door

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



Guide Height	Over Guide Width					
	2050mm 6' 9"	2134mm 7' 0"	2256mm 7' 5"	2410mm 7' 11"	2560mm 8' 5"	3000mm 9' 10"
1981mm 6' 6"	1200	1235	1250	1285	1320	1370
	1440	1482	1500	1542	1584	1644
2134mm 7' 0"	1230	1275	1305	1370	1396	1466
	1476	1530	1566	1644	1675	1759
2286mm 7' 6"	1260	1310	1355	1415	1460	1510
	1512	1572	1626	1698	1752	1812

* (Shaded boxes indicate laminate finish price)

IMPORTANT NOTES:

- Doors are supplied with full box as standard and are supplied with 205mm aluminium head plates.
- Boxes/Guides/head plates are available to colour match the door colour (except laminated finishes, which are supplied in Vandyke Brown)
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

PLEASE ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form).

All Gliderol Roll-A-Glide doors are supplied with remote control operation with 2 handsets, a bottom rail safety edge, internal manual release and alarm as standard.

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 136mm (width of the guides = 2 x 68mm).

FITTING BETWEEN THE OPENING

If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening.

When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up). Motors may be fitted to the left or right. Please state which side when ordering (as viewed from the inside looking out (VILO)).

Options

Half box (to match door curtain except laminated finishes) £40 per metre
 Lockable Override Covers to suit external fitted boxes £46

Powdercoating

Full box (including headplate) £60
 Half box (including headplate) £40
 Guides £40

(All powdercoating prices are NET, not subject to discount).

Actual RAL colours and finish may vary slightly from door curtain colours.

COLOURS

- White
- Black
- Racing Green
- Burgundy
- Vandyke Brown
- * White
- * Cream
- * Dark Green
- * Moss Green
- * Pine
- * Brilliant Blue
- * Steel Blue
- * Dark Red
- * Italian Oak
- * Dark Oak
- * Natural Oak
- * Golden Oak
- * Anthracite Grey
- * Light Grey
- * Slate Grey
- * Pearl Grey
- * Mahogany
- * Rosewood
- * Black

* denotes laminate finish

Optional Extras

External manual release £152
 Additional handset £53
 Electric photo cell £141
 Battery backup £269

Wireless Switches

Standard key pad £176
 Anti vandal key pad £215
 Anti tamper key switch £176
 Rocker switch (open/close) £73

Prices include delivery to distributor premises on mainland U.K.
 Delivery to site £40 per door.

Order forms are available from our sales office.



Roll-A-Glide Manual 77 Insulated Roller Door

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



Opening Doors Around The World

Guide Height	Over Guide Width				
	1500mm 4' 11"	2050mm 6' 9"	2550mm 8' 4"	3050mm 10'	3550mm 11' 8"
1981mm 6' 6"	805	885	910	980	1060
	966	1062	1092	1176	1272
2134mm 7' 0"	855	915	970	1020	1140
	1026	1098	1164	1224	1368
2286mm 7' 6"	900	985	1030	1190	1250
	1080	1182	1236	1428	1500
2438mm 8' 0"	980	1075	1120	1225	1310
	1176	1290	1344	1470	1572

* (Shaded boxes indicate laminate finish price)

IMPORTANT NOTES:

- Doors are supplied with half box as standard and are supplied with 300mm aluminium head plates.
- Guides/head plates are available to colour match the door colour (except laminated finishes, finishes, which are supplied in Vandyke Brown)
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

PLEASE ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 140mm (width of the guides = 2 x 70mm).

FITTING BETWEEN THE OPENING

If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening.

When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up).

Options

Full box (to match door curtain except laminated finishes) ----- £81 per metre
Lockable Override Covers to suit external fitted boxes ----- £46

Powdercoating

Full box (including headplate) ----- £60
Half box (including headplate) ----- £40
Guides ----- £40

(All powdercoating prices are NET, not subject to discount).

Actual RAL colours and finish may vary slightly from door curtain colours.

COLOURS

- White
- Black
- Honesty
- Racing Green
- Burgundy
- Vandyke Brown
- Night blue
- Anthracite Grey
- Medium Oak
- * White
- * Cream
- * Dark Green
- * Moss Green
- * Pine
- * denotes laminate finish
- * Brilliant Blue
- * Steel Blue
- * Dark Red
- * Italian Oak
- * Dark Oak
- * Natural Oak
- * Golden Oak
- * Anthracite Grey
- * Light Grey
- * Slate Grey
- * Pearl Grey
- * Mahogany
- * Rosewood
- * Black

Prices include delivery to distributor premises on mainland U.K.
Delivery to site £40 per door.

Order forms are available from our sales office.



Safe-T-Glide Sectional Door Single Skin Steel Panel 42mm

Recommended Retail Price List
Effective 1st November 2011
All prices exclude VAT



Opening Doors Around The World

'Oxford', 'Hampton', 'Tuscan' & 'Madison'

Standard Size Range																	
Hampton embossments / windows	2	2	2	2	0	0	0	3	3	3	0	4	4	4	4		
Oxford embossments / windows	3	3	3	4	4	4	4	5	5	6	6	7	7	7	8		
Tuscan / Madison windows	3	3	3	4	4	4	4	5	5	6	6	7	7	7	8		
Standard opening width																	
Standard opening width																	
	2080mm 6' 10"	2134mm 7'	2286mm 7' 6"	2438mm 8'	2591mm 8' 6"	2743mm 9'	2895mm 9' 6"	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14'	4420mm 14' 6"	4572mm 15'	4724mm 15' 6"	4877mm 16'	
Opening height m m	1800, 1820, 1840, 1860, 1880, 1900, 1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	740	749	804	839	862	931	956	1005	1255	1388	1417	1554	1587	1594	1641	1711
	2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390, 2410, 2430, 2450, 2470, 2490	915	924	979	1014	1037	1106	1131	1180	1455	1587	1616	1753	1788	1794	1841	1910
	2510, 2530, 2550, 2570, 2590, 2610, 2630, 2650, 2670, 2690, 2710, 2725	837	855	904	939	961	1031	1056	1106	1355	1487	1517	1654	1687	1694	1741	1810
	2745, 2760, 2780, 2800, 2820, 2840, 2860, 2880, 2900, 2920, 2940, 2960, 2980	1003	1012	1067	1126	1124	1192	1218	1268	1542	1675	1704	1841	1873	1881	1928	1999
		916	936	990	1029	1054	1129	1156	1211	1484	1629	1661	1812	1848	1855	1907	1982
		1140	1150	1209	1234	1273	1348	1375	1430	1730	1874	1907	2058	2093	2101	2154	2230
		985	985	1135	1053	1067	1148	1198	1450	1529	1627	1669	1744	1792	1833	1915	1978
		1169	1169	1206	1244	1258	1340	1395	1635	1750	1846	1888	1962	2011	2052	2134	2202

Note - doors in widths of 2591 - 2895mm and 3962mm are not available in Hampton design.



Hampton
<N/A>

Wider doors available upon application

A charge of £75 applies to all non-standard width doors.

Lower shaded blocks indicate Golden Oak & Rosewood prices.

Available in woodgrain and smooth finish (please see table below).

Doors supplied with lower headroom rear torsion mount springs as standard other than doors below the dark line which are supplied with front mount as standard.

Front mount is a FOC Option.

COLOURS

- White
- Racing Green
- Black
- Vandyke Brown
- Golden Oak
- Rosewood

Door Style	Smooth finish						Woodgrain finish					
	White	Black	Racing Green	Vandyke Brown	Golden Oak	Rosewood	White	Black	Racing Green	Vandyke Brown	Golden Oak	Rosewood
Oxford												
Hampton	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tuscan	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Madison	✓	✓	✓	✓	*Conditionally	*Conditionally	✓	✓	✓	✓	✓	✓

* An oil-canning effect may occur

Please note that in low head room situations clear opening heights may be less than specified on order.

WINDOW OPTIONS

Clear / Opaque

Oxford, Tuscan, Madison £87 per window
Hampton £101 per window
Round and square windows (stainless steel) New!!! £132 per window

AUTOMATION

Glidermatic GTS 2000 remote auto operator chain drive (700N) £395
Glidermatic GTS Optima remote auto operator belt drive (1000N) £445
Manual release £35
Wireless digital entry key pad (wall mounted) £100

OPTIONS

T-bar handle lockset £26
Round handle set - cast aluminium in the following finishes £99

• Brushed Aluminium • Antique Bronze • Chrome finish • Gold finish • Black

If fixing to side walls extension brackets can be supplied as "C" section up to 1350mm long £12 per length
Punched right angle £24 per 3 metre lengths

Colour matched frames can be supplied in Racing Green, Black or Vandyke brown (white supplied as standard)

• Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide up to and including 2490mm high £140
• Doors from 10' 3048mm wide up to and including 16' 4877mm wide up to and including 2490mm high £205
• Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide from 2491mm high up to and including 3020mm high £190
• Doors from 10' 3048mm wide up to and including 16' 4877mm wide from 2491mm high up to and including 3020mm high £255

Options (for Doors fitted between the reveal)

Between the reveal fitting kit Stock colours including laminates £195
Gap to ceiling fascia kit Stock colours including laminates £85
Renovation kit Stock colours including laminates £135
Door frame fascia kit Stock colours including laminates £135


Powdercoating

Matt finish - all RAL / BS colours. Front face only (per m²) £30 net (**not** subject to discount)

New metallic paint finishes - RAL 9022, 9023, 9006 & 9007

Door panels (per m²) £60 net

Door frames (per linear metre) £25 net



Prices include delivery to distributor premises on mainland U.K.

Delivery to site £40 per door.

Order forms are available from our sales office.

Insul-Glide Sectional Door
42mm Steel Double
Skin Insulated Panel
'Oxford', 'Hampton', 'Tuscan' & 'Madison'

Recommended Retail Price List
 Effective 1st November 2011
 All prices exclude VAT



Standard Size Range																		
Hampton Embossments / Windows		2	2	2	2	0	0	0	3	3	3	0	4	4	4	4		
Oxford Embossments / Windows		3	3	3	4	4	4	4	5	5	6	6	7	7	7	8		
Tuscan/Madison Windows		3	3	3	4	4	4	4	5	5	6	6	7	7	7	8		
Standard opening width																		
		2080mm 6' 10"	2134mm 7'	2286mm 7' 6"	2438mm 8'	2591mm 8' 6"	2743mm 9'	2895mm 9' 6"	3048mm 10'	3353mm 11'	3658mm 12'	3962mm 13'	4267mm 14'	4420mm 14' 6"	4572mm 15'	4724mm 15' 6"	4877mm 16'	
Opening height mm	1890, 1980 2030, 2080 2130, 2180	4 PANEL	1013	1013	1040	1073	1088	1158	1207	1429	1509	1599	1632	1705	1750	1785	1862	1918
			1180	1180	1214	1250	1262	1333	1382	1604	1708	1799	1833	1905	1950	1984	2063	2119
	2245, 2290, 2470, 2520,	5 PANEL	1099	1099	1140	1162	1174	1250	1299	1524	1599	1686	1724	1793	1836	1873	1948	2006
			1268	1268	1299	1337	1349	1425	1474	1693	1796	1887	1924	1993	2036	2074	2148	2211
2570, 2620, 2670, 2720	6 PANEL	1224	1224	1272	1293	1307	1388	1441	1690	1770	1868	1909	1983	2032	2072	2155	2218	
		1409	1409	1444	1484	1498	1581	1635	1874	1989	2087	2127	2203	2251	2291	2374	2442	
2870, 2960		1245	1245	1296	1313	1327	1409	1459	1711	1790	1888	1929	2004	2053	2093	2176	2239	
		1430	1430	1466	1505	1519	1601	1656	1895	2011	2107	2148	2223	2272	2312	2395	2463	

Note - doors in widths of 2591 - 2895mm and 3962mm are not available in Hampton design.



Hampton
 < N/A >
 Wider doors available upon application.

A charge of £75 applies to all non-standard width doors.

Lower shaded blocks indicate Golden Oak & Rosewood prices.

Available in woodgrain and smooth finish (please see table below).

Doors supplied with lower headroom rear torsion mount springs as standard other

than doors below the dark line which are supplied with front mount as standard. If front mount is required on doors which would normally have rear mount, these will be supplied at no extra charge. Please state at time of ordering.

COLOURS

- White
- Racing Green
- Black
- Vandyke Brown
- Golden Oak
- Rosewood

Door Style	Smooth finish						Woodgrain finish					
	White	Black	Racing Green	Vandyke Brown	Golden Oak	Rosewood	White	Black	Racing Green	Vandyke Brown	Golden Oak	Rosewood
Oxford	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hampton	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tuscan	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Madison					✓	✓					✓	✓

Please note that in low head room situations clear opening heights may be less than specified on order.

WINDOW OPTIONS

- Oxford, Tuscan, Madison Clear / Opaque £87 per window
- Hampton £101 per window
- Round and square windows (stainless steel) New!!! £132 per window

AUTOMATION

- Glidermatic GTS 2000 remote auto operator chain drive (700N) £395
- Glidermatic GTS Optima remote auto operator belt drive (1000N) £445
- Manual release £35
- Wireless digital entry key pad (wall mounted) £100

OPTIONS

- T-bar handle lockset £26
- Round handle set - cast aluminium in the following finishes £99
 - Brushed Aluminium
 - Antique Bronze
 - Chrome finish
 - Gold finish
 - Black
- If fixing to side walls **extension brackets** can be supplied as "C" section up to 1350mm long £12 per length
- Punched right angle £24 per 3 metre lengths

Colour matched frames can be supplied in Racing Green, Black or Vandyke brown (white supplied as standard)

- Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide up to and including 2490mm high £140
- Doors from 10' 3048mm wide up to and including 16' 4877mm wide up to and including 2490mm high £205
- Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide from 2491mm high up to and including 3020mm high £190
- Doors from 10' 3048mm wide up to and including 16' 4877mm wide from 2491mm high up to and including 3020mm high £255

Options (for Doors fitted between the reveal)

- Between the reveal fitting kit Stock colours including laminates £195
- Gap to ceiling fascia kit Stock colours including laminates £85
- Renovation kit Stock colours including laminates £135
- Door frame fascia kit Stock colours including laminates £135

Wet Painting

- Matt finish** - all RAL / BS colours. Front face only (per m²) £42 net (not subject to discount)
- New metallic paint finishes** - RAL 9022, 9023, 9006 & 9007
- Door panels (per m²) £60 net
- Door frames (per linear metre) £25 net



Prices include delivery to distributor premises on mainland U.K.
 Delivery to site £40 per door.

Order forms are available from our sales office.

Schedule of Manufacturer's Warranty Period

Gliderol Roller Doors - A & AA - Mini Roller Door - B Series Door - Roll A Glide - Roll A Glide Compact - Roll A Glide Manual 77

Gliderol Sectional Doors - Insul Glide - Safe T Glide

Gliderol Automation - Glidermatic RW1 Rol A Matic - IGDU Industrial - Glide A Tube - Glidermatic GTS 2000 - Glidermatic Optima

- Domestic/Residential use - 10 years corrosion free on door panel excludes paint surface rubbing or fading. (Mini Roller door has 1 year total warranty cover).

1 year on the lock and face plate, spring, bottom roller, weatherseal and polyglide, if fitted by an authorised Gliderol Distributor or Gliderol Technician.
3 month warranty on spring tension.

- Industrial/Commercial use - 1 year on the lock and face plate, spring, bottom roller, weatherseal and polyglide, if fitted by an authorised Gliderol Distributor or Gliderol Technician. 3 month warranty on spring tension.

The manufacturer strongly recommends that all Gliderol products be serviced by an authorised Gliderol Distributor or Gliderol Technician every 12 months to ensure longevity of the products' life. Failure to do this may result in any warranty being invalid.

Warranties of 2 years electrical, 5 years tubular motors, 6 years mechanical and 10 years paint finish apply to all Gliderol doors (except Mini Roller Doors see above).

Garage doors should be inspected upon installation and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion, stains, blemishes, indentations or scuffs. Only marks visible from a distance of more than 3 metres will be considered under warranty.

PRODUCT WARRANTY CONDITIONS

Warranty Conditions

1. Subject to the under mentioned specific limitations and exceptions, the Manufacturer warrants all new doors, motors and electronic components of its manufacture to be free from defect in workmanship under normal use and service and further warrants all installation carried out by the Manufacturer or by its nominated installers to be free from defects and workmanship its obligations hereunder being limited to making good any such defect PROVIDED THAT notice of any claimed defect in material workmanship in or resulting from installation of any door shall have been given to the Manufacturer within the period from date of installation as prescribed in the schedule hereto.
2. This warranty does not apply to any defect, loss or damage arising or caused directly or indirectly by or as a result of;
 - (i) Any masonry rendered or other surfaces cracking or collapsing during installation of the door.
 - (ii) Any defect or deterioration of timber including drying out after installation.
 - (iii) Any weakening or collapse of the structure to which the doors are affixed occurring any time after installation.
 - (iv) Any damage to or deterioration in the condition of the doors occurring in transit by customer nominated or appointed carrier or occurring after delivery and prior to installation.
 - (v) Any defect (including defects in component parts or accessories) rising from or attributable to the failure to carry out normal preventive maintenance or adjustment.
 - (vi) To any additional defect damage or deterioration arising from or attributable to the operation of the door after it is known to be defective.
 - (vii) Any door being installed within 800 metres of the sea or other body of water of equivalent or greater salt concentration or in an area subject to industrial fall out.
 - (viii) Any fault or surge in customer's electricity supply.
 - (x) The door striking an immovable object during travel.
 - (xi) Garage doors should be inspected upon delivery and viewed in natural light (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from marks or distortion, stains, blemishes, indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.
3. Items excluded from warranty;
 - (i) Batteries
 - (ii) Fuses
 - (iii) Globes
 - (iv) Sensitivity adjustments
 - (iiv) Minor factory repairs
4. While Gliderol doors are long lasting and hard wearing under normal conditions this warranty does not extend to inherent defects in steel or other material used in the manufacture. The Manufacturer will however, procure and assign to the customer the benefit of the warranty of the manufacturer of the steel or other material.
5. If Manufacturer has at request of customer procured painting, powder-coating or other surface application to its product this warranty does not extend to such painting, powder-coating or other surface application. For this purpose Manufacturer at all times acts as agent of customer. Manufacturer may as a service to the customer but without any legal obligation to do so, assist customer to obtain redress in respect of any defect.
6. The Manufacturer reserves the right to touch up on site the paint finish and or pre-painted surfaces on its range of garage doors but no responsibility will be taken for the possibility of any paint rubs, scuffing etc on the internal wash coat finish or external painted surface.
7. Proof of purchase MUST be provided to the manufacturer at time of warranty claim. If proof is not available any warranty may be invalid.

Conditions of Sale and Installation

(If installation carried out by Gliderol or an other installation company)

1. Manufacture of Gliderol Doors will not commence until accurate site measurements are available and can be checked.
2. Where Gliderol Doors are made to suit floor levels, lintel heights or opening sizes guaranteed by the customer, any departure from the given sizes will be the responsibility of the customer as will any costs involved in alteration of made-up Gliderol Doors.
3. Any delivery, and/or installation dates given are approximate only and the Manufacturer accepts no liability for delay from any cause whatsoever. If by any reason or Act of God, war, government or semi-government enactment, regulation or restriction, lock-out, strike, industrial dispute, fire, tempest, flood, failure or inability to obtain licenses, transport or materials or any other cause beyond the Manufacturer's control delivery or installation is delayed the Manufacturer may extend the time of delivery or installation or if the Manufacturer is unable to deliver or install, the contract shall be voidable at the Manufacturer's option with no right to either party for damage, loss, cost or expense.
4. If these conditions of sale (which shall only be varied, modified or rescinded by written agreement executed by the Manufacturer) shall differ in any respect from the customer's acceptance or confirmation then these conditions shall prevail.
5. Any claim for damaged product must be made within 7 days of installation or delivery.
6. The Manufacturer may carry out installation or may nominate an accredited Installer Contractor to carry out the work. Installation is then a matter of separate contract with the Installer whose particulars is either provided in this quotation or will be provided upon confirmation by the customer. The Manufacturer has taken all reasonable care to ensure that any Installer Contractor nominated is competent, experienced and skilled in the installation of the Manufacturer's doors. The Manufacturer will at all times use its influence to ensure any installation complaint is dealt with promptly and resolved to the reasonable satisfaction of the customer. The customer's attention is also directed to the terms of the warranty above. However the manufacturer is not responsible or liable for any installers or contractors standard of workmanship and or ability to install any product or possible service issues thereafter.
7. Installation by Gliderol or installer contractors covers only the installation if the door and not, unless specifically stated, and rectification of existing out-of-square openings or removal of old doors and fittings or electricity of gas fittings or the like. Installation by Gliderol does not include the removal or taking away of old doors from the property or of disposing of such doors.
8. Whilst reasonable care will be taken while drilling and fixing, the Manufacturer and its Installers will not be responsible for the failure, from any cause whatsoever, of any masonry or rendered surfaces while drilling or fixing by cracking or collapsing.



GLIDEROL GARAGE DOORS LTD, NORTH WEST INDUSTRIAL ESTATE, PETERLEE, CO. DURHAM, SR8 2JF

info@gliderol.co.uk www.gliderol.co.uk

Tel: (0191) 518 0455 Fax: (0191) 518 0548