


**NEW**  
**CHASSIS RANGE**  
Every style now with steel chassis construction



the **coach house**

range of craftsman built garage doors

**price list**



April 2011

**chassis range**

# chassis range

Retractable gear

For made to measure sizes just take the next size up!



Imperial Width x Height	Appley	Cannington	Chard	Churchill	Holcombe	Horton	Kingsdon	Standerwick	Taunton	Tickenham	Washford	Yeovil	Metric (mm) Width x Height
7'0" X 6'6"	1260	1250	1221	1221	1466	1280	1456	1180	1260	1221	1221	1260	2134 x 1981
7'0" X 7'0"	1280	1270	1253	1253	1510	1300	1500	1153	1280	1253	1253	1280	2134 x 2134
7'0" X 7'6"	1367	1357	1325	1325	1652	1387	1642	1285	1367	1325	1325	1367	2134 x 2286
7'0" X 8'0"	1495	1485	1464	1464	1737	1505	1722	1444	1495	1464	1464	1495	2134 x 2438
7'6" X 6'6"	1326	1360	1276	1276	1693	1346	1683	1236	1326	1276	1276	1326	2286 x 1981
7'6" X 7'0"	1352	1390	1302	1302	1723	1372	1713	1262	1352	1305	1305	1352	2286 x 2134
7'6" X 7'6"	1404	1394	1354	1354	1761	1444	1751	1314	1404	1354	1354	1404	2286 x 2286
7'6" X 8'0"	1499	1489	1447	1447	1897	1539	1887	1407	1499	1447	1447	1499	2286 x 2438
8'0" x 6'6"	1409	1399	1351	1351	1854	1449	1844	1301	1409	1351	1351	1409	2438 x 1981
8'0" x 7'0"	1479	1469	1422	1422	1885	1519	1875	1382	1479	1422	1422	1479	2438 x 2134
8'0" x 7'6"	1535	1525	1485	1485	1962	1575	1952	1445	1535	1485	1485	1535	2438 x 2286
8'0" x 8'0"	1672	1662	1622	1622	2094	1702	2084	1582	1672	1622	1622	1672	2438 x 2438
9'0" x 6'6"	1819	1719	1689	1689	2163	1859	2153	1649	1819	1689	1689	1819	2743 x 1981
9'0" x 7'0"	1852	1752	1702	1702	2181	1892	2171	1669	1852	1702	1702	1852	2743 x 2134
9'0" x 8'0"	1926	1826	1783	1783	2246	1966	2236	1743	1926	1783	1783	1926	2743 x 2438
10'0" x 6'6"	2036	1936	1896	1896	2410	2076	2400	1856	2036	1896	1896	2036	3048 x 1981
10'0" x 7'0"	2079	1979	1949	1949	2446	2109	2436	1909	2079	1949	1949	2079	3048 x 2134
10'0" x 8'0"	2182	2082	2081	2081	2646	2222	2636	2041	2182	2081	2081	2182	3048 x 2438
12'0" x 6'6"	2694	2494	2484	2484	2775	2734	2765	2444	2694	2484	2484	2694	3658 x 1981
12'0" x 7'0"	2751	2551	2521	2521	2797	2791	2787	2481	2751	2521	2521	2751	3658 x 2134
12'0" x 8'0"	2893	2693	2673	2673	2980	2933	2970	2633	2893	2673	2673	2893	3658 x 2438
14'0" x 6'6"	3085	2685	2653	2653	3409	3125	3399	2613	3085	2653	2653	3085	4267 x 1981
14'0" x 7'0"	3120	2697	2663	2663	3434	3160	3424	2623	3120	2663	2663	3120	4267 x 2134
14'0" x 8'0"	3244	2844	2814	2814	3663	3284	2653	2764	3244	2814	2814	3244	4267 x 2438
16'0" x 6'6"	3372	3272	3242	3242	3782	3402	3772	3202	3372	3242	3242	3372	4877 x 1981
16'0" x 7'0"	3445	3345	3325	3325	3827	3485	3817	3285	3445	3325	3325	3445	4877 x 2134

## specification

The Somerset and Buckingham range of garage doors from the Coach House Collection is constructed with grade one materials from replenishable sources.

Somerset doors use cedar mouldings and cedar faced exterior grade ply to create each design. Buckingham doors are built with cedar mouldings and cedar boards. All doors are treated with a base coat ready for staining. Fully finished doors are also available in a range of colours. Woodrite uses the Sonneborn & Rieck Imprä wood finish system and recommends this for on site finishing - for your nearest stockist or visit [www.woodritedoors.co.uk](http://www.woodritedoors.co.uk).



Doors are supplied with retractable gear as standard. The nominal drive through clearance is 105 mm less than the opening width and 110 mm less than the opening height for single doors and 140 mm less than the opening height for double doors.

Canopy gear is also available as a no cost option on doors up to 8'0" wide x 7'0" high). The nominal drive through is 40 mm less than the opening width and 130 mm less than the opening height.

Doors are supplied with a black handle and key operated lock to activate the multi point security latches as standard. For doors that are to be motorized lock deletion can be specified at the time of order.

Door styles with windows have stippled polycarbonate window panels with clear polycarbonate available as a no cost option. The Coleshill, Ickford and Radnage are also available with square or diamond leading as a no cost option.

## guarantee

Woodrite doors are guaranteed against any form of manufacturing defect or mechanical failure for a period of 2 years from the date of original purchase.

The exterior factory fully finished panel is guaranteed to provide a weatherproof membrane which will resist perforation of the substrate from the weather side due to corrosion for a period of up to 5 years, dependent on location and position of door and provided door has been maintained in accordance with the manufacturers instructions.

Full conditions are available on our website at: [www.woodritedoors.co.uk/guarantee](http://www.woodritedoors.co.uk/guarantee)

## Retractable gear

For made to measure sizes just take the next size up!

Imperial Width x Height	Bierton	Bledlow	Burnham	Chalfont*	Chartridge	Chesham*	Coleshill	Gawcott	Hardwick	Ickford	Quainton	Radnage	Taplow	Tingewick	Uxbridge	Wendover	Metric (mm) Width x Height
7'0" X 6'6"	1574	1647	1575	1447	1355	1612	1535	1485	1252	1672	1537	1673	1685	1252	1615	1615	2134 x 1981
7'0" X 7'0"	1670	1725	1585	1545	1360	1684	1562	1495	1260	1695	1572	1695	1699	1260	1687	1687	2134 x 2134
7'0" X 7'6"	1675	1730	1662	1562	1467	1965	1609	1505	1317	1867	1618	1867	1951	1317	1965	1965	2134 x 2286
7'0" X 8'0"	1685	1785	1990	1625	1595	2052	1662	1575	1412	1899	1678	1899	1992	1412	2052	2052	2134 x 2438
7'6" X 6'6"	1690	1745	1612	1570	1399	1805	1615	1399	1275	1851	1633	1851	1884	1275	1805	1805	2286 x 1981
7'6" X 7'0"	1735	1787	1632	1610	1410	1813	1648	1510	1298	1895	1684	1895	1915	1298	1813	1813	2286 x 2134
7'6" X 7'6"	1715	1799	1717	1625	1545	2139	1675	1545	1356	1995	1705	1995	2060	1356	2139	2139	2286 x 2286
7'6" X 8'0"	1738	1838	2039	1675	1667	2291	1725	1667	1575	2023	1767	2023	2117	1575	2291	2291	2286 x 2438
8'0" x 6'6"	1815	1885	1775	1685	1432	1872	1695	1432	1318	2044	1699	2044	2186	1318	1872	1872	2438 x 1981
8'0" x 7'0"	1850	1920	1792	1690	1467	1921	1740	1467	1325	2097	1721	2097	2221	1325	1921	1921	2438 x 2134
8'0" x 7'6"	1862	1925	1992	1695	1562	2248	1748	1562	1432	2172	1790	2172	2295	1432	2248	2248	2438 x 2286
8'0" x 8'0"	1875	1930	2140	1697	1712	2350	1799	1712	1675	2235	1812	2235	2352	1675	2350	2350	2438 x 2438
9'0" x 6'6"	1899	2237	2154	1854	1741	2214	1871	1741	1742	2375	1890	2375	2462	1742	2214	2214	2743 x 1981
9'0" x 7'0"	1937	2245	2174	1874	1769	2278	1917	1769	1786	2392	1932	2392	2487	1786	2278	2278	2743 x 2134
9'0" x 8'0"	1992	2357	2600	2079	1912	2549	1975	1912	1825	2525	2007	2525	2612	1825	2549	2549	2743 x 2438
10'0" x 6'6"	2122	2522	2211	1911	1807	2323	2102	1807	1757	2614	2141	2614	2687	1757	2323	2323	3048 x 1981
10'0" x 7'0"	2175	2585	2287	1987	1824	2381	2163	1824	1799	2662	2187	2662	2777	1799	2381	2381	3048 x 2134
10'0" x 8'0"	2257	2657	2615	2091	2074	2557	2230	2074	1862	2810	2272	2810	2903	1862	2557	2557	3048 x 2438
12'0" x 6'6"	2805	3305	2693	2426	2475	2899	2788	2475	-	3042	2858	3042	3148	2522	2899	-	3658 x 1981
12'0" x 7'0"	2827	3345	2697	2458	2497	2925	2801	2497	-	3092	2894	3092	3195	2558	2925	-	3658 x 2134
12'0" x 8'0"	2895	3399	3075	2575	2693	3093	2872	2693	-	3263	2915	3263	3374	2631	3093	-	3658 x 2438
14'0" x 6'6"	3400	3700	3175	2885	2918	3296	3229	3285	-	3610	3269	3610	3725	2610	3296	-	4267 x 1981
14'0" x 7'0"	3425	3725	3197	2895	2959	3333	3272	3295	-	2674	3299	3674	3486	2682	3333	-	4267 x 2134
14'0" x 8'0"	3510	3810	3381	2901	3175	3578	3415	3300	-	3760	3485	3760	3958	2889	3578	-	4267 x 2438
16'0" x 6'6"	3992	4292	3739	3239	3662	4145	3671	3662	-	3975	3690	3975	4126	3103	4145	-	4877 x 1981
16'0" x 7'0"	4025	4325	3769	3269	3705	4175	3712	3705	-	4022	3727	4022	4357	3126	4175	-	4877 x 2134

\*Chalfont double

\*Chesham double



## options

### frames

Steel frames are available for all doors. Frames are supplied pre-fitted for sizes up to 10'0" wide x 7'6" high and supplied as a kit for on-site assembly for doors over this size (all timber frames are supplied as a kit). See the back page for the full specification.

White or brown 75mm (60mm canopy) jamb frame add:

£ 115 for doors ≤ 10'0" wide

£ 170 for doors > 10'0" wide

Softwood / hardwood 70mm x 70mm jamb frame add:

£ 95/225 for doors ≤ 8'0" wide

£ 195/225 for doors > 8'0" wide

Softwood / hardwood 70mm x 90mm jamb frame add:

£ 135/295 for doors ≤ 9'0" wide

£ 245/395 for doors > 9'0" wide

### finishes

Fully Finishing is available in the following colours:

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut & Ebony  
Specify your colour and add:

£ 115 for doors ≤ 8'0" wide

£ 195 for doors ≥ 8'0" wide

Silver and Silver Grey

Specify your colour and add:

£ 175 for doors ≤ 8'0" wide

£ 225 for doors ≥ 8'0" wide

### handles

A black lock handle is supplied as standard.



### windows

Holcombe, Kingsdon, Bierton, Bledlow, Coleshill, Ickford, Radnage and Taplow styles feature stippled polycarbonate window panels as standard. Clear polycarbonate is available as a no cost option. The Coleshill, Ickford and Radnage are also available with square or diamond leading as a no cost option.

# Ordering Notes:

1 Prices are in sterling and exclude VAT and delivery. Net delivery charges per door: 1 door £45, 2 doors £37.50. Mainland England, Scotland and Wales - please call for other areas.

2 All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding.

3 All up and over doors are priced including retractable gear. Canopy gear is available on doors up to 8'0" x 7'0" (2438mm x 2134mm) as a no cost option.

4 All doors are supplied with a base coat treatment ready for staining to the colour of your choice. Fully finished doors are available as an option in the colours listed.

5 Timber is a natural material and will have variations in colour, shade and grain that will change over time as part of the normal ageing process.

6 If you are ordering doors to be fitted side by side please tell us and we will select timbers to produce a sympathetic match of colour and shade.

7 Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise. Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

8 Cancellations will only be accepted up to three days from receipt of order. Cancellations after this time will incur charges.

9 Doors are supplied with a lock hole unless otherwise specified. Doors have the lock handle in the lower third of the door.

10 Made to measure sizes are available in mm increments. For pricing, take the next size up from the standard sizes listed.

## fitting


Doors should be fitted to a Woodrite steel frame or good quality 70mm x 70mm timber goalpost type frame. Doors can be fitted within or behind the garage reveal - see the details shown right.

When fitting within the reveal a 5mm gap on all three sides should be included in the size to allow for brickwork coursing tolerances. When fitting behind the reveal the frame legs should overlap into the opening by 13mm to allow sufficient clearance to operate the door.

Door sizes represent the inside dimensions of the frame. Up and over door sizes are approximately 19mm narrower and 25mm shorter to allow for operating clearances and tolerances.

Retractable doors have a minimum headroom requirement above the lower face of the frame of 40mm, canopy doors require 60mm. A 19 mm square weather bead should always be fitted to the under-side of the door frame lintel in front of the door to hide the top gap. This feature is integral on Woodrite steel up and over frames.

## Coach house technical



## opening sizes

Typical opening sizes are tabulated below for the most common sizes of door **fitted within the reveal**.

Door size code	Door size width x height	Timber frame (70x70mm) Brickwork aperture width x height	75mm steel frame Brickwork aperture width x height	60mm steel frame (canopy gear) Brickwork aperture width x height
6666	1981 x 1981mm	2131 x 2056mm	2141 x 2035mm	2111 x 2035mm
6670	1981 x 2134mm	2131 x 2209mm	2141 x 2188mm	2111 x 2188mm
7066	2134 x 1981mm	2284 x 2056mm	2294 x 2035mm	2264 x 2035mm
7070	2134 x 2134mm	2284 x 2209mm	2294 x 2188mm	2264 x 2188mm
7364	2222 x 1930mm	2372 x 2005mm	2382 x 1984mm	2352 x 1984mm
7566	2261 x 1981mm	2411 x 2056mm	2421 x 2035mm	2391 x 2035mm
7570	2261 x 2134mm	2411 x 2209mm	2321 x 2188mm	2391 x 2188mm
7666	2286 x 1981mm	2436 x 2056mm	2446 x 2035mm	2416 x 2035mm
7670	2286 x 2134mm	2436 x 2209mm	2446 x 2188mm	2416 x 2188mm
8066	2438 x 1981mm	2588 x 2056mm	2598 x 2035mm	2568 x 2035mm
8070	2438 x 2134mm	2588 x 2209mm	2598 x 2188mm	2568 x 2188mm
1466	4267 x 1981mm	4417 x 2056mm	4427 x 2035mm	-
1470	4267 x 2134mm	4417 x 2209mm	4427 x 2188mm	-


Typical opening sizes are tabulated below for the most common sizes of door **fitted behind the reveal**.

Door size code	Door size width x height	All frame sizes Brickwork aperture width x height
6666	1981 x 1981mm	2007 x 1981mm
6670	1981 x 2134mm	2007 x 2134mm
7066	2134 x 1981mm	2160 x 1981mm
7070	2134 x 2134mm	2160 x 2134mm
7364	2222 x 1930mm	2248 x 1930mm
7566	2261 x 1981mm	2287 x 1981mm
7570	2261 x 2134mm	2287 x 2134mm
7666	2286 x 1981mm	2312 x 1981mm
7670	2286 x 2134mm	2312 x 2134mm
8066	2438 x 1981mm	2464 x 1981mm
8070	2438 x 2134mm	2464 x 2134mm
1466	4267 x 1981mm	4293 x 1981mm
1470	4267 x 2134mm	4293 x 2134mm

## frames

Frame dimension for each frame type.

Dimension	Canopy 60mm steel frame	Retractable 75mm steel frame
L	60mm	75mm
H	49mm	49mm
D	40mm	40mm



## presented by:



Woodrite Doors Limited, Unit G2 Borough Road, Buckingham Road Industrial Estate, Brackley, Northants NN13 7BE

Tel 01280 841010 Fax 01280 843180 Email sales@woodritedoors.co.uk Web www.woodritedoors.co.uk

Woodrite reserves the right to alter specifications to design and manufacture without notification. All specifications are correct at time of publication, errors and omissions excepted.