

SecuroGlide  
Sectional Garage Doors



**10** YR WARRANTY  
UK EXCLUSIVE WARRANTY

# Retail Price List Sectional Garage Doors

**SWS** UK





Anthracite Smooth Centre Ribbed



White Centre Ribbed

# Make an Entrance with SeceuroGlide Sectional Garage Doors

By choosing a SeceuroGlide Sectional garage door, you are investing in a product that has it all; security, kerb-appeal, ease of operation and choice.

Providing reliable performance when you need it most, SeceuroGlide Sectionals are designed to accommodate everyday modern life, yet every bespoke door can be configured to match your own personal style and requirements. With an emphasis on choice, you are in control of how your door is operated (choose from manual or electric) and with an extensive choice of colours, finishes, panels and accessories, how your door looks is down to you.

Good looks doesn't mean a compromise on safety as every electrically operated SeceuroGlide Sectional has obstacle detection built into the motor, which means it will never close when anything is detected in its path, providing perfect peace of mind for all the family.



**SeceuroGlide |** Sectional Elite  
Side Mounted System



**SeceuroGlide |** Sectional Compact  
Rear Mounted System



**SeceuroGlide |** Sectional Plus  
Front Mounted System

# Centre Ribbed

Finish: Smooth or Embossed and available in Golden Oak.  
FOC Colours: Anthracite Dura or White.

Min Width: 1875 mm   Min Height: 1850 mm		Between Track Legs (width)																	Elite	
Floor To Underside Of Fascia (height)		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm
	1981 mm / 6ft 6in	1014	1046	1082	1128	1162	1232	1278	1331	1385	1427	1545	1574	1612	1666	1751	1769	1784		1879
	2134 mm / 7ft	1101	1142	1179	1224	1271	1348	1407	1450	1491	1555	1674	1713	1764	1821	1908	1944	1978		2078
	2235 mm / 7ft 4in	1150	1199	1236	1281	1339	1421	1477	1496	1514	1581	1700	1730	1792	1834	1927	2006	2085		
	2438 mm / 8ft	1170	1224	1265	1320	1365	1451	1506	1556	1608	1681	1802	1860	1903	1970	2075				
	2500 mm / 8ft 2in	1179	1232	1274	1327	1368	1456	1518	1565	1612	1685	1812	1860	1908	1974	2085				
	3000 mm / 9ft 10in	1360	1414	1469	1519	1585	1700	1764	1840	1900	1986	2154								
Standard / Foiled Woodgrain	203.12						253.37						304.68							
Any RAL (includes metallic)	248.14						309.91						371.69							



COMPACT: Min Width: 1875 mm   Min Height: 1900 mm		PLUS: Min Width: 1875 mm   Min Height: 1840 mm																	Compact & Plus	
Floor To Underside Of Fascia (height)		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm
	1981 mm / 6ft 6in	1158	1194	1224	1265	1323	1407	1459	1491	1542	1588	1721	1752	1794	1856	1950	1970	1988		2091
	2134 mm / 7ft	1236	1274	1339	1386	1421	1518	1574	1613	1662	1732	1864	1908	1964	2029	2126	2165	2202		2313
	2235 mm / 7ft 4in	1250	1281	1348	1389	1431	1526	1584	1630	1686	1762	1892	1927	1996	2042	2146	2235	2322		2442
	2438 mm / 8ft	1323	1356	1414	1459	1533	1605	1686	1721	1790	1871	2008	2070	2120	2194	2310	2347	2381		2509
	2500 mm / 8ft 2in	1330	1365	1417	1467	1542	1620	1690	1728	1794	1878	2018	2070	2126	2198	2322	2357	2393		2520
	3000 mm / 9ft 10in	1513	1574	1637	1690	1766	1892	1964	2049	2115	2212	2400	2467	2525	2625	2745	2806	2868		2955
Standard / Foiled Woodgrain	203.12						253.37						304.68							
Any RAL (includes metallic)	248.14						309.91						371.69							

3000 mm Height ONLY available on Compact (not Plus)    Please Note: 2700 mm is the max height with Black Edition Operators on Compact Doors.    5180 & 5500 mm Width ONLY available on Compact (not Plus)



White Embossed Centre Ribbed

## Lintel Profile 60/90/100/130 mm

		Between Track Legs (width)																	per m ()		
White / Anthracite		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm	
	Matched to door RAL	71.04	79.67	88.96	99.00	109.75	127.68	142.55	153.97	175.88	199.45	224.91	243.94	264.17	285.86	308.91	331.60	359.70		399.85	33.29
	Any RAL	91.93	103.10	115.12	128.10	141.98	165.17	184.41	199.20	227.53	258.01	290.92	315.50	341.67	369.68	399.52	428.85	465.16		517.11	43.08

## Side Cover Profiles 40 mm & 100 mm (per side)

Floor To Underside Of Fascia (height)		White / Anthracite	Matched to door RAL	Any RAL
	1981 mm / 6ft 6in	37.52	45.03	48.79
	2134 mm / 7ft	40.42	48.51	52.56
	2235 mm / 7ft 4in	42.33	50.8	55.05
	2438 mm / 8ft	46.18	55.42	60.05
2500 mm / 8ft 2in	47.35	56.83	61.58	
3000 mm / 9ft 10in	56.82	68.19	73.89	
per m ()	18.94	22.73	24.63	



# Un-Ribbed

Finish: Smooth only. Not available in Golden Oak.  
FOC Colours: Anthracite Dura or White.

Min Width: 1875 mm   Min Height: 1850 mm		Between Track Legs (width)																	Elite	
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm
Floor To Underside Of Fascia (height)	1981 mm / 6ft 6in	1014	1046	1082	1128	1162	1232	1278	1331	1385	1427	1545	1574	1612	1666	1751	1769	1784		1879
	2134 mm / 7ft	1101	1142	1179	1224	1271	1348	1407	1450	1491	1555	1674	1713	1764	1821	1908	1944	1978		2078
	2235 mm / 7ft 4in	1150	1199	1236	1281	1339	1421	1477	1496	1514	1581	1700	1730	1792	1834	1927	2006	2085		
	2438 mm / 8ft	1170	1224	1265	1320	1365	1451	1506	1556	1608	1681	1802	1860	1903	1970	2075				
	2500 mm / 8ft 2in	1179	1232	1274	1327	1368	1456	1518	1565	1612	1685	1812	1860	1908	1974	2085				
	3000 mm / 9ft 10in	1360	1414	1469	1519	1585	1700	1764	1840	1900	1986	2154								
Standard Colours	203.12					253.37					304.68									
Any RAL (includes metallic)	248.14					309.91					371.69									



COMPACT: Min Width: 1875 mm   Min Height: 1900 mm		PLUS: Min Width: 1875 mm   Min Height: 1800 mm																	Compact & Plus	
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm
Floor To Underside Of Fascia (height)	1981 mm / 6ft 6in	1158	1194	1224	1265	1323	1407	1459	1491	1542	1588	1721	1752	1794	1856	1950	1970	1988		2091
	2134 mm / 7ft	1236	1274	1339	1386	1421	1518	1574	1613	1662	1732	1864	1908	1964	2029	2126	2165	2202		2313
	2235 mm / 7ft 4in	1250	1281	1348	1389	1431	1526	1584	1630	1686	1762	1892	1927	1996	2042	2146	2235	2322		2442
	2438 mm / 8ft	1323	1356	1414	1459	1533	1605	1686	1721	1790	1871	2008	2070	2120	2194	2310	2347	2381		2509
	2500 mm / 8ft 2in	1330	1365	1417	1467	1542	1620	1690	1728	1794	1878	2018	2070	2126	2198	2322	2357	2393		2520
	3000 mm / 9ft 10in	1513	1574	1637	1690	1766	1892	1964	2049	2115	2212	2400	2467	2525	2625	2745	2806	2868		2955
Standard Colours	203.12					253.37					304.68									
Any RAL (includes metallic)	248.14					309.91					371.69									

3000 mm Height ONLY available on Compact (not Plus)

Please Note: 2700 mm is the max height with Black Edition Operators on Compact Doors.

5180 & 5500 mm Width ONLY available on Compact (not Plus)



Anthracite Smooth Un-Ribbed

## Lintel Profile 60/90/100/130 mm

		Between Track Legs (width)																	per m ()		
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm	
White / Anthracite	White	50.36	56.49	63.07	70.19	77.79	90.50	101.04	109.14	124.66	141.36	159.42	172.91	187.27	202.66	219.03	235.10	255.01		283.47	23.60
	Anthracite	71.04	79.67	88.96	99.00	109.75	127.68	142.55	153.97	175.88	199.45	224.91	243.94	264.17	285.86	308.91	331.60	359.70		399.85	33.29
	Matched to door RAL	91.93	103.10	115.12	128.10	141.98	165.17	184.41	199.20	227.53	258.01	290.92	315.50	341.67	369.68	399.52	428.85	465.16		517.11	43.08

## Side Cover Profiles 40 mm & 100 mm (per side)

Floor To Underside Of Fascia (height)	White / Anthracite		Matched to door RAL		Any RAL		
	1981 mm / 6ft 6in	37.52	45.03	45.03	48.79	48.79	
	2134 mm / 7ft	40.42	48.51	48.51	52.56	52.56	
	2235 mm / 7ft 4in	42.33	50.8	50.8	55.05	55.05	
2438 mm / 8ft	46.18	55.42	55.42	60.05	60.05		
2500 mm / 8ft 2in	47.35	56.83	56.83	61.58	61.58		
3000 mm / 9ft 10in	56.82	68.19	68.19	73.89	73.89		
per m ()	18.94	22.73	22.73	24.63	24.63		

# Ribbed

Finish: Smooth or Embossed. Not available in Golden Oak.  
FOC Colours: Anthracite Dura or White.

Min Width: 1875 mm   Min Height: 1850 mm		Between Track Legs (width)															Elite			
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft		5000 mm	5180 mm / 17ft	5500 mm
Floor To Underside Of Fascia (height)	1981 mm / 6ft 6in	1014	1046	1082	1128	1162	1232	1278	1331	1385	1427	1545	1574	1612	1666	1751		1769	1784	1879
	2134 mm / 7ft	1101	1142	1179	1224	1271	1348	1407	1450	1491	1555	1674	1713	1764	1821	1908		1944	1978	2078
	2235 mm / 7ft 4in	1150	1199	1236	1281	1339	1421	1477	1496	1514	1581	1700	1730	1792	1834	1927		2006	2085	
	2438 mm / 8ft	1170	1224	1265	1320	1365	1451	1506	1556	1608	1681	1802	1860	1903	1970	2075				
	2500 mm / 8ft 2in	1179	1232	1274	1327	1368	1456	1518	1565	1612	1685	1812	1860	1908	1974	2085				
	3000 mm / 9ft 10in	1360	1414	1469	1519	1585	1700	1764	1840	1900	1986	2154								
Standard Colours	203.12					253.37					304.68									
Any RAL (includes metallic)	248.14					309.91					371.69									



COMPACT: Min Width: 1875 mm   Min Height: 1900 mm		PLUS: Min Width: 1875 mm   Min Height: 1800 mm															Between Track Legs (width)		Compact & Plus	
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm	5180 mm / 17ft		5500 mm
Floor To Underside Of Fascia (height)	1981 mm / 6ft 6in	1158	1194	1224	1265	1323	1407	1459	1491	1542	1588	1721	1752	1794	1856	1950	1970	1988		2091
	2134 mm / 7ft	1236	1274	1339	1386	1421	1518	1574	1613	1662	1732	1864	1908	1964	2029	2126	2165	2202		2313
	2235 mm / 7ft 4in	1250	1281	1348	1389	1431	1526	1584	1630	1686	1762	1892	1927	1996	2042	2146	2235	2322		2442
	2438 mm / 8ft	1323	1356	1414	1459	1533	1605	1686	1721	1790	1871	2008	2070	2120	2194	2310	2347	2381		2509
	2500 mm / 8ft 2in	1330	1365	1417	1467	1542	1620	1690	1728	1794	1878	2018	2070	2126	2198	2322	2357	2393		2520
	3000 mm / 9ft 10in	1513	1574	1637	1690	1766	1892	1964	2049	2115	2212	2400	2467	2525	2625	2745	2806	2868		2955
Standard Colours	203.12					253.37					304.68									
Any RAL (includes metallic)	248.14					309.91					371.69									

3000 mm Height ONLY available on Compact (not Plus)

Please Note: 2700 mm is the max height with Black Edition Operators on Compact Doors.

5180 & 5500 mm Width ONLY available on Compact (not Plus)



Chartwell Green Smooth Ribbed

## Lintel Profile 60/90/100/130 mm

		Between Track Legs (width)															per m ()				
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft		5000 mm	5180 mm / 17ft	5500 mm	
White / Anthracite	White	50.36	56.49	63.07	70.19	77.79	90.50	101.04	109.14	124.66	141.36	159.42	172.91	187.27	202.66	219.03		235.10	255.01	283.47	23.60
	Matched to door RAL	71.04	79.67	88.96	99.00	109.75	127.68	142.55	153.97	175.88	199.45	224.91	243.94	264.17	285.86	308.91		331.60	359.70	399.85	33.29
	Any RAL	91.93	103.10	115.12	128.10	141.98	165.17	184.41	199.20	227.53	258.01	290.92	315.50	341.67	369.68	399.52		428.85	465.16	517.11	43.08

## Side Cover Profiles 40 mm & 100 mm (per side)

Floor To Underside Of Fascia (height)	White / Anthracite		Matched to door RAL		Any RAL		
	1981 mm / 6ft 6in	37.52	45.03	45.03	48.79	48.79	
	2134 mm / 7ft	40.42	48.51	48.51	52.56	52.56	
	2235 mm / 7ft 4in	42.33	50.8	50.8	55.05	55.05	
2438 mm / 8ft	46.18	55.42	55.42	60.05	60.05		
2500 mm / 8ft 2in	47.35	56.83	56.83	61.58	61.58		
3000 mm / 9ft 10in	56.82	68.19	68.19	73.89	73.89		
per m ()	18.94	22.73	22.73	24.63	24.63		

# Georgian Cassette

Finish: Embossed only. Not available in Golden Oak or Anthracite Dura.  
FOC Colour: White.

Min Width: 2040 mm   Min Height: 1965 mm		Between Track Legs (width)														Elite		
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in		4877 mm / 16ft	5000 mm
Floor To Underside Of Fascia (height)	1981 mm / 6ft 6in	1014	1046	1082	1128	1162	1232	1278	1331	1385	1427	1545	1574	1612	1666		1751	1769
	2134 mm / 7ft	1101	1142	1179	1224	1271	1348	1407	1450	1491	1555	1674	1713	1764	1821		1908	1944
	2235 mm / 7ft 4in	1150	1199	1236	1281	1339	1421	1477	1496	1514	1581	1700	1730	1792	1834		1927	2006
	2438 mm / 8ft	1170	1224	1265	1320	1365	1451	1506	1556	1608	1681	1802	1860	1903	1970		2075	
	2500 mm / 8ft 2in	1179	1232	1274	1327	1368	1456	1518	1565	1612	1685	1812	1860	1908	1974		2085	
	3000 mm / 9ft 10in	1360	1414	1469	1519	1585	1700	1764	1840	1900	1986	2154						
Standard Colours		203.12					253.37					304.68						
Any RAL (includes metallic)		248.14					309.91					371.69						



COMPACT: Min Width: 2040 mm   Min Height: 1965 mm		PLUS: Min Width: 2040 mm   Min Height: 1965 mm														Compact & Plus		
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in		4877 mm / 16ft	5000 mm
Floor To Underside Of Fascia (height)	1981 mm / 6ft 6in	1158	1194	1224	1265	1323	1407	1459	1491	1542	1588	1721	1752	1794	1856		1950	1970
	2134 mm / 7ft	1236	1274	1339	1386	1421	1518	1574	1613	1662	1732	1864	1908	1964	2029		2126	2165
	2235 mm / 7ft 4in	1250	1281	1348	1389	1431	1526	1584	1630	1686	1762	1892	1927	1996	2042		2146	2235
	2438 mm / 8ft	1323	1356	1414	1459	1533	1605	1686	1721	1790	1871	2008	2070	2120	2194		2310	2347
	2500 mm / 8ft 2in	1330	1365	1417	1467	1542	1620	1690	1728	1794	1878	2018	2070	2126	2198		2322	2357
	3000 mm / 9ft 10in	1513	1574	1637	1690	1766	1892	1964	2049	2115	2212	2400	2467	2525	2625		2745	2806
Standard Colours		203.12					253.37					304.68						
Any RAL (includes metallic)		248.14					309.91					371.69						

3000 mm Height ONLY available on Compact (not Plus) Please Note: 2700 mm is the max height with Black Edition Operators on Compact Doors.



Black Embossed Georgian Cassette

## Lintel Profile 60/90/100/130 mm


		Between Track Legs (width)														per m ()					
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in		4877 mm / 16ft	5000 mm	5180 mm / 17ft	5500 mm	
White / Anthracite	Matched to door RAL	50.36	56.49	63.07	70.19	77.79	90.50	101.04	109.14	124.66	141.36	159.42	172.91	187.27	202.66		219.03	235.10	255.01	283.47	23.60
	Any RAL	71.04	79.67	88.96	99.00	109.75	127.68	142.55	153.97	175.88	199.45	224.91	243.94	264.17	285.86		308.91	331.60	359.70	399.85	33.29
	Any RAL	91.93	103.10	115.12	128.10	141.98	165.17	184.41	199.20	227.53	258.01	290.92	315.50	341.67	369.68		399.52	428.85	465.16	517.11	43.08

## Side Cover Profiles 40 mm & 100 mm (per side)


Floor To Underside Of Fascia (height)	White / Anthracite		Matched to door RAL		Any RAL		
	1981 mm / 6ft 6in	37.52	45.03	45.03	48.79	48.79	
	2134 mm / 7ft	40.42	48.51	48.51	52.56	52.56	
	2235 mm / 7ft 4in	42.33	50.8	50.8	55.05	55.05	
2438 mm / 8ft	46.18	55.42	55.42	60.05	60.05		
2500 mm / 8ft 2in	47.35	56.83	56.83	61.58	61.58		
3000 mm / 9ft 10in	56.82	68.19	68.19	73.89	73.89		
per m ()	18.94	22.73	22.73	24.63	24.63		

# Colours and Measurements


## Standard Colours



## Metallic Colours



## Free of Charge Colours



Types	Dimensions and Headrooms				
	Minimum Side Room Required (D1 & D2)	Actual Drive Through Height (electric)		Minimum Head Room Required	
		Manual	Electric	Manual (C)	Electric (C)
Elite	85 mm	DOH – 230 mm	DOH – 20 mm	100 mm	130 mm
Plus	85 mm	DOH – 170 mm	DOH – 0 mm	160 mm	190 mm
Compact	85 mm	N/A	DOH – 85 mm	N/A	90 mm

DOW Daylight Opening Width (**A** on illustration)

DOH Daylight Opening Height (**B** on illustration)

Executive frame kit has a 100 mm frame leg each side.

Executive frame kit has 100 mm wide head frame.

## Foiled Woodgrain



Only available in Centre Rib.



For the ultimate choice, we can colour match to any RAL or BS colour.  
From **£248.14**



Product	Price (£)
<b>Rectangular Polycarbonate Windows and PVC Frames</b>	
White or Black Frame	80.92
Anthracite Frame	92.49
Golden Oak Frame	104.06
Rectangular Window Glazed With Georgian Cross in White or Black Frame	115.61
Outer Frames Painted To Match The Door (surcharge)	27.75

Product	Price (£)
<b>Glass Windows with Stainless Steel Frames</b>	
Medium: Clear (Square or Round) or Matt (Square Only)	184.98
Large: Clear (Square or Round) or Matt (Round Only)	289.03

Product	Price (£)
<b>Reveal Fitting Kits</b>	
Basic Brackets, Rivets, Nuts & Bolts	55.49
Executive Full Framing Kit In White (single – Width up to 3000 mm)*	404.64
Executive Full Framing Kit In White (double – 3001 mm to 4420 mm)*	520.25
Executive Full Framing Kit To Match Door (single – Width up to 3000 mm)*	520.25
Executive Full Framing Kit To Match Door (double – 3001 mm to 4420 mm)*	635.87

\*Single frame kit is widths up to 3000 mm and double are widths 3001 mm to 4420 mm

Product	Price (£)
<b>Operators &amp; Accessories</b>	
Black Edition 800 Operator & 3000 mm Belt Rail (With 2 Chrome Deluxe Handsets)	353.57
Black Edition 800 Operator & 3300 mm Belt Rail (With 2 Chrome Deluxe Handsets)	370.40
Black Edition 800 Operator & 3600 mm Boom/Belt Rail (With 2 Chrome Deluxe Handsets)	386.13
2 Channel Hand Transmitter	75.62
4 Channel Hand Transmitter	75.62
4 Channel Wall Transmitter	96.75
1000 mm LED Lighting Strip – One Light Per Motor	150.14
Chrome Deluxe 2 channel Handset	86.42
4 Channel Wall Switch Frame Silver	40.04
<b>Lockable Handles</b>	
Euro Cylinder – Black or Aluminium	161.86

Product	Price (£)
<b>Somfy Operators &amp; Accessories</b>	
Dexxo Compact Operator & 2900 mm Belt Rail (With 2 Keygo 4 Channel Transmitters)	399.59
Dexxo Compact Operator & 3500 mm Belt Rail (With 2 Keygo 4 Channel Transmitters)	422.04
Dexxo Pro 1000 RTS Operator & 2900 mm Belt Rail (With 2 Keygo 4 Channel Transmitters)	496.12
Dexxo Pro 1000 RTS Operator & 3500 mm Belt Rail (With 2 Keygo 4 Channel Transmitters)	507.34
Additional Keygo 4 Channel Transmitters (pro only handset)	76.97
Wireless Radio Switch	40.46
Wireless Radio Keypad	130.12
Photo Cell Set	82.18
Standard Receiver (for gate operation)	88.54
Battery Back-up Pack (5-10 operating cycles in 24 hours)	44.73

Product	Price (£)
<b>Manual Overrides</b>	
Lockable Manual Override (to be fitted onsite)	56.87
Factory Fitted To The Top Panel	137.82


Product	Price (£)
<b>Misc.</b>	
Sprung Shoot Bolts	19.66
Intruder Alarm Kit (Dexxo Pro only)	53.18
Extra Track Hangers (Per Pair)	17.34
SeceuroSeal (Per Metre)	22.16
SeceuroSeal Adhesive (290ml) (Each)	14.43



In partnership with the Weather Defender

SeceuroSeal provides a watertight seal and a physical barrier to prevent water and debris entering the garage. Particularly useful for garages with uneven floors, or those that lie at the bottom of a sloping driveway, SeceuroSeal is fitted on the ground underneath the door and has been developed to ensure garages are kept dry and clean, even in the worst of the British weather.

SeceuroSeal is supplied flat in pre-cut lengths for **£22.16 per metre**. SeceuroSeal Adhesive (290ml) is available for **£14.43 each**.



Optional SeceuroSeal: Watertight Protection

Delivery Charges	Price (£)
Over £400 net on standard run	Nil
Under £400 net on standard run	44.50
All orders required on a different day to standard delivery run	POA
Collection from distribution depot	Nil
Pre agreed time slot for standard deliveries	POA
Site delivery charge one man offload	65.50 extra
Site delivery charge two man offload	107.50 extra
Redelivery of goods	41.00 extra
Deliveries to Scotland	39.00 per drop
Deliveries to Ireland	POA

All packaged items above 6.8 m will incur an additional charge and will be subject to quotation.

Carrier Services	Price (£)
Component items up to 5 kg	13.85
Component items up to 20 kg	33.80
Delivery & packaging of fragile items over 20 kg	75.00
Pre 10.30 am	43.00 extra
Pre noon	31.70 extra
Saturday pre noon	53.30 extra
<b>Additional surcharges apply on the following:</b>	
Ireland, Isle of Man, Channel Islands & Scottish offshore	POA
Isle of Wight, Grampian & Highlands	POA
Devon & Cornwall	14.40

## Useful Information

Doors are priced and ordered on a basis of between track legs and floor to underside of fascia.

## Returns

Occasionally it may be necessary to return an item to us. Please contact your Account Manager for an NCR number and ensure the product is packaged appropriately and clearly labelled with the number given.

## Local Collections

For urgent orders in certain areas of the country, collection is possible from our 3 distribution depots. For more information please contact customer services.

## Delivery Service

Our standard delivery service covers England and Wales weekly and Ireland and Scotland fortnightly. Our pricing includes delivery on all orders over £400 on our standard weekly service. Additional chargeable deliveries can often be arranged with your internal account manager. We also offer home/site delivery service options with one or two men depending on the size of delivery and site conditions. Delivery confirmations for our own dedicated service will be emailed or texted the previous afternoon to confirm if AM or PM the following day. Please ensure an email address and/or mobile phone number is supplied on your order.

**IMPORTANT DELIVERY NOTES:** Site deliveries will only be made if the installer is in attendance to assist off loading or if extra help with off loading has been arranged. The most cost effective and safest way of delivering orders is via our own transport.