



FRONT DOORS

RD67


PRICE LIST | **UK**
2026/06/01



● General information.....	3
● Design.....	4
● Glazing.....	12
● Side elements.....	13
● Specifications.....	15
● Handles.....	18
● Locks.....	22
● Accessories.....	26
● Order form.....	28
● Notes.....	30



ryternaentry.com



E-shop



configurator.ryternaentry.com

- Doors are made to measure:
Width 850mm ÷ 1250mm
Height 1850mm ÷ 2300mm
- U value: 0.94 W/m²K
- Insulated aluminium frame
- Double steel skin filled with PU foam door leaf
- Safety triple glazing
- Secure multi-point lock
- Certificated according to security and burglary Resistance Class RC2



RD67

LABORATORY OF BUILDING PHYSICS
INSTITUTE OF ARCHITECTURE AND CONSTRUCTION
KAUNAS UNIVERSITY OF TECHNOLOGY

Notified body number: 2019

TEST REPORT No. 002 SE/11 ES
Date: 01. February 2022

page (signed)
1 (7)

BURGLAR RESISTANCE

Test method: LST EN 1625:2021 Protection doors, windows, various walling, grilles and shutters - Burglar resistance - Test method for the determination of resistance under static loading.
LST EN 1625:2021 Protection doors, windows, various walling, grilles and shutters - Burglar resistance - Test method for the determination of resistance under dynamic loading.
LST EN 1630:2021 Protection doors, windows, various walling, grilles and shutters - Burglar resistance - Test method for the determination of resistance to manual burglary attempts.

Specimen description: Door Measurements: width: 490mm, height: 2050mm. Material of the frame/skin profile: aluminium frame profiles with thermal break. Door: aluminium profile connected with PVC profile and glass/galvanized steel from both sides. Door filled with polyurethane. System: ED63. Opening: opening to inside, right hand. Fittings: hinges - Dr. Haba, 5 point lock - KTV. Fixations and places of fixation: 13. Gaskets: 5 EPDM gaskets (2 perimeters, 1 on three sides). Glazing: no glazing. Other details: drainage in doorstop. Date of specimen production: 13/12/2021.

Customer: UAB „Rytarna Entry“, Rytarna g. 4, Birslikiai km., LT-54469 Kauno raj.
Manufacturer: UAB „Rytarna Entry“, Indrašio g. 5, Birslikiai km., LT-54469 Kauno raj.

Test results according to LST EN 1625:2021

State of the specimen and test	Test method reference to:	Test result
The resistance under static loading, class	LST EN 1625:2021	RC2-YES
The resistance under dynamic loading, class	LST EN 1625:2021	RC2-YES
The resistance to manual burglary attempts, class	LST EN 1630:2021	RC2-YES

Note: 1) The testing was carried out in preparation for the technical assessment of the product according to LST EN 1625 (EN 1625:2021) and LST EN 1630 (EN 1630:2021).
In accordance with the results of the testing, the specimen is classified according to EN 1625:2021, page 4.2.3.

Specimen delivery date: 12-01-2022 Test date: 28-01-2022
Sampling: The test specimens were prepared by customer. Order description NP 123456, 2021.12.14
Additional information: Applications: 14-12-2021, drawing.
Remarks: any deviations, comments, test results and test information related with particular test 1 - Close sections of the specimen, 2 - Test photo.
In case of the specimen, please see:
Technical manager: J. Rytarna
Approved by test results: V. Rytarna
Tested by: V. Rytarna
Responsible for testing: V. Rytarna

Validity - the stated data and results refer exclusively to the tested and described specimen.
Notes on publication - no part of this document may be photocopied, reproduced or translated in another language without the prior written consent of the Laboratory of Building Physics.

Tel: +370 37 304798, Fax: +370 37 304799, E-mail: info@ryterna.lt

RAL colours, TG & DB are in **structure** finish only

STD exterior (EXT)

STD* interior (INT)

RAL 1013 STR	RAL 3000 STR	RAL 3005 STR	RAL 6005 STR	RAL 7016 STR
RAL 7032 STR	RAL 7035 STR	RAL 7038 STR	RAL 8017 STR	RAL 8019 STR
RAL 9005 STR	RAL 9006 STR	RAL 9007 STR	RAL 9016 STR	TG 29/60731
TG 29/90147	TG 68/80043	DB 703		

RAL 9016 STR

***IF INSIDE AND OUTSIDE ARE THE SAME COLOR**



All doors are factory framed.
Prices are for full door-sets.
All dimensions are specified for overall frame sizes.
Depicted images are for illustration only. Actual product may vary due to constant enhancement.
Rytarna reserves right to change specifications at any time and without prior warning.

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
100				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P	STD	STD*	2 685
		RAL STR	RAL 9016 STR	2 945
		RAL STR	RAL STR	3 200
		SFC WOOD	RAL 9016 STR	3 025
		SFC WOOD	RAL STR	3 285
		SFC WOOD	SFC WOOD	3 365
101				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
102				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
103				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
104				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC2** • Inside handle **HLW** • Standard handle **H45R - 500** or **H45S - 500**

Brushed aluminium appliques on the surface of the door panel.

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
105				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
106				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • House number brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
107				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
108				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
109				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A -inside - Clear SGC • Clear view 130x1300	STD	STD*	3 515
		RAL STR	RAL 9016 STR	3 775
		RAL STR	RAL STR	4 025
		SFC WOOD	RAL 9016 STR	3 850
		SFC WOOD	RAL STR	4 110
		SFC WOOD	SFC WOOD	4 185

RAL colours, TG & DB are in **structure** finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 STR	RAL 3000 STR	RAL 3005 STR	RAL 6005 STR	RAL 7016 STR	RAL 9016 STR
RAL 7032 STR	RAL 7035 STR	RAL 7038 STR	RAL 8017 STR	RAL 8019 STR	
RAL 9005 STR	RAL 9006 STR	RAL 9007 STR	RAL 9016 STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

*IF INSIDE AND OUTSIDE ARE THE SAME COLOR

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
110				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
111				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
112				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	3 515
		RAL STR	RAL 9016 STR	3 775
		RAL STR	RAL STR	4 025
		SFC WOOD	RAL 9016 STR	3 850
		SFC WOOD	RAL STR	4 110
		SFC WOOD	SFC WOOD	4 185
113				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
114				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 600x100	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC2** • Inside handle **HLW** • Standard handle **H45R - 500** or **H45S - 500**

Brushed aluminium appliques on the surface of the door panel.

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
115				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows “Arc”	STD	STD*	3 975
		RAL STR	RAL 9016 STR	4 235
		RAL STR	RAL STR	4 490
		SFC WOOD	RAL 9016 STR	4 310
		SFC WOOD	RAL STR	4 565
		SFC WOOD	SFC WOOD	4 650
116				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405
117				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405
118				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405
119				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 600x100	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405

RAL colours, TG & DB are in **structure** finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 STR	RAL 3000 STR	RAL 3005 STR	RAL 6005 STR	RAL 7016 STR	RAL 9016 STR
RAL 7032 STR	RAL 7035 STR	RAL 7038 STR	RAL 8017 STR	RAL 8019 STR	
RAL 9005 STR	RAL 9006 STR	RAL 9007 STR	RAL 9016 STR	TG 29/60731	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
120				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	3 975
		RAL STR	RAL 9016 STR	4 235
		RAL STR	RAL STR	4 490
		SFC WOOD	RAL 9016 STR	4 310
		SFC WOOD	RAL STR	4 565
		SFC WOOD	WOOD	4 650
121				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	3 975
		RAL STR	RAL 9016 STR	4 235
		RAL STR	RAL STR	4 490
		SFC WOOD	RAL 9016 STR	4 310
		SFC WOOD	RAL STR	4 565
		SFC WOOD	SFC WOOD	4 650
122				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	3 975
		RAL STR	RAL 9016 STR	4 235
		RAL STR	RAL STR	4 490
		SFC WOOD	RAL 9016 STR	4 310
		SFC WOOD	RAL STR	4 565
		SFC WOOD	SFC WOOD	4 650
123				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	3 975
		RAL STR	RAL 9016 STR	4 235
		RAL STR	RAL STR	4 490
		SFC WOOD	RAL 9016 STR	4 310
		SFC WOOD	RAL STR	4 565
		SFC WOOD	SFC WOOD	4 650
124				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	3 395
		RAL STR	RAL 9016 STR	3 650
		RAL STR	RAL STR	3 905
		SFC WOOD	RAL 9016 STR	3 730
		SFC WOOD	RAL STR	3 990
		SFC WOOD	SFC WOOD	4 065

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC2** • Inside handle **HLW** • Standard handle **H45R - 500** or **H45S - 500**

Brushed aluminium appliques on the surface of the door panel.

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
125				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	3 395
		RAL STR	RAL 9016 STR	3 650
		RAL STR	RAL STR	3 905
		SFC WOOD	RAL 9016 STR	3 730
		SFC WOOD	RAL STR	3 990
		SFC WOOD	WOOD	4 065
126				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	3 395
		RAL STR	RAL 9016 STR	3 650
		RAL STR	RAL STR	3 905
		SFC WOOD	RAL 9016 STR	3 730
		SFC WOOD	RAL STR	3 990
		SFC WOOD	SFC WOOD	4 065
127				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 600x100	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
128				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405
129				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285

RAL colours, TG & DB are in **structure** finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 STR	RAL 3000 STR	RAL 3005 STR	RAL 6005 STR	RAL 7016 STR	RAL 9016 STR
RAL 7032 STR	RAL 7035 STR	RAL 7038 STR	RAL 8017 STR	RAL 8019 STR	
RAL 9005 STR	RAL 9006 STR	RAL 9007 STR	RAL 9016 STR	TG 29/60731	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
130				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
131				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Clear view 600x100	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
132				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Windows "Arc"	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405
133				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Windows "Arc"	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405
134				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Windows "Arc"	STD	STD*	3 735
		RAL STR	RAL 9016 STR	3 995
		RAL STR	RAL STR	4 245
		SFC WOOD	RAL 9016 STR	4 070
		SFC WOOD	RAL STR	4 325
		SFC WOOD	SFC WOOD	4 405

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC2** • Inside handle **HLW** • Standard handle **H45R - 500** or **H45S - 500**

Brushed aluminium appliques on the surface of the door panel.

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.


All measures are overall frame sizes. • All prices in GBP, subject to VAT.


DESIGN	INCLUDING	COLOUR		MADE TO MEASURE
		EXT	INT	W 850 ÷ 1250 H 1850 ÷ 2300
135				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	WOOD	3 525
136				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué	STD	STD*	2 855
		RAL STR	RAL 9016 STR	3 110
		RAL STR	RAL STR	3 360
		SFC WOOD	RAL 9016 STR	3 190
		SFC WOOD	RAL STR	3 445
		SFC WOOD	SFC WOOD	3 525
137				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
138				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	3 615
		RAL STR	RAL 9016 STR	3 870
		RAL STR	RAL STR	4 125
		SFC WOOD	RAL 9016 STR	3 950
		SFC WOOD	RAL STR	4 200
		SFC WOOD	SFC WOOD	4 285
139				
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC-2 • Lock cylinder CWA • Lever handle HL • Lock L3P • Brushed aluminium appliqué • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	3 975
		RAL STR	RAL 9016 STR	4 235
		RAL STR	RAL STR	4 490
		SFC WOOD	RAL 9016 STR	4 310
		SFC WOOD	RAL STR	4 570
		SFC WOOD	SFC WOOD	4 650

RAL colours, TG & DB are in **structure** finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 STR	RAL 3000 STR	RAL 3005 STR	RAL 6005 STR	RAL 7016 STR	RAL 9016 STR
RAL 7032 STR	RAL 7035 STR	RAL 7038 STR	RAL 8017 STR	RAL 8019 STR	
RAL 9005 STR	RAL 9006 STR	RAL 9007 STR	RAL 9016 STR	TG 29/60731	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR
TG 29/90147	TG 68/80043	DB 703			


	PRICE
OPEN TO OUTSIDE	200
INDIVIDUAL DESIGN	consult manufacturer
DESIGN MODIFICATION	265
OVERSIZED DOOR (HEIGHT)	from 2301 mm to 2400 mm 315
	from 2401 mm to 2500 mm 485







KICK PLATE					
  SMOOTH DECOR 25x25	<table> <tr> <td>Kick plate</td><td>110</td></tr> <tr> <td>House number Height - 150 mm Font - Arial</td><td>110</td></tr> </table>	Kick plate	110	House number Height - 150 mm Font - Arial	110
Kick plate	110				
House number Height - 150 mm Font - Arial	110				

ETCHED EFFECT DECORATION IN DOOR LEAF GLAZING				
DESIGN		INCLUDING	SIZE	PRICE
A	B	C	D	E
				
• 2÷7 strips			130x1300	60
			160x1600	
			230x1343	
F	G	H		
				
			150x150	40
			250x250	

CUSTOM ETCHED EFFECT DECORATION IN DOOR LEAF GLAZING
 RYTERNA Custom design available consult manufacturer

CUSTOM SIZE DOOR LEAF GLAZING
 RYTERNA Custom size available consult manufacturer


*MINIMUM WIDTH FOR BRUSHED ALUMINIUM DECOR
 40* 40*

GLAZING CLEAR VIEW SIZE							
 Diagram of a vertical rectangular glazing unit. The width is 130 and the height is 1300.	 Diagram of a vertical rectangular glazing unit. The width is 160 and the height is 1600.	 Diagram of a square glazing unit. The width is 150 and the height is 150.	 Diagram of a square glazing unit. The width is 250 and the height is 250.	 Diagram of an arched glazing unit. The width is 120 and the height is 276. The radius is 120. The height of the arch is 73.	 Diagram of an arched glazing unit. The width is 160 and the height is 1600.	 Diagram of an arched glazing unit. The width is 230 and the height is 1343.	 Diagram of a horizontal rectangular glazing unit. The width is 600 and the height is 100.
130x1300	160x1600	150x150	250x250	Arc	Arc1	Arc2	600x100

TRIPLE GLAZING


STANDARD

4mm Float + 4mm Float + 4mm Float




SAFETY


P4A + 4mm Float + P4A



Apply a coefficient of 1.25 for the CE marking of side and top elements.

MADE TO MEASURE


SIDE	COLOUR		4mm Float + 4mm Float + 4mm Float			P4A + 4mm Float + P4A		
	EXT	INT	W 250÷600	W 601÷800	W 801÷1000	W 250÷600	W 601÷800	W 801÷1000
	STD	STD*	975	1 265	1 560	1 115	1 405	1 700
	RAL	RAL 9016 STR	1 150	1 440	1 740	1 295	1 580	1 875
	RAL	RAL STR	1 325	1 615	1 915	1 470	1 755	2 050
	SFC WOOD	RAL 9016 STR	1 215	1 505	1 805	1 360	1 645	1 940
	SFC WOOD	RAL STR	1 280	1 575	1 870	1 425	1 710	2 010
	SFC WOOD	SFC WOOD	1 390	1 685	1 980	1 535	1 820	2 120
	2301 - 2400 mm		+305	+370	+440	+335	+405	+475
	2401 - 2500 mm		+430	+495	+565	+460	+535	+600

TOP	COLOUR		HEIGHT	4mm Float + 4mm Float + 4mm Float					P4A + 4mm Float + P4A				
	EXT	INT		W 1000÷1100	W 1101÷1700	W 1701÷2100	W 2101÷2600	W 2601÷3250	W 1000÷1100	W 1101÷1700	W 1701÷2100	W 2101÷2600	W 2601÷3250
	STD	STD*	H 250-600	560	790	970	1 270	1 570	655	885	1 110	1 410	1 705
	RAL	RAL 9016 STR		735	970	1 145	1 445	1 745	830	1 060	1 285	1 585	1 880
	RAL	RAL STR		915	1 145	1 320	1 625	1 920	1 005	1 240	1 465	1 760	2 055
	SFC WOOD	RAL 9016 STR		805	1 035	1 210	1 515	1 810	895	1 130	1 355	1 650	1 945
	SFC WOOD	RAL STR		870	1 100	1 275	1 580	1 875	965	1 195	1 420	1 715	2 015
	SFC WOOD	SFC WOOD		980	1 210	1 385	1 690	1 985	1 075	1 305	1 530	1 825	2 125
	EXT	INT	H 601-800	1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250	1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250
	STD	STD*		700	1 060	1 545	1 720	1 955	835	1 200	1 690	1 860	2 090
	RAL	RAL 9016 STR		875	1 240	1 720	1 900	2 130	1 010	1 375	1 865	2 035	2 265
	RAL	RAL STR		1 050	1 415	1 900	2 075	2 305	1 190	1 550	2 040	2 210	2 440
	SFC WOOD	RAL 9016 STR		940	1 305	1 790	1 965	2 195	1 080	1 440	1 930	2 100	2 330
	SFC WOOD	RAL STR		1 005	1 370	1 855	2 030	2 260	1 145	1 505	1 995	2 165	2 400
	SFC WOOD	SFC WOOD		1 115	1 480	1 965	2 140	2 370	1 255	1 615	2 105	2 275	2 510
	EXT	INT	H 801-1000	1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250	1000÷1100	1101÷1700	1701÷2100	2101÷2600	2601÷3250
	STD	STD*		975	1 380	1 740	2 205	2 670	1 115	1 520	1 875	2 345	2 805
	RAL	RAL 9016 STR		1 150	1 555	1 915	2 380	2 845	1 295	1 695	2 050	2 520	2 980
	RAL	RAL STR		1 325	1 735	2 090	2 560	3 020	1 470	1 870	2 230	2 695	3 155
	SFC WOOD	RAL 9016 STR		1 215	1 625	1 980	2 450	2 910	1 360	1 760	2 120	2 585	3 045
	SFC WOOD	RAL STR		1 280	1 690	2 045	2 515	2 975	1 425	1 825	2 185	2 650	3 115
	SFC WOOD	SFC WOOD		1 390	1 800	2 155	2 625	3 085	1 535	1 935	2 295	2 760	3 225

*Just when inside color is same as outside color.


All measures are overall frame sizes. • All prices in GBP, subject to VAT.

SIDE AND TOP ELEMENTS WITH TRIPLE GLAZING



ETCHED EFFECT GLAZING

I J



For side elements

W 250÷600	200
W 601÷800	250
W 801÷1000	300

For top elements

W 1000÷1250	150
W 1251÷1700	200
W 1701÷3250	250

CUSTOM ETCHED EFFECT GLAZING

K L



Custom design available


+25%*

***Add to side and top elements price**

STANDARD SAFETY GLAZING OPTIONS



Clear **SGC**




Matt **SGM**

	PRICE
Door leaf	120
Side element	+25%


NON-STANDARD SAFETY GLAZING OPTIONS



Similar to Delta Nr. 121



Chinchilla




Patterned **SGP**



Kathedral Klein



Similar to Silvit Nr. 118




Crepi

NON-STANDARD SAFETY GLAZING OPTIONS



Tinted **SGT**.*

- Tinted Brown **SGT-B**
- Tinted Grey **SGT-G**
- Stopsol Supersilver Clear (Reflective)



Tempered:

- Clear **SGC**
- Matt **SGM**

	PRICE
Tempered glass	consult manufacturer
Tinted SGT	consult manufacturer

*only available as tempered glass

SPECIAL FILM COATINGS (SFC)



LIGHT OAK*



GOLDEN OAK



OLD OAK



DARK OAK*



LIGHT PINE



NATURAL PINE



DARK PINE



WINCHESTER*



WHITE PINE



GREY PINE



BURNT WOOD



ANTIQUE OAK



AMBER OAK



BARNWOOD OAK



LIGHT MAHOGANY



BRIGHT MAHOGANY



RED CORTEN






BROWN CORTEN



STONE GREY


* Not matching with sectional garage doors wood-decor

DOOR FRAME WIDTH





Daylight opening width is 150mm less than overall frame width.



Daylight opening height is 95mm less than overall frame height.
Bottom clearance 7mm.



DOOR FRAME OUTSIDE





ADD-ON BOTTOM PROFILES




Add-on bottom profiles.
15 mm and 30 mm height.
Can be combined in series..
15mm+30mm+30mm.....

BOTTOM PROFILES	PRICE per 1 m
15x70 (mm)	30
30x65 (mm)	55


ADD-ON SIDE PROFILES




SIDE PROFILES	PRICE per 1 m
30x70 (mm)	85
50x70 (mm)	130



OFS & DAYLIGHT OPENING



OPEN LEAF 90°



CILL PROFILES

ETC457 (150 mm)


(price per profile length metre)

PRICE


210

Cut to measure. Aluminium casted end-caps.
Whole profile painted in matching exterior door colour only.


HINGES



RD67 TLRW



LEVER HANDLES / KNOB HANDLES



	PRICE	
	inside	SET
HL-W/B Lever handle black, white	STD	40
HK-W/B Knob handle SET black, white	-	115
HLA Aluminum handle	40	80
HLS 01 Stainless steel handle	115	230
HL-RB Black handle, rectangular	45	90
HLS 02, HLS 03, HLS 04, HLS 05, HLS 06 Stainless steel handle	135	270
HLS 07 Aluminum handle with stainless steel. Installed only in pairs inside and outside.	-	205
HLS 10 White aluminum handle	STD	100
HLS 11 Aluminum handle	STD	100
HLS 12 Stainless steel handle	75	150
HLB 13 Black lever handle Blaugelb, round	-	150
HLB 14 Black lever handle Blaugelb, square	105	210
HLB 15 Black lever handle Hoppe, round	105	210
HLB 16 Black lever handle Hoppe, square	190	380

STAINLESS STEEL HANDLES



H45R



H45R-FSC
only with FSC1

Ø 30mm 45° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H45R-500 (H 500 mm)	STD	80	-	-
H45R-800 (H 800 mm)	160	240	-	-
H45R-1200 (H 1200 mm)	180	260	2080	2160
H45R-1400 (H 1400 mm)	200	280	2100	2180
H45R-1600 (H 1600 mm)	220	300	2110	2190



H45S



H45S-FSC
only with FSC1

30x20mm 45° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H45S-500 (H 500 mm)	STD	80	-	-
H45S-800 (H 800 mm)	160	240	-	-
H45S-1200 (H 1200 mm)	180	260	2080	2160
H45S-1400 (H 1400 mm)	200	280	2100	2180
H45S-1600 (H 1600 mm)	220	300	2110	2190



LED+H45S



LED 30x30 mm 45° fine matt polished*	PRICE
LED+H45S-1200 (H 1200 mm)	660
LED+H45S-1600 (H 1600 mm)	880

Handle LED backlight supplied without light sensors and AC/DC power supply.



H90R



H90R-FSC
only with FSC1

Ø 30mm 90° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H90R-500 (H 500 mm)	STD	80	-	-
H90R-800 (H 800 mm)	160	240	-	-
H90R-1200 (H 1200 mm)	180	260	2090	2170
H90R-1400 (H 1400 mm)	200	280	2120	2200
H90R-1600 (H 1600 mm)	220	300	2130	2210
H90R-1800 (H 1800 mm)	240	320	-	-



H90S



H90S-FSC
only with FSC1

30x20 mm 90° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H90S-500 (H 500 mm)	STD	80	-	-
H90S-800 (H 800 mm)	160	240	-	-
H90S-1200 (H 1200 mm)	180	260	2090	2170
H90S-1400 (H 1400 mm)	200	280	2120	2200
H90S-1600 (H 1600 mm)	220	300	2130	2210
H90S-1800 (H 1800 mm)	240	320	-	-



LED+H90S

LED+H90S



LED 30x30 mm 90° fine matt polished*	PRICE
LED+H90S-1200 (H 1200 mm)	660
LED+H90S-1600 (H 1600 mm)	880

Handle LED backlight supplied without light sensors and AC/DC power supply.

STAINLESS STEEL HANDLES



H90S40



40x10mm 90° fine matt polished	PRICE	RAL
H90S40-500 (H 500 mm)	135	215
H90S40-800 (H 800 mm)	160	240
H90S40-1200 (H 1200 mm)	180	260
H90S40-1400 (H 1400 mm)	200	280
H90S40-2000 with 4 brackets (H 2000 mm)	380	460



H90S40B



40x10 mm 90° fine matt polished	PRICE	RAL
H90S40B-500 (H 500 mm)	135	215
H90S40B-800 (H 800 mm)	160	240
H90S40B-1200 (H 1200 mm)	180	260



H90RB



Ø 30mm 90° fine matt polished	PRICE	RAL
H90RB-500 (H 500 mm)	135	215
H90RB-800 (H 800 mm)	160	240
H90RB-1200 (H 1200 mm)	180	260
H90RB-1400 (H 1400 mm)	200	280
H90RB-1600 (H 1600 mm)	380	460



HRB



Ø 30mm fine matt polished	PRICE
HRB-500 (H 500 mm)	160
HRB-800 (H 800 mm)	180



HS
only with FSC3



Fine matt polished stainless steel handle with integrated FSC3 finger scanner	PRICE
HS (H 1000 mm)	2385



H90WD/G
H90WD/O



Ø 30mm 90° wood with matt polished	PRICE
H90WD/G-800 (H 800 mm) (Golden oak)	335
H90WD/G-1200 (H 1200 mm) (Golden oak)	355
H90WD/O-800 (H 800 mm) (Dark oak)	335
H90WD/O-1200 (H 1200 mm) (Dark oak)	355

NAVKOM HANDLES



N90R F



N90R B

Round R 90° Reader on the FRONT with integrated FSC5	PRICE
N90R F-1000 (H 1000 mm)	2435
N90R F-1500 (H 1500 mm)	2550
N90R F-1800 (H 1800 mm)	2630
Round R 90° Reader on the BACK with integrated FSC5	
N90R B-1000 (H 1000 mm)	2480
N90R B-1500 (H 1500 mm)	2595
N90R B-1800 (H 1800 mm)	2680



N90QM F



N90QM B

Square QM 90° Reader on the FRONT with integrated FSC5	PRICE
N90QM F-1000 (H 1000 mm)	2435
N90QM F-1500 (H 1500 mm)	2550
N90QM F-1800 (H 1800 mm)	2630
Square QM 90° Reader on the BACK with integrated FSC5	
N90QM B-1000 (H 1000 mm)	2480
N90QM B-1500 (H 1500 mm)	2595
N90QM B-1800 (H 1800 mm)	2680



N90QE F



N90QE B

Square QE 90° Reader on the FRONT with integrated FSC5	PRICE
N90QE F-1000 (H 1000 mm)	2460
N90QE F-1500 (H 1500 mm)	2565
N90QE F-1800 (H 1800 mm)	2670
Square QE 90° Reader on the BACK with integrated FSC5	
N90QE B-1000 (H 1000 mm)	2510
N90QE B-1500 (H 1500 mm)	2615
N90QE B-1800 (H 1800 mm)	2720



N90TM F



N90TM F BIO

Rectangular TM 90° Reader on the FRONT with integrated FSC5	PRICE
N90TM F-1000 (H 1000 mm)	2405
N90TM F-1500 (H 1500 mm)	2520
N90TM F-1800 (H 1800 mm)	2600
Rectangular TM 90° Reader on the FRONT with integrated FSC6	
N90TM F BIO-1000 (H 1000 mm)	2445
N90TM F BIO-1500 (H 1500 mm)	2550
N90TM F BIO-1800 (H 1800 mm)	2655

Handle set with LED backlit available

consult
manufacturer

ESCUTCHEON



	PRICE	RAL
ESC-2	STD	50
ESC-1	55	105

LOCK CYLINDER



	PRICE
CWA Safety CLASS A 1. Housing and cylinder pins: brass and hardened steel 2. Special housing pins against picking • The highest level of security key code 6 according to EN 1303: 2007 • Basic level of resistance A according to PN-91/B-94461/02 • The highest durability 6 according to EN 1303:2007 – 100.000 cycles • Certificate EN 1627:2000 – RC3 • Approval for use in fire-resistant doors	STD
CWB Safety CLASS B 1. Housing and cylinder pins: brass and hardened steel 2. Special housing pins against picking 3. Hardened steel pins as housing drilling protection 4. Hardened steel pins as cylinder drilling protection • The highest level of security key code 6 according to EN 1303: 2007 • The highest level of resistance against attack 2 according to EN 1303: 2007 • High level of resistance B according to PN-91/B-94461/02 • The highest durability 6 according to EN 1303:2007 – 100.000 cycles • Certificate EN 1627:2000 – RC3 • Approval for use in fire-resistant doors	95
CWC Safety CLASS C 1. Housing and cylinder pins: brass and hardened steel 2. Special housing pins against picking 3. Hardened steel pins as housing drilling protection 4. Hardened steel pins as cylinder drilling protection • The highest level of security key code 6 according to EN 1303: 2007 • The highest level of resistance against attack 2 according to EN 1303: 2007 • The highest level of resistance C according to PN-91/B-94461/02 • The highest durability 6 according to EN 1303:2007 – 100.000 cycles • Certificate EN 1627:2000 – RC4 • Approval for use in fire-resistant doors • Paracentric key profile • Keys duplication only in the authorized services • Security card	145
CWA+TT (with thumb turn) Safety CLASS A See details above, next to CWA Safety CLASS A	95
AK Additional key	30
BCWA Safety class A, black color See details above, next to CWA Safety CLASS A	230
BCWA+TT (with thumb turn) Safety class A, black color See details above, next to CWA Safety CLASS A	250

FINGER SCANNERS



	PRICE
FSC1 - ekey dLine (IP56) Flush-mounted fingerprint scanner	1430
FSC2 - ekey dLine (IP56) Surface-mounted fingerprint scanner	1430
FSC3 - Sommer ENTRASys ⁺ (IP65) Surface-mounted fingerprint scanner	620
FSC4 - Siegenia Fingerprint scanner* (IP54) Surface-mounted fingerprint scanner For L5PMA/L5PA lock	2615
FSC4 + IO module - Siegenia Fingerprint scanner (IP54) Surface-mounted fingerprint scanner + optional add-on for WiFi	3715
FSC5 - Navkom Bioreader (R8) (IP54) Flush-mounted fingerprint scanner with GSM module	1160
FSC6 - Navkom Bio-Touchpad (R8 control unit) (IP54) Flush-mounted fingerprint and keypad scanner with GSM module	1320
FSC7 - Smart cylinder tedee PRO, biometric fingerprint scanner and PIN keypad (IP65) Surface-mounted fingerprint scanner	1000
FSC7 - WiFi adapter	170

Only L3P+D&N+EM, L5PMA or L5PA locks are compatible with finger scanners.

KEYPADS




	PRICE
KP1 - 3-channel keypad, surface-mounted (IP54)	495
KP2 - ekey Integra (IP54) White surface-mounted keypad	1210
KP3 - ekey Integra (IP54) Black surface-mounted keypad	1210
KP4 - Siegenia Keypad * (IP54) Surface-mounted keypad For L5PMA/L5PA lock	1680
KP4 + IO module - Siegenia Keypad (IP54) Surface-mounted Keypad + optional add-on for WiFi	2785
KP5 - Sommer ENTRAcodes ⁺ (IP65) Surface-mounted keypad	650
KP6 - Navkom Touchpad (R8) (IP54) Surface-mounted keypad with GSM module	1315




Only L3P+D&N+EM, L5PMA or L5PA locks are compatible with keypads.



LOCKS



MECHANICAL LOCKS	PRICE
L3P 3 point multi-point lock. Main lock deadbolt and hook bolts operated by the key.	STD
*L3P+D&N+EM 3 point multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key.	220
L3P KABA 3 point multi-point lock. Main lock deadbolt and hook bolts operated by the key. Lock suitable for KABA type key cylinder.	120
*L3P KABA+D&N+EM 3 point multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key. Lock suitable for KABA type key cylinder.	265
L5P 5 point multi-point lock. Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.	120
*L5PM (without electric motor) 5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. Not compatible with lever handle from outside, pull handle only.	255



ELECTRONIC LOCKS	PRICE
*L5PMA 5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. All latches and hook bolts open by electric drive after receiving signal from finger scanner or keypad, or by pressing lever handle. Deadbolt operated by the key only. If the deadbolt is engaged automatic unlocking is disabled. Lock can be connected to finger-scanner or keypad (optional). Not compatible with lever handle from outside, pull handle only.	800
*L5PA 5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional). Electromagnetic strike included. Not available when overall frame height is less than 2035mm.	2080



ANTIPANIC LOCKS	PRICE
L5P + panic function 5 point multi-point lock. Round latch bolts and hook bolts lock the leaf on closure automatically. Deadbolt is locked by the key. All latches and deadbolt are unlocked by pressing inside handle.	1300
L1P + panic function Single-point lock: the latch and main bolt automatically lock when the door is closed. The latch and main bolt are unlocked when the interior handle is pushed down.	620

SECURITY ACCESSORIES	PRICE
Hook bolt switch contact for monitoring the door locking status. Connected to house alarm system.	275
Alarm sensor for house alarm system.	60


***AC/DC transformer is not included**

ALUMINUM MOLDING




				PRICE/set	PRICE/m
20x2mm		20	Aluminum molding profile door color 2x2300mm; 1x1300mm.	50	15
30x2mm		30	Aluminum molding profile door color 2x2300mm; 1x1300mm.	70	20
40x2mm		40	Aluminum molding profile door color 2x2300mm; 1x1300mm.	90	20
50x2mm		50	Aluminum molding profile door color 2x2300mm; 1x1300mm.	135	30
100x2,5mm		100	Aluminum molding profile door color 2x2300mm; 1x1300mm.	160	30
120x2,5mm		120	Aluminum molding profile door color 2x2300mm; 1x1300mm.	180	40
50x20x2mm		20	Aluminum molding corner door color 2x2300mm; 1x1300mm.	135	30
70x20x2mm		20	Aluminum molding corner door color 2x2300mm; 1x1300mm.	160	30
80x20x2mm		20	Aluminum molding corner door color 2x2300mm; 1x1300mm.	180	40
50x30x3mm		30	Aluminum molding corner door color 2x2300mm; 1x1300mm.	150	30
70x30x3mm		30	Aluminum molding corner door color 2x2300mm; 1x1300mm.	185	35
80x30x3mm		30	Aluminum molding corner door color 2x2300mm; 1x1300mm.	265	45
60x40x2mm		40	Aluminum molding corner door color 2x2300mm; 1x1300mm.	190	35
80x40x2mm		40	Aluminum molding corner door color 2x2300mm; 1x1300mm.	220	40
100x50x3mm		50	Aluminum molding corner door color 2x2300mm; 1x1300mm.	355	60

ACCESSORIES



	PRICE
Power supply - DELTA (24V-2.5A)	65
Integrated power supply - SIEGENIA Compatible with FSC4	525




	PRICE
Spyhole	50
Electric door viewer LCD screen: 3,2" Power source: 2xAAA Batteries	110



	PRICE
Door closer Geze TS5000 RAL 7016 RAL 8019 RAL 9005 RAL 9006 RAL 9016	410
Door closer ASSA ABLOY DC700 RAL 8014 RAL 9005 RAL 9016 Grey (EV1)	410



	PRICE
Letter plate (silver)	420
Letter plate (black)	525



	PRICE
Door installation tapes: - sealing tape, 70mm width, 5,6m length; - pre-compressed sealing tape, 15mm width, for 5-15mm groove, 5,6m length.	35
Fitting screws 7.5x182 mm (14pcs)	30
Anchor plates set (12 pcs)	40



	PRICE
Stainless steel care kit	50

[illegible]

Navkom handles
 (please choose the length from "1000", "1500" or "1800mm")

	Lenght		Lenght
N90R F		N90R B	
N90QM F		N90QM B	
N90QE F		N90QE B	
N90TM F		N90TM F BIO	

Add to price

Kick plate Smooth ☐ Decor ☐

Finger scanners									
FSC1 ekey dLine									
FSC2 ekey dLine									
FSC3 Sommer ENTRAsys									
FSC4 Siegenia Fingerprint									
FSC4+IO module									
FSC5 Navkom Bioreader R8									
FSC6 Navkom Bio-Touchpad R8									
FSC7 Smart cylinder, Biometric fingerprint scanner with PIN keypad									
FSC7 WiFi adapter									

Finger scanners	☐	☒	☐	☐
FSC1 ekey dLine	☐	☒	☐	☐
FSC2 ekey dLine	☐	☒	☐	☐
FSC3 Sommer ENTRAsys	☐	☒	☐	☐
FSC4 Siegenia Fingerprint	☐	☒	☐	☐
FSC4+IO module	☐	☒	☐	☐
FSC5 Navkom Bioreader R8	☐	☒	☐	☐
FSC6 Navkom Bio-Touchpad R8	☐	☒	☐	☐
FSC7 Smart cylinder, Biometric fingerprint scanner with PIN keypad	☐	☒	☐	☐
FSC7 WiFi adapter	☐	☒	☐	☐

Etched effect decoration in door leaf glazing

Standard

A B C D E F G H

Custom

Custom size door leaf glazing

Custom

Standard safety glazing options in door leaf

Clear SGC

Matt SGM

Non-Standard safety glazing options in door leaf

Nr. 121

Chinchilla

Kathedral Klein

Crepi

Tinted Grey SGT-G

Nr. 118

Patterned SGP

Tinted Brown SGT-B

Stopsol Supersilver Clear (Reflective)

Tempered

Side elements

TOP element

Float glass

P4A glass

Tempered

Frame width, mm:

Frame height, mm:

RIGHT element

Frame width, mm:

Frame height, mm:

LEFT element

Frame width, mm:

Frame height, mm:

Side elements etched effect glazing

Standard

I J K L

Custom

Standard side elements glazing options

Clear SGC

Matt SGM

Non-Standard side elements glazing options

Nr. 121

Chinchilla

Kathedral Klein

Crepi

Tinted Grey SGT-G

Nr. 118

Patterned SGP

Tinted Brown SGT-B

Stopsol Supersilver Clear (Reflective)

Add-on side profiles

30x70

Profile size, mm

Quantity

50x70

Profile size, mm

Quantity

Add-on bottom profiles

15x70

Profile size, mm

Quantity

30x65

Profile size, mm

Quantity

Cill profile

ETC457 (150mm)

Profile length metre

Aluminium moldings

20x2	Set			mm
30x2	Set			mm
40x2	Set			mm
50x2	Set			mm
100x2,5	Set			mm
120x2,5	Set			mm
50x20x2	Set			mm
70x20x2	Set			mm
80x20x2	Set			mm
50x30x3	Set			mm
70x30x3	Set			mm
80x30x3	Set			mm
60x40x2	Set			mm
80x40x2	Set			mm
100x50x3	Set			mm

Accessories

Power supply DELTA				
Siegenia integrated power supply				
Spyhole				
Electric door viewer				
Door closer Geze TS5000				
RAL 7016				RAL 8019
RAL 9005				RAL 9016
Door closer Assa Abloy DC700				
RAL 8014				RAL 9016
Grey (EV1)				
Letter plate				
Stainless steel				Black
Door inst. tapes				
Fitting screws				
Anchor plates				
Stainless steel care kit				





