



FRONT DOORS

RD80/RD100

PRICE LIST | **UK**
2026/06/01



● General information.....	3
● Design.....	4
● Glazing.....	48
● Side & Top elements	49
● Specifications.....	52
● Handles.....	62
● Locks.....	68
● Accessories.....	72
● Order form.....	75
● Notes.....	77

- All doors are made to measure max W 1250mm & max H 2300mm.
- Sizes up to W 1400mm & H 3000mm available. For price and feasibility consult manufacturer.
- U values: RD80 - 0.69 W/m²K, RD100 - 0.65 W/m²K.
- Insulated aluminum frame and leaf.
- Magnetic threshold.
- Secure multi-point lock.
- Certificated according to security and burglary. Resistance class RC2, RC3 on request.



ryternaentry.com



E-shop



configurator.ryternaentry.com

TWO TYPES OF DOOR FRAMES:










Flat




Jutted

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)

				
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR
				
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR
				
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731
				
TG 29/90147	TG 68/80043	DB 703		

STD* interior (INT)



RAL 9016 / STR

*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH

BLACK EDITION



- + Black painted doorframe
- + Black painted aluminum applique
- + Black painted stainless steel handle
- + Black painted escutcheon ESC3
- + Black lock cylinder BCWA

+ 725 €



All doors are factory framed.
Prices are for full door-sets.
All dimensions are specified for overall frame sizes.
Depicted images are for illustration only. Actual product may vary due to constant enhancement.
Ryterna reserves right to change specifications at any time and without prior warning.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
200					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P	STD	STD*	3 560	3 830
		RAL	RAL 9016 / STR	3 905	4 175
		RAL	RAL	4 250	4 520
		SFC WOOD	RAL 9016 / STR	3 990	4 255
		SFC WOOD	RAL	4 335	4 605
		SFC WOOD	SFC WOOD	4 415	4 685
201					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
202					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
203					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
204					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
205					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
206					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
207					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • House number with inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
208					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
209					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100	
		EXT	INT			
210						
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195	
		RAL	RAL 9016 / STR	4 275	4 545	
		RAL	RAL	4 620	4 890	
		SFC WOOD	RAL 9016 / STR	4 355	4 625	
		SFC WOOD	RAL	4 705	4 970	
		SFC WOOD	SFC WOOD	4 785	5 055	
211						
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195	
		RAL	RAL 9016 / STR	4 275	4 545	
		RAL	RAL	4 620	4 890	
		SFC WOOD	RAL 9016 / STR	4 355	4 625	
		SFC WOOD	RAL	4 705	4 970	
		SFC WOOD	SFC WOOD	4 785	5 055	
211 HORIZONTAL / VERTICAL BLACK EDITION						
		• Smooth sheet • Black painted stainless steel handle H45R-500 • Black painted escutcheon ESC3 • Black painted lock cylinder BCWA • Lever handle HL / B • Lock L3P • Black painted inlaid aluminum applique	SFC WOOD / RAL	RAL 9016 / STR	4 510	4 765
			SFC WOOD / RAL	SFC WOOD / RAL	4 955	5 210
212						
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195	
		RAL	RAL 9016 / STR	4 275	4 545	
		RAL	RAL	4 620	4 890	
		SFC WOOD	RAL 9016 / STR	4 355	4 625	
		SFC WOOD	RAL	4 705	4 970	
		SFC WOOD	SFC WOOD	4 785	5 055	
213						
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195	
		RAL	RAL 9016 / STR	4 275	4 545	
		RAL	RAL	4 620	4 890	
		SFC WOOD	RAL 9016 / STR	4 355	4 625	
		SFC WOOD	RAL	4 705	4 970	
		SFC WOOD	SFC WOOD	4 785	5 055	

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
214					
	• Smooth sheet • Inlaid handle IH-ALU-1800 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	4 700	4 970
		RAL	RAL 9016 / STR	5 050	5 320
		RAL	RAL	5 395	5 665
		SFC WOOD	RAL 9016 / STR	5 130	5 400
		SFC WOOD	RAL	5 475	5 745
		SFC WOOD	SFC WOOD	5 560	5 830
301					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
302					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
303					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
304					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
305					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
306					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
307					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
308					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
309					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
310					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
311					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
312					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
313					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
314					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			


DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
315					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
316					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
317					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
318					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
319					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
320					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760
401					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Two colors outside • Structure paint for second color	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
402					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Painted and brushed inlaid aluminum appliques	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
501					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Clear view 75x1600	STD	STD*	3 915	4 185
		RAL	RAL 9016 / STR	4 260	4 530
		RAL	RAL	4 610	4 880
		SFC WOOD	RAL 9016 / STR	4 345	4 615
		SFC WOOD	RAL	4 690	4 960
		SFC WOOD	SFC WOOD	4 775	5 045
502					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Clear view 75x1600	STD	STD*	4 215	4 485
		RAL	RAL 9016 / STR	4 560	4 830
		RAL	RAL	4 905	5 175
		SFC WOOD	RAL 9016 / STR	4 640	4 910
		SFC WOOD	RAL	4 990	5 260
		SFC WOOD	SFC WOOD	5 070	5 340

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)				STD* interior (INT)	
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 9016 / STR	
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703		*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH	

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
503					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	3 915	4 185
		RAL	RAL 9016 / STR	4 260	4 530
		RAL	RAL	4 610	4 880
		SFC WOOD	RAL 9016 / STR	4 345	4 615
		SFC WOOD	RAL	4 690	4 960
		SFC WOOD	SFC WOOD	4 775	5 045
504					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 060	4 330
		RAL	RAL 9016 / STR	4 405	4 675
		RAL	RAL	4 750	5 020
		SFC WOOD	RAL 9016 / STR	4 485	4 755
		SFC WOOD	RAL	4 835	5 105
		SFC WOOD	SFC WOOD	4 915	5 185
505					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 060	4 330
		RAL	RAL 9016 / STR	4 405	4 675
		RAL	RAL	4 750	5 020
		SFC WOOD	RAL 9016 / STR	4 485	4 755
		SFC WOOD	RAL	4 835	5 105
		SFC WOOD	SFC WOOD	4 915	5 185
506					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 060	4 330
		RAL	RAL 9016 / STR	4 405	4 675
		RAL	RAL	4 750	5 020
		SFC WOOD	RAL 9016 / STR	4 485	4 755
		SFC WOOD	RAL	4 835	5 105
		SFC WOOD	SFC WOOD	4 915	5 185
507					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 060	4 330
		RAL	RAL 9016 / STR	4 405	4 675
		RAL	RAL	4 750	5 020
		SFC WOOD	RAL 9016 / STR	4 485	4 755
		SFC WOOD	RAL	4 835	5 105
		SFC WOOD	SFC WOOD	4 915	5 185

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
508					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	3 915	4 185
		RAL	RAL 9016 / STR	4 260	4 530
		RAL	RAL	4 610	4 880
		SFC WOOD	RAL 9016 / STR	4 345	4 615
		SFC WOOD	RAL	4 690	4 960
		SFC WOOD	SFC WOOD	4 775	5 045
509					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 75x75 • Carving	STD	STD*	3 915	4 185
		RAL	RAL 9016 / STR	4 260	4 530
		RAL	RAL	4 610	4 880
		SFC WOOD	RAL 9016 / STR	4 345	4 615
		SFC WOOD	RAL	4 690	4 960
		SFC WOOD	SFC WOOD	4 775	5 045
510					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc2"	STD	STD*	4 355	4 625
		RAL	RAL 9016 / STR	4 700	4 970
		RAL	RAL	5 050	5 320
		SFC WOOD	RAL 9016 / STR	4 785	5 055
		SFC WOOD	RAL	5 130	5 400
		SFC WOOD	SFC WOOD	5 215	5 485
511					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	4 355	4 625
		RAL	RAL 9016 / STR	4 700	4 970
		RAL	RAL	5 050	5 320
		SFC WOOD	RAL 9016 / STR	4 785	5 055
		SFC WOOD	RAL	5 130	5 400
		SFC WOOD	SFC WOOD	5 215	5 485
512					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Custom clear view	STD	STD*	4 500	4 770
		RAL	RAL 9016 / STR	4 845	5 115
		RAL	RAL	5 190	5 460
		SFC WOOD	RAL 9016 / STR	4 930	5 195
		SFC WOOD	RAL	5 275	5 545
		SFC WOOD	SFC WOOD	5 355	5 625

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
513					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	4 060	4 330
		RAL	RAL 9016 / STR	4 405	4 675
		RAL	RAL	4 750	5 020
		SFC WOOD	RAL 9016 / STR	4 485	4 755
		SFC WOOD	RAL	4 835	5 105
		SFC WOOD	SFC WOOD	4 915	5 185
514					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600 • Carving	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260
515					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Carving	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260
516					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Carving	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260
517					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Carving	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
518					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Carving	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260
519					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view Ø 300	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260
520					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view Ø 300x3	STD	STD*	4 375	4 640
		RAL	RAL 9016 / STR	4 720	4 990
		RAL	RAL	5 065	5 335
		SFC WOOD	RAL 9016 / STR	4 800	5 070
		SFC WOOD	RAL	5 150	5 420
		SFC WOOD	SFC WOOD	5 230	5 500
521					
	• Aluminium casement door (open inside) • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 670x1800 / if door size 1000x2100	STD	STD*	3 560	3 830
		RAL	RAL 9016 / STR	3 905	4 175
		RAL	RAL	4 250	4 520
		SFC WOOD	RAL 9016 / STR	3 990	4 255
		SFC WOOD	RAL	4 335	4 605
		SFC WOOD	SFC WOOD	4 415	4 685
522					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 460x1600	STD	STD*	4 375	4 640
		RAL	RAL 9016 / STR	4 720	4 990
		RAL	RAL	5 065	5 335
		SFC WOOD	RAL 9016 / STR	4 800	5 070
		SFC WOOD	RAL	5 150	5 420
		SFC WOOD	SFC WOOD	5 230	5 500

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
523					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Carving	STD	STD*	4 130	4 400
		RAL	RAL 9016 / STR	4 475	4 745
		RAL	RAL	4 825	5 095
		SFC WOOD	RAL 9016 / STR	4 560	4 830
		SFC WOOD	RAL	4 905	5 175
		SFC WOOD	SFC WOOD	4 990	5 260
601					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
602					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
603					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
604					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
605					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
606					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
607					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
608					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1300	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
609					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)				STD* interior (INT)	
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 9016 / STR	
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703		*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH	

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
610					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
611					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
612					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
613					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
614					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • House number with inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	4 415	4 685
		RAL	RAL 9016 / STR	4 765	5 035
		RAL	RAL	5 110	5 380
		SFC WOOD	RAL 9016 / STR	4 845	5 115
		SFC WOOD	RAL	5 190	5 460
		SFC WOOD	SFC WOOD	5 275	5 545

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
615					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 340x75	STD	STD*	4 415	4 685
		RAL	RAL 9016 / STR	4 765	5 035
		RAL	RAL	5 110	5 380
		SFC WOOD	RAL 9016 / STR	4 845	5 115
		SFC WOOD	RAL	5 190	5 460
		SFC WOOD	SFC WOOD	5 275	5 545
616					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 340x75	STD	STD*	4 415	4 685
		RAL	RAL 9016 / STR	4 765	5 035
		RAL	RAL	5 110	5 380
		SFC WOOD	RAL 9016 / STR	4 845	5 115
		SFC WOOD	RAL	5 190	5 460
		SFC WOOD	SFC WOOD	5 275	5 545
617					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 340x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
618					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 340x75 • Smooth kick plate	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
619					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
620					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
621					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
622					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
623					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
624					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
625	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
626	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
627	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 75x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
628	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
629	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
630					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
631					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
632					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
633					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
634					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC (SGT not available) • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
635					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid stainless metal applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
636					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
637					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
638					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
639					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			


DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
640					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250 • Decor kick plate	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
641					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Appliqué with SFC • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 250x250	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
642					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
643					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc2"	STD	STD*	4 565	4 835
		RAL	RAL 9016 / STR	4 910	5 180
		RAL	RAL	5 255	5 525
		SFC WOOD	RAL 9016 / STR	4 995	5 265
		SFC WOOD	RAL	5 340	5 610
		SFC WOOD	SFC WOOD	5 420	5 690
644					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc2"	STD	STD*	4 565	4 835
		RAL	RAL 9016 / STR	4 910	5 180
		RAL	RAL	5 255	5 525
		SFC WOOD	RAL 9016 / STR	4 995	5 265
		SFC WOOD	RAL	5 340	5 610
		SFC WOOD	SFC WOOD	5 420	5 690

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
645					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Smooth kick plate	STD	STD*	4 565	4 835
		RAL	RAL 9016 / STR	4 910	5 180
		RAL	RAL	5 255	5 525
		SFC WOOD	RAL 9016 / STR	4 995	5 265
		SFC WOOD	RAL	5 340	5 610
		SFC WOOD	SFC WOOD	5 420	5 690
646					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc2"	STD	STD*	4 565	4 835
		RAL	RAL 9016 / STR	4 910	5 180
		RAL	RAL	5 255	5 525
		SFC WOOD	RAL 9016 / STR	4 995	5 265
		SFC WOOD	RAL	5 340	5 610
		SFC WOOD	SFC WOOD	5 420	5 690
647					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	4 565	4 835
		RAL	RAL 9016 / STR	4 910	5 180
		RAL	RAL	5 255	5 525
		SFC WOOD	RAL 9016 / STR	4 995	5 265
		SFC WOOD	RAL	5 340	5 610
		SFC WOOD	SFC WOOD	5 420	5 690
648					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Windows "Arc"	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
649					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 100x600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)				STD* interior (INT)	
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 9016 / STR	
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703		*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH	

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
650					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving • Triple glazed unit: - P4A -outside - P4A-inside • Standard etched effect glazing • Clear view 600x100	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
651					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
652					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
653					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving • Triple glazed unit: - P4A -outside - P4A-inside • Custom etched effect glazing	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
654					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear SGC • Custom etched effect glazing • Clear view 160x1600	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
655	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 20x1800	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
656	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC	STD	STD*	4 565	4 835
		RAL	RAL 9016 / STR	4 910	5 180
		RAL	RAL	5 255	5 525
		SFC WOOD	RAL 9016 / STR	4 995	5 265
		SFC WOOD	RAL	5 340	5 610
		SFC WOOD	SFC WOOD	5 420	5 690
657	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Clear view 250x250	STD	STD*	4 415	4 685
		RAL	RAL 9016 / STR	4 765	5 035
		RAL	RAL	5 110	5 380
		SFC WOOD	RAL 9016 / STR	4 845	5 115
		SFC WOOD	RAL	5 190	5 460
		SFC WOOD	SFC WOOD	5 275	5 545
658	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear view 250x250	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
659	 • Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid stainless metal applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear view 100x600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)				STD* interior (INT)	
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
660					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear view Ø 300 • Glazing only in frosted SGM	STD	STD*	4 375	4 640
		RAL	RAL 9016 / STR	4 720	4 990
		RAL	RAL	5 065	5 335
		SFC WOOD	RAL 9016 / STR	4 800	5 070
		SFC WOOD	RAL	5 150	5 420
		SFC WOOD	SFC WOOD	5 230	5 500
661					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside • Clear view Ø 300x3 • Glazing only in frosted SGM	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
662					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
663					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 340x75	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
701					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Clear view 160x1600	STD	STD*	4 415	4 685
		RAL	RAL 9016 / STR	4 765	5 035
		RAL	RAL	5 110	5 380
		SFC WOOD	RAL 9016 / STR	4 845	5 115
		SFC WOOD	RAL	5 190	5 460
		SFC WOOD	SFC WOOD	5 275	5 545

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
702					
	• Smooth sheet • Stainless steel handle H90RB-1600 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
703					
	• Smooth sheet • Stainless steel handle H90RB-1600 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Windows "Arc1"	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
704					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Custom etched effect glazing	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
705					
	• Smooth sheet • Stainless steel handle H90RB-800 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlay + appliqué with SFC • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Custom etched effect glazing	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
706					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Clear view 160x1600	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
707					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving • Triple glazed unit: - P4A -outside - P4A-inside • Etched effect, clear view 160x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
708					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside • Clear view 75x1600	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
709					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
801					
	• Smooth sheet • Two colors outside • Default second outside color RAL 3000 • Stainless steel handle H90S40B-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
802					
	• Smooth sheet • Two colors outside • Default second outside color RAL 3000 • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
803					
	• Smooth sheet • Two colors outside • Default second outside color RAL 3000 • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600	STD	STD*	4 865	5 135
		RAL	RAL 9016 / STR	5 215	5 485
		RAL	RAL	5 560	5 830
		SFC WOOD	RAL 9016 / STR	5 295	5 565
		SFC WOOD	RAL	5 640	5 910
		SFC WOOD	SFC WOOD	5 725	5 995
804					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid+appliqué with SFC • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Clear view 75x1600	STD	STD*	5 010	5 280
		RAL	RAL 9016 / STR	5 355	5 625
		RAL	RAL	5 705	5 975
		SFC WOOD	RAL 9016 / STR	5 440	5 710
		SFC WOOD	RAL	5 785	6 055
		SFC WOOD	SFC WOOD	5 870	6 140
805					
	• Smooth sheet • Stainless steel handle H90S40B-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid+appliqué with SFC • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing	STD	STD*	5 010	5 280
		RAL	RAL 9016 / STR	5 355	5 625
		RAL	RAL	5 705	5 975
		SFC WOOD	RAL 9016 / STR	5 440	5 710
		SFC WOOD	RAL	5 785	6 055
		SFC WOOD	SFC WOOD	5 870	6 140
901					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Custom etched effect • Clear view 250x250	STD	STD*	4 375	4 640
		RAL	RAL 9016 / STR	4 720	4 990
		RAL	RAL	5 065	5 335
		SFC WOOD	RAL 9016 / STR	4 800	5 070
		SFC WOOD	RAL	5 150	5 420
		SFC WOOD	SFC WOOD	5 230	5 500
902					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Carving	STD	STD*	3 630	3 900
		RAL	RAL 9016 / STR	3 975	4 245
		RAL	RAL	4 325	4 595
		SFC WOOD	RAL 9016 / STR	4 060	4 330
		SFC WOOD	RAL	4 405	4 675
		SFC WOOD	SFC WOOD	4 490	4 760

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			



DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
903					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique	STD	STD*	3 925	4 195
		RAL	RAL 9016 / STR	4 275	4 545
		RAL	RAL	4 620	4 890
		SFC WOOD	RAL 9016 / STR	4 355	4 625
		SFC WOOD	RAL	4 705	4 970
		SFC WOOD	SFC WOOD	4 785	5 055
904					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) - Clear view 150x150	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
905					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Custom etched effect - Clear view 160x1600	STD	STD*	4 260	4 530
		RAL	RAL 9016 / STR	4 610	4 880
		RAL	RAL	4 955	5 225
		SFC WOOD	RAL 9016 / STR	4 690	4 960
		SFC WOOD	RAL	5 035	5 305
		SFC WOOD	SFC WOOD	5 120	5 390
906					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC - Windows "Arc3"	STD	STD*	4 415	4 685
		RAL	RAL 9016 / STR	4 765	5 035
		RAL	RAL	5 110	5 380
		SFC WOOD	RAL 9016 / STR	4 845	5 115
		SFC WOOD	RAL	5 190	5 460
		SFC WOOD	SFC WOOD	5 275	5 545
907					
	• Smooth sheet • Two colors outside • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC - Clear view 250x250	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
908					
	• Smooth sheet • Two colors outside • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Painted and inlaid brushed aluminum appliques • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC (SGT not available) - Clear view 150x150 • Smooth kick plate	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
909					
	• Smooth sheet • Two colors outside • Stainless steel handle H90RB-1200 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Etched effect glazing - Custom clear view	STD	STD*	5 010	5 280
		RAL	RAL 9016 / STR	5 355	5 625
		RAL	RAL	5 705	5 975
		SFC WOOD	RAL 9016 / STR	5 440	5 710
		SFC WOOD	RAL	5 785	6 055
		SFC WOOD	SFC WOOD	5 870	6 140
910					
	• Smooth sheet • Two colors outside • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Custom clear view	STD	STD*	4 715	4 985
		RAL	RAL 9016 / STR	5 060	5 330
		RAL	RAL	5 405	5 675
		SFC WOOD	RAL 9016 / STR	5 145	5 410
		SFC WOOD	RAL	5 490	5 760
		SFC WOOD	SFC WOOD	5 570	5 840
1000 DESIGNS WITH COMPOSITE PANELS					
	• Smooth sheet • Inlaid handle IH-ALU-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel	STD	STD*	6 005	6 275
		RAL	RAL 9016 / STR	6 355	6 620
		RAL	RAL	6 700	6 970
1001					
	• Smooth sheet • Inlaid handle IH-ALU-500+concrete image panel • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Concrete image panel	STD	STD*	5 845	6 115
		RAL	RAL 9016 / STR	6 195	6 465
		RAL	RAL	6 540	6 810

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1002					
	• Smooth sheet • Inlaid handle IH-ALU-500+concrete image panel • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1003					
	• Smooth sheet • Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1004					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel	STD	STD*	6 160	6 430
		RAL	RAL 9016 / STR	6 505	6 775
		RAL	RAL	6 850	7 120
1005					
	• Smooth sheet • Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel	STD	STD*	6 160	6 430
		RAL	RAL 9016 / STR	6 505	6 775
		RAL	RAL	6 850	7 120
1006					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1007					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1008					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1009					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 320	6 590
		RAL	RAL 9016 / STR	6 665	6 935
		RAL	RAL	7 010	7 280
1010					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1011					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1012					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Concrete image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1020					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Inlaid brushed aluminum applique	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1021					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1022					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1023					
	• Smooth sheet • Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel	STD	STD*	6 160	6 430
		RAL	RAL 9016 / STR	6 505	6 775
		RAL	RAL	6 850	7 120

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.



* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1024					
	• Smooth sheet • Inlaid handle IH-ALU-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel	STD	STD*	6 010	6 280
		RAL	RAL 9016 / STR	6 360	6 630
		RAL	RAL	6 705	6 975
1025					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1026					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1027					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Triple glazed unit: - P4A -outside - P4A-inside - Standard etched effect glazing • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1028					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1029					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1030					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1031					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1032					
	• Smooth sheet • Inlaid handle IH-ALU-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Corten image panel • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1040					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Wood image panel	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1041					
	- Stainless steel handle H90R-500 - Escutcheon ESC3 - Lock cylinder CWA - Lever handle HL - Lock L3P - Wood image panel	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1042					
	- Smooth sheet - Stainless steel handle H90R-500 - Escutcheon ESC3 - Lock cylinder CWA - Lever handle HL - Lock L3P - Wood image panel	STD	STD*	6 320	6 590
		RAL	RAL 9016 / STR	6 665	6 935
		RAL	RAL	7 010	7 280
1043					
	- Smooth sheet - Stainless steel handle H90S40B-500 - Escutcheon ESC3 - Lock cylinder CWA - Lever handle HL - Lock L3P - Wood image panel	STD	STD*	6 320	6 590
		RAL	RAL 9016 / STR	6 665	6 935
		RAL	RAL	7 010	7 280
1044					
	- Stainless steel handle H90R-500 - Escutcheon ESC3 - Lock cylinder CWA - Lever handle HL - Lock L3P - Wood image panel - Inlaid brushed aluminum applique - Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC - Clear view 160x1600	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965
1045					
	- Stainless steel handle H90R-500 - Escutcheon ESC3 - Lock cylinder CWA - Lever handle HL - Lock L3P - Wood image panel - Inlaid brushed aluminum applique - Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC - Clear view 130x1300	STD	STD*	7 000	7 270
		RAL	RAL 9016 / STR	7 350	7 620
		RAL	RAL	7 695	7 965

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	*IF INSIDE AND OUTSIDE ARE THE SAME COLOR AND THE SAME FINISH
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1046					
	• Smooth sheet • Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Wood image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 805	7 070
		RAL	RAL	7 150	7 420
1047 NEW					
	• Smooth sheet • Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Wood image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 160x1600	STD	STD*	6 455	6 725
		RAL	RAL 9016 / STR	6 555	6 815
		RAL	RAL	6 890	7 150
1048 NEW					
	• Smooth sheet • Stainless steel handle CUSTOM • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Wood image panel • Inlaid brushed aluminum applique • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 130x1300	STD	STD*	7 035	7 305
		RAL	RAL 9016 / STR	7 380	7 650
		RAL	RAL	7 725	7 995
1049 NEW					
	• Smooth sheet • Stainless steel handle CUSTOM • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Wood image panel • Carving • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 100x230	STD	STD*	7 035	7 305
		RAL	RAL 9016 / STR	7 380	7 650
		RAL	RAL	7 725	7 995
1049-1 NEW					
	• Smooth sheet • Inlaid handle IH-ALU-1800 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Inlaid brushed aluminum applique • Wood image panel	STD	STD*	7 035	7 305
		RAL	RAL 9016 / STR	7 380	7 650
		RAL	RAL	7 725	7 995

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1050 DESIGNS WITH GLASS PANELS					
	• Smooth sheet • Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Glass panel RAL9005 For other colors consult manufacturer.	STD	STD*	6 570	6 840
		RAL	RAL 9016 / STR	6 920	7 190
		RAL	RAL	7 265	7 535
1051					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Glass panel RAL9005 For other colors consult manufacturer.	STD	STD*	7 075	7 345
		RAL	RAL 9016 / STR	7 420	7 690
		RAL	RAL	7 765	8 035
1052					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Glass panel RAL9005 For other colors consult manufacturer.	STD	STD*	7 075	7 345
		RAL	RAL 9016 / STR	7 420	7 690
		RAL	RAL	7 765	8 035
1053					
	• Stainless steel handle H90R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Glass panel RAL9005 For other colors consult manufacturer.	STD	STD*	7 075	7 345
		RAL	RAL 9016 / STR	7 420	7 690
		RAL	RAL	7 765	8 035
1054					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Glass panel RAL9005 For other colors consult manufacturer.	STD	STD*	7 075	7 345
		RAL	RAL 9016 / STR	7 420	7 690
		RAL	RAL	7 765	8 035

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)				STD* interior (INT)	
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 9016 / STR	
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
1055					
	• Glass+corten image panel • Escutcheon ESC3 • Lock cylinder CWA • Inlaid handle IH-ALU-1800+LED+corten image panel • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Clear view 75x1600 • Glass panel RAL9005 - For other colors consult manufacturer.	STD	STD*	9 510	9 780
		RAL	RAL 9016 / STR	9 855	10 125
		RAL	RAL	10 200	10 470
CLS 1					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 1 W					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: - P4A -outside - P4A-inside - Clear SGC • Classical carving	STD	STD*	3 955	4 225
		RAL	RAL 9016 / STR	4 300	4 570
		RAL	RAL	4 650	4 915
		SFC WOOD	RAL 9016 / STR	4 385	4 655
		SFC WOOD	RAL	4 730	5 000
		SFC WOOD	SFC WOOD	4 815	5 080
CLS 2					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 3					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
CLS 4					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 4 WA					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 270	4 535
		RAL	RAL 9016 / STR	4 615	4 885
		RAL	RAL	4 960	5 230
		SFC WOOD	RAL 9016 / STR	4 695	4 965
		SFC WOOD	RAL	5 045	5 315
		SFC WOOD	SFC WOOD	5 125	5 395
CLS 4 WB					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 510	4 780
		RAL	RAL 9016 / STR	4 855	5 125
		RAL	RAL	5 205	5 475
		SFC WOOD	RAL 9016 / STR	4 940	5 210
		SFC WOOD	RAL	5 285	5 555
		SFC WOOD	SFC WOOD	5 370	5 640
CLS 5					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 5 WA					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 270	4 535
		RAL	RAL 9016 / STR	4 615	4 885
		RAL	RAL	4 960	5 230
		SFC WOOD	RAL 9016 / STR	4 695	4 965
		SFC WOOD	RAL	5 045	5 315
		SFC WOOD	SFC WOOD	5 125	5 395

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
CLS 5 WB					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 510	4 780
		RAL	RAL 9016 / STR	4 855	5 125
		RAL	RAL	5 205	5 475
		SFC WOOD	RAL 9016 / STR	4 940	5 210
		SFC WOOD	RAL	5 285	5 555
		SFC WOOD	SFC WOOD	5 370	5 640
CLS 6					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 6 WA					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 270	4 535
		RAL	RAL 9016 / STR	4 615	4 885
		RAL	RAL	4 960	5 230
		SFC WOOD	RAL 9016 / STR	4 695	4 965
		SFC WOOD	RAL	5 045	5 315
		SFC WOOD	SFC WOOD	5 125	5 395
CLS 6 WB					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 575	4 845
		RAL	RAL 9016 / STR	4 925	5 190
		RAL	RAL	5 270	5 540
		SFC WOOD	RAL 9016 / STR	5 005	5 275
		SFC WOOD	RAL	5 350	5 620
		SFC WOOD	SFC WOOD	5 435	5 705
CLS 7					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.


DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
CLS 7 W					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 390	4 660
		RAL	RAL 9016 / STR	4 735	5 005
		RAL	RAL	5 080	5 350
		SFC WOOD	RAL 9016 / STR	4 820	5 090
		SFC WOOD	RAL	5 165	5 435
		SFC WOOD	SFC WOOD	5 245	5 515
CLS 8					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 8 W					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 390	4 660
		RAL	RAL 9016 / STR	4 735	5 005
		RAL	RAL	5 080	5 350
		SFC WOOD	RAL 9016 / STR	4 820	5 090
		SFC WOOD	RAL	5 165	5 435
		SFC WOOD	SFC WOOD	5 245	5 515
CLS 9					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 9 W					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 090	4 360
		RAL	RAL 9016 / STR	4 440	4 710
		RAL	RAL	4 785	5 055
		SFC WOOD	RAL 9016 / STR	4 520	4 790
		SFC WOOD	RAL	4 870	5 135
		SFC WOOD	SFC WOOD	4 950	5 220

RAL colors can have 20% gloss or structure finish, TG & DB colors are in structure finish only

STD exterior (EXT)					STD* interior (INT)
RAL 1013 / STR	RAL 3000 / STR	RAL 3005 / STR	RAL 6005 / STR	RAL 7016 / STR	RAL 9016 / STR
RAL 7032 / STR	RAL 7035 / STR	RAL 7038 / STR	RAL 8017 / STR	RAL 8019 / STR	
RAL 9005 / STR	RAL 9006 / STR	RAL 9007 / STR	RAL 9016 / STR	TG 29/60731	
TG 29/90147	TG 68/80043	DB 703			

DESIGN	INCLUDING	COLOR		RD80	RD100
		EXT	INT		
CLS 10					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Classical carving	STD	STD*	3 660	3 930
		RAL	RAL 9016 / STR	4 010	4 280
		RAL	RAL	4 355	4 625
		SFC WOOD	RAL 9016 / STR	4 090	4 360
		SFC WOOD	RAL	4 440	4 705
		SFC WOOD	SFC WOOD	4 520	4 790
CLS 10 W					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 880	5 150
		RAL	RAL 9016 / STR	5 225	5 495
		RAL	RAL	5 570	5 840
		SFC WOOD	RAL 9016 / STR	5 310	5 575
		SFC WOOD	RAL	5 655	5 925
		SFC WOOD	SFC WOOD	5 735	6 005
CLS 11					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	3 955	4 225
		RAL	RAL 9016 / STR	4 300	4 570
		RAL	RAL	4 650	4 915
		SFC WOOD	RAL 9016 / STR	4 385	4 655
		SFC WOOD	RAL	4 730	5 000
		SFC WOOD	SFC WOOD	4 815	5 080
CLS 12					
	• Smooth sheet • Stainless steel handle H45R-500 • Escutcheon ESC3 • Lock cylinder CWA • Lever handle HL • Lock L3P • Triple glazed unit: P4A -outside P4A-inside Clear SGC • Classical carving	STD	STD*	4 880	5 150
		RAL	RAL 9016 / STR	5 225	5 495
		RAL	RAL	5 570	5 840
		SFC WOOD	RAL 9016 / STR	5 310	5 575
		SFC WOOD	RAL	5 655	5 925
		SFC WOOD	SFC WOOD	5 735	6 005

DOUBLE LEAF AND OPENABLE SIDE ELEMENT



RD80

To calculate the price for the second leaf, simply double the price of your chosen design.

RD100

To calculate the price for the second leaf, simply double the price of your chosen design.

Standard options: • 3 point lock **L3P** • Lock cylinder **CWA** • Escutcheon **ESC3** • Inside handle **HLW** or **HLS10** • External handle **H45R - 500** or **H45S - 500** or **H90R - 500** or **H90S - 500**

SPECIAL FILM COATINGS (SFC): Light Oak*, Golden Oak, Old Oak, Dark Oak*, Light Pine, Natural Pine, Dark Pine, Winchester*, White Pine, Grey Pine, Burnt Wood, Antique Oak, Amber Oak, Barnwood Oak, Light Mahogany, Bright Mahogany, Red Corten Image, Corten Image, Stone Grey.

* Not matching with sectional garage doors wood-decor. Please note that colors depicted for guidance only. Please use official printed materials for accurate color.

All measures are overall frame sizes. • All prices in GBP, subject to VAT.

		RD80	RD100
OPEN TO OUTSIDE only available with flat frame		200	
		HEIGHT	
OVERSIZED DOOR		2301÷2400	2401÷2500
WIDTH	780÷1250	315	485
	1251÷1325	570	735
	1326÷1400	695	865

*Only available with L3P, L3P+D&N, L3P+D&N+ EM, L5PMA and L5PA locks.

RC3 RESISTANCE CLASS: • P5A safety glazing. • Escutcheon drill through proof. • Cylinder C class. • Anti-lift pin 4pcs. • RC3 not available with side element.		630	
WALA CONCEALED HINGES* *Only for inside opening	Available with RD100 only	N/A	1110
	From 2501÷3000	N/A	1480
DESIGN MODIFICATION		260	
OUTSIDE INDIVIDUAL DESIGN • Curved lines available. • Inner side of the door also can be custom made including carving and multicolor paint.		consult manufacturer	

INTERIOR DESIGN MATCHING THE EXTERIOR DESIGN			
			
CARVING	APPLIQUE	CUSTOM	
CARVING*			315
APPLIQUE*			630
CUSTOM			945

* Both can be chosen for the design.

KICK PLATE			
 SMOOTH		KICK PLATE	
 DECOR		110	
 150		HOUSE NUMBER	
		Height - 150 mm Font - Arial	
		110	

ETCHED EFFECT DECORATION IN DOOR LEAF GLAZING

DESIGN					INCLUDING	SIZE	PRICE	
A	B	C	D	E	• 2÷7 strips	130x1300	60	
						160x1600		
						230x1343		
F	G	H					150x150	40
							250x250	
CUSTOM SHAPE GLAZING								
					Custom		420	
					Add for portholes instead of square windows on standard door models		110 / per pc	

CUSTOM ETCHED EFFECT DECORATION IN DOOR LEAF GLAZING



Custom design available

consult
manufacturer














CUSTOM SIZE DOOR LEAF GLAZING




Custom size available

consult
manufacturer


GLAZING OPTIONS (mm)

 75x340 120	 75x75	 150x150	 250x250	 75x1600	 100x600	 130x1300	 160x1600				
 Arc	 Arc1	 Arc2	 Arc3	 600x100	 460x1600	<table><tr><td></td><td>RD 80/100</td></tr><tr><td>Custom sizes available</td><td>consult manufacturer</td></tr></table>			RD 80/100	Custom sizes available	consult manufacturer
	RD 80/100										
Custom sizes available	consult manufacturer										

SIDE AND TOP ELEMENTS




WINDOW GRILLS IN BETWEEN GLAZING




	RAL 9016	RAL
1 square /rectangle	45	90

ETCHED EFFECT GLAZING


I	J
	
For side elements	
W 250÷600	200
W 601÷800	250
W 801÷1000	300
W 1001÷1200	350
For top elements	
W 1000÷1250	150
W 1251÷1700	200
W 1701÷3250	250

CUSTOM ETCHED EFFECT GLAZING

K	L
	
Custom design available	
+25%*	

*Add to side or top elements price

STANDARD SAFETY GLAZING OPTIONS




Clear **SGC**

Matt **SGM**

Patterned **SGP**

NON-STANDARD SAFETY GLAZING OPTIONS



Tinted **SGT**:*

- Tinted Brown **SGT-B**
- Tinted Grey **SGT-G**
- Stopsol Supersilver Clear (Reflective)


Tempered:

- Clear **SGC**
- Matt **SGM**

	PRICE
Tempered glass	consult manufacturer
Tinted SGT	consult manufacturer

*only available as tempered glass

NON-STANDARD SAFETY GLAZING OPTIONS



Similar to Delta Nr. 121

Chinchilla

Kathedral Klein

Similar to Silvit Nr. 118


Crepi


	PRICE
Door leaf	125
Side element	+25%

Side & Top elements

TRIPLE GLAZING

4mm Float + 4mm Float + 4mm Float



SIDE	COLOR		4mm Float + 4mm Float + 4mm Float							
			RD80				RD100			
			WIDTH (mm)				WIDTH (mm)			
	EXT	INT	250-600	601-800	801-1000	1001-1200	250-600	601-800	801-1000	1001-1200
	STD	STD*	1 005	1 355	1 700	2 045	1 065	1 415	1 760	2 105
	RAL	RAL9016/STR	1 190	1 535	1 880	2 230	1 250	1 595	1 940	2 290
	RAL	RAL	1 370	1 715	2 065	2 410	1 430	1 775	2 125	2 470
	SFC WOOD	RAL9016/STR	1 260	1 605	1 955	2 300	1 320	1 665	2 015	2 360
	SFC WOOD	RAL	1 440	1 790	2 135	2 480	1 500	1 850	2 195	2 540
	SFC WOOD	SFC WOOD	1 515	1 860	2 205	2 550	1 575	1 920	2 265	2 615
	2301 - 2400 mm		+305	+375	+445	+515	+340	+415	+485	+555
	2401 - 2500 mm		+430	+500	+570	+645	+470	+540	+610	+680
	2501 - 3000 mm		+545	+615	+690	+760	+585	+655	+725	+800

Side element width clear view is 105 mm less than side element's overall frame width.
Side element height clear view is 215 mm less than side element's overall frame height.

TOP	COLOR		HEIGHT	4mm Float + 4mm Float + 4mm Float									
				RD80					RD100				
				WIDTH (mm)					WIDTH (mm)				
	EXT	INT		900-1250	1251-1700	1701-2100	2101-2600	2601-3650	900-1250	1251-1700	1701-2100	2101-2600	2601-3650
	STD	STD*	250-600	610	815	1 030	1 310	1 590	655	860	1 075	1 355	1 635
	RAL	RAL9016/STR		790	995	1 210	1 490	1 770	835	1 040	1 255	1 535	1 815
	RAL	RAL		975	1 175	1 390	1 670	1 955	1 020	1 220	1 435	1 715	1 995
	SFC WOOD	RAL9016/STR		865	1 065	1 280	1 560	1 845	910	1 110	1 325	1 605	1 885
	SFC WOOD	RAL		1 045	1 250	1 465	1 745	2 025	1 090	1 295	1 505	1 790	2 070
	SFC WOOD	SFC WOOD		1 115	1 320	1 535	1 815	2 095	1 160	1 365	1 580	1 860	2 140
	EXT	INT		4mm Float + 4mm Float + 4mm Float									
				900-1250	1251-1700	1701-2100	2101-2600	2601-3650	900-1250	1251-1700	1701-2100	2101-2600	2601-3650
	STD	STD*	601-800	775	1 110	1 365	1 700	1 930	820	1 155	1 410	1 745	1 975
	RAL	RAL9016/STR		955	1 295	1 545	1 880	2 110	1 000	1 335	1 590	1 925	2 155
	RAL	RAL		1 140	1 475	1 725	2 065	2 295	1 185	1 520	1 770	2 105	2 340
	SFC WOOD	RAL9016/STR		1 030	1 365	1 615	1 955	2 185	1 075	1 410	1 660	1 995	2 230
	SFC WOOD	RAL		1 210	1 545	1 800	2 135	2 365	1 255	1 590	1 845	2 180	2 410
	SFC WOOD	SFC WOOD		1 280	1 615	1 870	2 205	2 435	1 325	1 660	1 915	2 250	2 480
	EXT	INT		4mm Float + 4mm Float + 4mm Float									
				900-1250	1251-1700	1701-2100	2101-2600	2601-3650	900-1250	1251-1700	1701-2100	2101-2600	2601-3650
	STD	STD*	801-1000	1 000	1 365	1 700	2 120	2 560	1 045	1 410	1 745	2 160	2 600
	RAL	RAL9016/STR		1 185	1 545	1 880	2 300	2 740	1 225	1 590	1 925	2 345	2 785
	RAL	RAL		1 365	1 725	2 065	2 480	2 920	1 410	1 770	2 105	2 525	2 965
	SFC WOOD	RAL9016/STR		1 255	1 615	1 955	2 370	2 810	1 300	1 660	1 995	2 415	2 855
	SFC WOOD	RAL		1 435	1 800	2 135	2 550	2 990	1 480	1 845	2 180	2 595	3 035
	SFC WOOD	SFC WOOD		1 505	1 870	2 205	2 625	3 065	1 550	1 915	2 250	2 670	3 110


*Just when inside color is same as outside color.

Top element width clear view is 150 mm less than top element's overall frame width.

Top element height clear view is 105 mm less than top element's overall frame height.

TRIPLE SAFETY GLAZING

P4A + 4mm Float + P4A



Apply a coefficient of 1.25 for the CE marking of side and top elements.

SIDE	COLOR		P4A + 4mm Float + P4A							
			RD80				RD100			
			WIDTH (mm)				WIDTH (mm)			
	EXT	INT	250-600	601-800	801-1000	1001-1200	250-600	601-800	801-1000	1001-1200
	STD	STD*	1 150	1 495	1 845	2 190	1 210	1 555	1 905	2 250
	RAL	RAL9016/STR	1 330	1 680	2 025	2 370	1 390	1 740	2 085	2 430
	RAL	RAL	1 515	1 860	2 205	2 550	1 575	1 920	2 265	2 615
	SFC WOOD	RAL9016/STR	1 405	1 750	2 095	2 440	1 465	1 810	2 155	2 505
	SFC WOOD	RAL	1 585	1 930	2 275	2 625	1 645	1 990	2 340	2 685
	SFC WOOD	SFC WOOD	1 655	2 000	2 350	2 695	1 715	2 065	2 410	2 755
	2301 - 2400 mm		+345	+440	+535	+625	+395	+490	+585	+675
	2401 - 2500 mm		+500	+595	+690	+780	+550	+645	+735	+830
	2501 - 3000 mm		+625	+720	+815	+910	+675	+770	+865	+955

Side element width clear view is 105 mm less than side element's overall frame width.
Side element height clear view is 215 mm less than side element's overall frame height.

TOP	COLOR		HEIGHT	P4A + 4mm Float + P4A									
				RD80					RD100				
				WIDTH (mm)					WIDTH (mm)				
	EXT	INT		900-1250	1251-1700	1701-2100	2101-2600	2601-3650	900-1250	1251-1700	1701-2100	2101-2600	2601-3650
	STD	STD*	250-600	695	895	1 110	1 390	1 670	755	955	1 170	1 450	1 735
	RAL	RAL9016/STR		875	1 080	1 295	1 575	1 855	935	1 140	1 355	1 635	1 915
	RAL	RAL		1 055	1 260	1 475	1 755	2 035	1 115	1 320	1 535	1 815	2 095
	SFC WOOD	RAL9016/STR		945	1 150	1 365	1 645	1 925	1 005	1 210	1 425	1 705	1 985
	SFC WOOD	RAL		1 130	1 330	1 545	1 825	2 105	1 190	1 390	1 605	1 885	2 165
	SFC WOOD	SFC WOOD		1 200	1 405	1 615	1 900	2 180	1 260	1 465	1 680	1 960	2 240
	EXT	INT		P4A + 4mm Float + P4A									
				900-1250	1251-1700	1701-2100	2101-2600	2601-3650	900-1250	1251-1700	1701-2100	2101-2600	2601-3650
	STD	STD*	601-800	890	1 225	1 480	1 815	2 045	945	1 280	1 535	1 870	2 100
	RAL	RAL9016/STR		1 075	1 410	1 660	1 995	2 230	1 130	1 465	1 715	2 050	2 285
	RAL	RAL		1 255	1 590	1 845	2 180	2 410	1 310	1 645	1 900	2 235	2 465
	SFC WOOD	RAL9016/STR		1 145	1 480	1 735	2 070	2 300	1 200	1 535	1 790	2 125	2 355
	SFC WOOD	RAL		1 325	1 660	1 915	2 250	2 480	1 380	1 715	1 970	2 305	2 535
	SFC WOOD	SFC WOOD		1 395	1 735	1 985	2 320	2 550	1 450	1 790	2 040	2 375	2 605
	EXT	INT		P4A + 4mm Float + P4A									
				900-1250	1251-1700	1701-2100	2101-2600	2601-3650	900-1250	1251-1700	1701-2100	2101-2600	2601-3650
	STD	STD*	801-1000	1 150	1 515	1 850	2 290	2 730	1 205	1 570	1 905	2 320	2 760
	RAL	RAL9016/STR		1 330	1 695	2 030	2 470	2 910	1 385	1 750	2 085	2 505	2 945
	RAL	RAL		1 515	1 875	2 210	2 650	3 090	1 570	1 930	2 265	2 685	3 125
	SFC WOOD	RAL9016/STR		1 405	1 765	2 100	2 540	2 980	1 460	1 820	2 155	2 575	3 015
	SFC WOOD	RAL		1 585	1 945	2 285	2 725	3 165	1 640	2 000	2 340	2 755	3 195
	SFC WOOD	SFC WOOD		1 655	2 020	2 355	2 795	3 235	1 710	2 075	2 410	2 825	3 265



*Just when inside color is same as outside color.

Top element width clear view is 150 mm less than top element's overall frame width.


Top element height clear view is 105 mm less than top element's overall frame height.

DECOR

Carving




STANDARD



CLASSIC (CLS)

Inlay appliqué



BRUSHED ALUMINUM APPLIQUE WITH BRUSHED SURFACE FINISH

DOOR WITH COMPOSITE PANELS



WOOD IMAGE



CORTEN IMAGE



CONCRETE IMAGE



GLASS 95% GLOSS

Composite panel m ²	665
Door with composite panels. For door design possibilities, please contact manufacturer. (One side decoration)	2490
Glass image panel	2530

SPECIAL FILM COATINGS (SFC)



LIGHT OAK*



GOLDEN OAK



OLD OAK



DARK OAK*



LIGHT PINE



NATURAL PINE



DARK PINE



WINCHESTER*



WHITE PINE



GREY PINE



BURNT WOOD



ANTIQUE OAK



AMBER OAK



BARNWOOD OAK



LIGHT MAHOGANY



BRIGHT MAHOGANY



RED CORTEN



BROWN CORTEN



STONE GREY

* Not matching with sectional garage doors wood-decor

SPECIAL SLATE-LITE COATINGS



DARK CREEK



MARE



RAINFOREST BROWN




COBRE



MATRIX



TERRA NOIR



RUSTIQUE



CALIFORNIA GREY



FALLING LEAVES



BLANCO



BURNING FOREST



RAINFOREST GREEN
DARK



MYSTIC WHITE



SILVIA



TEAK WOOD



SILVIA WILD MARBLE

Composite panel m²


515

Door with special slate-lite coating. For door design possibilities, please contact manufacturer (one side decoration)


1260

JUTTED FRAME

RD80




RD100




FLAT FRAME

RD80




RD100




OPEN TO OUTSIDE

WITHOUT SIDE ELEMENT




WITH SIDE ELEMENT




JUTTED FRAME

RD80




RD100




FLAT FRAME

RD80




RD100



LOWERED THRESHOLD

RD80

RD100




20.5 mm 120









20.5 mm 120

MECHANICAL THRESHOLD



RD80 / RD100



20 mm 370

ADD-ON SIDE PROFILES DOOR COLOR							
RD80				RD100			
JUTTED		FLAT		JUTTED		FLAT	
mm	PRICE per 1 m	mm	PRICE per 1 m	mm	PRICE per 1 m	mm	PRICE per 1 m
30	125	30	125	30	125	30	125
							
mm	PRICE per 1 m	mm	PRICE per 1 m	mm	PRICE per 1 m	mm	PRICE per 1 m
50	125	50	125	50	125	50	125
							

FIXING






There are 6 fixing points on each side of the door frame and one on the top. All fixing points are beyond gasket.

Doors with side elements are supplied in one piece - door-set and window frames.

Glazing panels are packed separately and requires fitting after door is installed.

INCLINED INSTALLATION HOLES





Your door frame has 6 fixing points on each side and one on the top, all positioned beyond the gasket for a secure seal. All fixing points are designed for mounting with a 10-degree incline.


Doors that include side elements are supplied as a complete door-set, along with any window frames. Please note that glazing panels are packed separately and will need to be fitted after the door is installed.

ADD-ON BOTTOM PROFILES


RD80



20 mm **40 per 1 m**




58 mm **50 per 1 m**




125 mm **60 per 1 m**


RD100



20 mm **40 per 1 m**




58 mm **50 per 1 m**



125 mm **60 per 1 m**

ADD-ON BOTTOM THERMO PROFILE


RD80 / RD100



15-100 mm **90 per 1 m**

STADUR
MADE IN GERMANY

RD80 / RD100




101-200 mm **165 per 1 m**

STADUR
MADE IN GERMANY

PLINTH THERMAL INSULATION PROFILE EPS


RD80 / RD100



0-100 mm **45 per 1 m**


blaugelb
Die Kundenmarke.

RD80 / RD100



101-200 mm **85 per 1 m**


blaugelb
Die Kundenmarke.




CILL PROFILES	PRICE
ETC457 (150 mm) (price per profile length meter)	210
ETC458 (190 mm) (price per profile length meter)	240

Cut to measure. Aluminum casted end-caps.
Whole profile painted in matching exterior door colour only.


RD80 AND RD100 OPEN LEAF 90°



DO80 WITHOUT SIDE ELEMENT OPEN LEAF 90°





DO80 WITH SIDE ELEMENT OPEN LEAF 90°




OPEN TO INSIDE

RD80 RD100 OFS & DAYLIGHT OPENING

RD80 RD100 HINGES




RD80 RD100 TLRW




OPEN TO OUTSIDE



DO80 OFS & DAYLIGHT OPENING




DO80 HINGES



DO80 TLRW



LEVER HANDLES / KNOB HANDLES



	PRICE	
	inside	SET
HL-W/B Lever handle black, white	STD	40
HK-W/B Knob handle SET black, white	-	115
HLA Aluminum handle	40	80
HLS 01 Stainless steel handle	115	230
HL-RB Black handle, rectangular	45	90
HLS 02, HLS 03, HLS 04, HLS 05, HLS 06 Stainless steel handle	135	270
HLS 07 Aluminum handle with stainless steel. Installed only in pairs inside and outside.	-	205
HLS 10 White aluminum handle	STD	100
HLS 11 Aluminum handle	STD	100
HLS 12 Stainless steel handle	75	150
HLB 13 Black lever handle Blaugelb, round	-	150
HLB 14 Black lever handle Blaugelb, square	105	210
HLB 15 Black lever handle Hoppe, round	105	210
HLB 16 Black lever handle Hoppe, square	190	380

STAINLESS STEEL HANDLES



H45R



H45R-FSC
only with FSC1

Ø 30mm 45° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H45R-500 (H 500 mm)	STD	80	-	-
H45R-800 (H 800 mm)	160	240	-	-
H45R-1200 (H 1200 mm)	180	260	2080	2160
H45R-1400 (H 1400 mm)	200	280	2100	2180
H45R-1600 (H 1600 mm)	220	300	2110	2190



H45S



H45S-FSC
only with FSC1

30x20mm 45° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H45S-500 (H 500 mm)	STD	80	-	-
H45S-800 (H 800 mm)	160	240	-	-
H45S-1200 (H 1200 mm)	180	260	2080	2160
H45S-1400 (H 1400 mm)	200	280	2100	2180
H45S-1600 (H 1600 mm)	220	300	2110	2190



LED+H45S



LED 30x30 mm 45° fine matt polished*	PRICE
LED+H45S-1200 (H 1200 mm)	660
LED+H45S-1600 (H 1600 mm)	880

Handle LED backlight supplied without light sensors and AC/DC power supply.



H90R



H90R-FSC
only with FSC1

Ø 30mm 90° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H90R-500 (H 500 mm)	STD	80	-	-
H90R-800 (H 800 mm)	160	240	-	-
H90R-1200 (H 1200 mm)	180	260	2090	2170
H90R-1400 (H 1400 mm)	200	280	2120	2200
H90R-1600 (H 1600 mm)	220	300	2130	2210
H90R-1800 (H 1800 mm)	240	320	-	-



H90S



H90S-FSC
only with FSC1

30x20 mm 90° fine matt polished	PRICE	RAL	With integrated FSC1	RAL
H90S-500 (H 500 mm)	STD	80	-	-
H90S-800 (H 800 mm)	160	240	-	-
H90S-1200 (H 1200 mm)	180	260	2090	2170
H90S-1400 (H 1400 mm)	200	280	2120	2200
H90S-1600 (H 1600 mm)	220	300	2130	2210
H90S-1800 (H 1800 mm)	240	320	-	-



LED+H90S

LED+H90S



LED 30x30 mm 90° fine matt polished*	PRICE
LED+H90S-1200 (H 1200 mm)	660
LED+H90S-1600 (H 1600 mm)	880

Handle LED backlight supplied without light sensors and AC/DC power supply.

STAINLESS STEEL HANDLES



H90S40



40x10mm 90° fine matt polished	PRICE	RAL
H90S40-500 (H 500 mm)	135	215
H90S40-800 (H 800 mm)	160	240
H90S40-1200 (H 1200 mm)	180	260
H90S40-1400 (H 1400 mm)	200	280
H90S40-2000 with 4 brackets (H 2000 mm)	380	460



H90S40B



40x10 mm 90° fine matt polished	PRICE	RAL
H90S40B-500 (H 500 mm)	135	215
H90S40B-800 (H 800 mm)	160	240
H90S40B-1200 (H 1200 mm)	180	260



H90RB



Ø 30mm 90° fine matt polished	PRICE	RAL
H90RB-500 (H 500 mm)	135	215
H90RB-800 (H 800 mm)	160	240
H90RB-1200 (H 1200 mm)	180	260
H90RB-1400 (H 1400 mm)	200	280
H90RB-1600 (H 1600 mm)	380	460



HRB



Ø 30mm fine matt polished	PRICE
HRB-500 (H 500 mm)	160
HRB-800 (H 800 mm)	180



HS
only with FSC3



Fine matt polished stainless steel handle with integrated FSC3 finger scanner	PRICE
HS (H 1000 mm)	2385



H90WD/G
H90WD/O



Ø 30mm 90° wood with matt polished	PRICE
H90WD/G-800 (H 800 mm) (Golden oak)	335
H90WD/G-1200 (H 1200 mm) (Golden oak)	355
H90WD/O-800 (H 800 mm) (Dark oak)	335
H90WD/O-1200 (H 1200 mm) (Dark oak)	355

DESIGNER HANDLES



Material: brushed stainless steel
4 types of wood to choose from: oak; jatoba; walnut; wenge
All types of wood are the same price


Please note that actual wood shades may vary from the images shown.



Stainless steel door handle made of D-shape profile. Profile: 45x25 mm	PRICE	Black edition
SG-501-1000 (H 1000 mm)	660	860
SG-501-1200 (H 1200 mm)	705	905
SG-501-1400 (H 1400 mm)	745	945
SG-501-1600 (H 1600 mm)	790	990
SG-501-1800 (H 1800 mm)	830	1030
SG-501-2000 (H 2000 mm)	870	1070



Stainless steel door handle with natural wood insert made of round profile Ø 40mm	PRICE	Black edition
SG45-134-1000 (H 1000 mm)	650	850
SG45-134-1200 (H 1200 mm)	695	895
SG45-134-1400 (H 1400 mm)	735	935
SG45-134-1600 (H 1600 mm)	775	975
SG45-134-1800 (H 1800 mm)	820	1020
SG45-134-2000 (H 2000 mm)	895	1095



Stainless steel door handle with natural wood insert made of round profile Ø 40mm	PRICE	Black edition
SG90-134-1000 (H 1000 mm)	650	850
SG90-134-1200 (H 1200 mm)	695	895
SG90-134-1400 (H 1400 mm)	735	935
SG90-134-1600 (H 1600 mm)	775	975
SG90-134-1800 (H 1800 mm)	820	1020
SG90-134-2000 (H 2000 mm)	895	1095



Stainless steel door handle with natural wood insert made of rectangular profile. Profile: 30x30 mm	PRICE	Black edition
SG45-179-1000 (H 1000 mm)	790	990
SG45-179-1200 (H 1200 mm)	840	1040
SG45-179-1400 (H 1400 mm)	895	1095



Stainless steel door handle with natural wood insert made of rectangular profile. Profile: 30x30 mm	PRICE	Black edition
SG90-179-1000 (H 1000 mm)	790	990
SG90-179-1200 (H 1200 mm)	840	1040
SG90-179-1400 (H 1400 mm)	895	1095

DESIGNER HANDLES



SG-180



Stainless steel door handle with natural wood insert made of rectangular profile. Profile: 40x20 mm

SG-180-1000 (H 1000 mm)

SG-180-1200 (H 1200 mm)

PRICE

Black edition

790

990

840

1040



SG-181



Door handle with natural wood insert made of square profile. Profile 30x20 mm


SG-181-1000 (H 1000 mm)

PRICE

Black edition

685

885



SMR-1600 + FSC



Stainless steel door handle with finger scanner made of semi-circular profile. Profile: 40x20 mm

SMR/SS-1600 (H 1600 mm)

SMR/7016-1600 (H 1600 mm)

SMR/703-1600 (H 1600 mm)

SMR/9005-1600 (H 1600 mm)

PRICE

1260

1365

1365

1365

NAVKOM HANDLES



N90R F



N90R B

Round R 90° Reader on the FRONT with integrated FSC5	PRICE
N90R F-1000 (H 1000 mm)	2435
N90R F-1500 (H 1500 mm)	2550
N90R F-1800 (H 1800 mm)	2630
Round R 90° Reader on the BACK with integrated FSC5	
N90R B-1000 (H 1000 mm)	2480
N90R B-1500 (H 1500 mm)	2595
N90R B-1800 (H 1800 mm)	2680



N90QM F



N90QM B

Square QM 90° Reader on the FRONT with integrated FSC5	PRICE
N90QM F-1000 (H 1000 mm)	2435
N90QM F-1500 (H 1500 mm)	2550
N90QM F-1800 (H 1800 mm)	2630
Square QM 90° Reader on the BACK with integrated FSC5	
N90QM B-1000 (H 1000 mm)	2480
N90QM B-1500 (H 1500 mm)	2595
N90QM B-1800 (H 1800 mm)	2680



N90QE F



N90QE B

Square QE 90° Reader on the FRONT with integrated FSC5	PRICE
N90QE F-1000 (H 1000 mm)	2460
N90QE F-1500 (H 1500 mm)	2565
N90QE F-1800 (H 1800 mm)	2670
Square QE 90° Reader on the BACK with integrated FSC5	
N90QE B-1000 (H 1000 mm)	2510
N90QE B-1500 (H 1500 mm)	2615
N90QE B-1800 (H 1800 mm)	2720



N90TM F




N90TM F BIO

Rectangular TM 90° Reader on the FRONT with integrated FSC5	PRICE
N90TM F-1000 (H 1000 mm)	2405
N90TM F-1500 (H 1500 mm)	2520
N90TM F-1800 (H 1800 mm)	2600
Rectangular TM 90° Reader on the FRONT with integrated FSC6	
N90TM F BIO-1000 (H 1000 mm)	2445
N90TM F BIO-1500 (H 1500 mm)	2550
N90TM F BIO-1800 (H 1800 mm)	2655

Handle set with LED backlit available

consult manufacturer



Inlaid fine matt polished stainless steel handle	PRICE
IH (500x130 mm)	775



IH-ALU

Auminum recessed handle	IH-ALU	+BACK PLATE	+LED	+BACK PLATE +LED
IH-ALU-500 (H 500 mm)	230	350	475	595
IH-ALU-800 (H 800 mm)	370	520	630	780
IH-ALU-1200 (H 1200 mm)	545	735	860	1050
IH-ALU-1400 (H 1400 mm)	640	860	980	1200
IH-ALU-1600 (H 1600 mm)	735	975	1095	1340
IH-ALU-1800 (H 1800 mm)	830	1095	1225	1490

IH-ALU the handle can be with installed LED backlit and decorative backplates.
Regarding backlit controller, price and feasibility please consult with manufacturer.
Full LED backlight supplied without light sensors and AC/DC power supply.

ESCUTCHEON



	PRICE	RAL
ESC-1	55	105
ESC-2	55	105
ESC-3	STD	50
ESC-4	35	85
ESC-5 (drill-through proof)	105	-

PARTIAL OPENING LOCK



POL

	PRICE
POL Partial opening lock only for doors opening inside (Aluminum, white) *Available with: L3P, L3P+D&N+EM, L5PMA, L5PM.	240

LOCK CYLINDER



	PRICE
CWA Safety CLASS A Special housing pins against picking • Basic level of resistance A according to PN-91/B-94461/02 • Approval for use in fire-resistant doors	STD
CWB Safety CLASS B	95
CWC Safety CLASS C	145
CWA+TT (with thumb turn) Safety CLASS A See details above, next to CWA Safety CLASS A	100
AK Additional key	30
BCWA Safety class A, black color See details above, next to CWA Safety CLASS A	230
BCWA+TT (with thumb turn) Safety class A, black color See details above, next to CWA Safety CLASS A	250

FINGER SCANNERS



	PRICE
FSC1 - ekey dLine (IP56) Flush-mounted fingerprint scanner	1430
FSC2 - ekey dLine (IP56) Surface-mounted fingerprint scanner	1430
FSC3 - Sommer ENTRAsys ⁺ (IP65) Surface-mounted fingerprint scanner	620
FSC4 - Siegenia Fingerprint scanner* (IP54) Surface-mounted fingerprint scanner For L5PMA/L5PA lock	2615
FSC4 + IO module - Siegenia Fingerprint scanner (IP54) Surface-mounted fingerprint scanner + optional add-on for WiFi	3715
FSC5 - Navkom Bioreader (R8) (IP54) Flush-mounted fingerprint scanner with GSM module	1160
FSC6 - Navkom Bio-Touchpad (R8 control unit) (IP54) Flush-mounted fingerprint and keypad scanner with GSM module	1320
FSC7 - Smart cylinder tedee PRO, biometric fingerprint scanner and PIN keypad (IP65) Surface-mounted fingerprint scanner	1000
FSC7 - WiFi adapter	170

Only L3P+D&N+EM, L5PMA or L5PA locks are compatible with finger scanners.

KEYPADS




	PRICE
KP1 - 3-channel keypad, surface-mounted (IP54)	495
KP2 - ekey Integra (IP54) White surface-mounted keypad	1210
KP3 - ekey Integra (IP54) Black surface-mounted keypad	1210
KP4 - Siegenia Keypad * (IP54) Surface-mounted keypad For L5PMA/L5PA lock	1680
KP4 + IO module - Siegenia Keypad (IP54) Surface-mounted Keypad + optional add-on for WiFi	2785
KP5 - Sommer ENTRAcodes ⁺ (IP65) Surface-mounted keypad	650
KP6 - Navkom Touchpad (R8) (IP54) Surface-mounted keypad with GSM module	1315




Only L3P+D&N+EM, L5PMA or L5PA locks are compatible with keypads.



LOCKS



MECHANICAL LOCKS	PRICE
L3P 3 point multi-point lock. Main lock deadbolt and hook bolts operated by the key.	STD
*L3P+D&N+EM 3 point multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key.	220
L3P KABA 3 point multi-point lock. Main lock deadbolt and hook bolts operated by the key. Lock suitable for KABA type key cylinder.	120
*L3P KABA+D&N+EM 3 point multi-point lock with electric latch and option to temporary disable self-locking. Main lock deadbolt and hook bolts operated by the key. Lock suitable for KABA type key cylinder.	265
L5P 5 point multi-point lock. Two round latch bolts lock the leaf on closure automatically and opens by the key. Deadbolt and hook bolts operated by the key.	120
*L5PM (without electric motor) 5 point multi-point lock. Round latch and hook bolts lock the leaf on closure automatically. Deadbolt operated by the key only. Not compatible with lever handle from outside, pull handle only.	255



ELECTRONIC LOCKS

PRICE

*L5PMA

5 point multi-point lock.
Round latch and hook bolts lock the leaf on closure automatically.
All latches and hook bolts open by electric drive after receiving signal from finger scanner or keypad, or by pressing lever handle.
Deadbolt operated by the key only. If the deadbolt is engaged automatic unlocking is disabled.
Lock can be connected to finger-scanner or keypad (optional).
Not compatible with lever handle from outside, pull handle only.

800

*L5PA

5 point multi-point lock with all latches and deadbolt operated by electric drive. Locks automatically when closing the door. All latches and deadbolt open by electric drive when turning the key or pressing lever handle. Not compatible with lever handle from outside, pull handle only. Lock can be connected to finger-scanner and keypad (optional).
Electromagnetic strike included.
Not available when overall frame height is less than 2035mm.

2080

ANTIPANIC LOCKS

PRICE

L5P + panic function

5 point multi-point lock.
Round latch bolts and hook bolts lock the leaf on closure automatically. Deadbolt is locked by the key.
All latches and deadbolt are unlocked by pressing inside handle.

1300

L1P + panic function

Single-point lock: the latch and main bolt automatically lock when the door is closed.
The latch and main bolt are unlocked when the interior handle is pushed down.

620

SECURITY ACCESSORIES

PRICE

Hook bolt switch contact for monitoring the door locking status. Connected to house alarm system.

275


Alarm sensor for house alarm system.


60

***AC/DC transformer is not included**


ALUMINUM MOLDING




				PRICE/set	PRICE/m
20x2mm		20	Aluminum molding profile door color 2x2300mm; 1x1300mm.	45	15
30x2mm		30	Aluminum molding profile door color 2x2300mm; 1x1300mm.	70	20
40x2mm		40	Aluminum molding profile door color 2x2300mm; 1x1300mm.	90	20
50x2mm		50	Aluminum molding profile door color 2x2300mm; 1x1300mm.	135	30
100x2,5mm		100	Aluminum molding profile door color 2x2300mm; 1x1300mm.	160	30
120x2,5mm		120	Aluminum molding profile door color 2x2300mm; 1x1300mm.	180	40
50x20x2mm		20	Aluminum molding corner door color 2x2300mm; 1x1300mm.	135	30
70x20x2mm		20	Aluminum molding corner door color 2x2300mm; 1x1300mm.	160	30
80x20x2mm		20	Aluminum molding corner door color 2x2300mm; 1x1300mm.	180	40
50x30x3mm		30	Aluminum molding corner door color 2x2300mm; 1x1300mm.	150	30
70x30x3mm		30	Aluminum molding corner door color 2x2300mm; 1x1300mm.	185	35
80x30x3mm		30	Aluminum molding corner door color 2x2300mm; 1x1300mm.	265	45
60x40x2mm		40	Aluminum molding corner door color 2x2300mm; 1x1300mm.	190	35
80x40x2mm		40	Aluminum molding corner door color 2x2300mm; 1x1300mm.	220	40
100x50x3mm		50	Aluminum molding corner door color 2x2300mm; 1x1300mm.	355	60




	PRICE
Power supply - DELTA (24V-2.5A)	65
Integrated power supply - SIEGENIA Compatible with FSC4	525



	PRICE
Spyhole	50
Electric door viewer LCD screen: 3,2" Power source: 2xAAA Batteries	110




	PRICE
Door closer Geze TS5000 RAL 7016 RAL 8019 RAL 9005 RAL 9006 RAL 9016	410
Door closer ASSA ABLOY DC700 RAL 8014 RAL 9005 RAL 9016 Grey (EV1)	410



	PRICE
Door closer GU VTS (Concealed door closer)	725
Door closer ASSA ABLOY DC840 (Concealed door closer)	410



	PRICE
Letter plate (silver)	420
Letter plate (black)	525




	PRICE
Door installation tapes: - sealing tape, 70mm width, 5,6m length; - pre-compressed sealing tape, 15mm width, for 5-15mm groove, 5,6m length.	35
Fitting screws 7.5x182 mm (14pcs)	30
Anchor plates set (12 pcs)	40



	PRICE
Stainless steel care kit	50

LED FRAME INTEGRATED



	PRICE
LED (46x46 mm), 1pc.	220



Order form

Valid from 01/06/2026

Date:

Threshold	Lowered	Mechanical
Design	☐	☐

Measures

Opening options

Add to price

Open to outside

☐

Oversized height door

Oversized width door

RC3

☐

Design modification

☐

Inside design

Carving

☐

Applique

☐

Custom

☐

Kick plate

☐

Smooth

☐

Decor

☐

Lever handles			
HL White Black In Out	HK White Black In Out	HLA In Out	
HLS 01 In Out	HL-RB In Out	HLS 02 In Out	HLS 03 In Out
HLS 04 In Out			
HLS 05 In Out	HLS 06 In Out	HLS 07 In Out	HLS 10 In Out
			HLS 11 In Out
			HLS 12 In Out
			HLS 13 In Out
			HLS 14 In Out
			HLS 15 In Out
			HLB 16 In Out

	Lenght				RAL				FSC				FSC-RAL				LED			
H45R																				
H45S																				
H90R																				
H90S																				
H90S40																				
H90S40B																				
H90RB																				
HRB																				
IH																				
HS																				
IH-ALU																				
H90WD																				

*only H45R; H45S; H90R; H90S.
 **only H90R; H90S.
 ***only H90S40.
 ****FSC only 1200, 1400, 1600.
 *****FSC-RAL only 1200, 1400, 1600.

	OAK	JAToba	WALNUT	WENGé	BLACK EDITION
SG-501					
SG45-134					
SG90-134					
SG45-179					
SG90-179					
SG-180					
SG-181					

[illegible]

RAL		RAL	
ESC-1	☐	ESC-3	☐
ESC-2	☐	ESC-4	☐
		ESC-5	☐

Lock cylinder	CWA	CWB	CWC	CWA+TT	AK
	☐	☐	☐	☐	☐
	BCWA	☐	BCWA+TT	☐	

Partial opening lock

POL ☐ **White** ☐ **Aluminum** ☐

Locks	
L3P	☐ L5PMA
L3P+D&N +EM	☐ L5PA
L3P KABA	☐ L5P+panic function
L3P KABA+D&N +EM	☐ LP1+panic function
L5P	☐ Bolt switch contact
L5PM	☐ Alarm sensor

For non-standard designs and sizes, please consult local dealer or manufacturer.

Finger scanners

Keypads

FSC1

ekey dLine

☐

FSC2

ekey dLine

☐

FSC3

Sommer ENTRAsys

☐

FSC4

Siegenia Fingerprint

☐

FSC4+IO module

☐

FSC5

Navkom Bioreader R8

☐

FSC6

Navkom Bio-Touchpad R8

☐

FSC7

Smart cylinder, Biometric fingerprint scanner with PIN keypad

☐

FSC7

WiFi adapter

☐

KP1

☐

KP2

Integra White

☐

KP3

Integra Anthracite

☐

KP4

Siegenia Keypad

☐

KP4+IO module

☐

KP5

Sommer ENTRACode

☐

KP6

Navkom Touchpad R8

☐

Etched effect decoration in door leaf glazing

A

B

C

D

E

F

G

H

Standard

☐

☐

☐

☐

☐

☐

☐

☐

Custom

☐

Custom size door leaf glazing

Custom

☐

Custom shape glazing

☐

Standard safety glazing options in door leaf

Clear SGC

☐

Matt SGM

☐

Patterned SGP

☐

Non-Standard safety glazing options in door leaf

Nr. 121

☐

Chinchilla

☐

Kathedral Klein

☐

Nr. 118

☐

Crepi

☐

Tinted Grey SGT-G

☐

Tinted Brown SGT-B

☐

Stopsol Supersilver Clear (Reflective)

☐

Tempered

☐

Internal georgian bars

EXTERNAL

RAL

1

Square (pcs.)

INTERNAL

RAL

1

Rectangular (pcs.)

Side elements

Float glass

☐

P4A glass

☐

Tempered

☐

TOP element

Frame width, mm:

Frame height, mm:

RIGHT element

Frame width, mm:

Frame height, mm:

LEFT element

Frame width, mm:

Frame height, mm:

Side elements etched effect glazing

I

J

K

L

Standard

☐

☐

☐

Custom

Standard side elements glazing options

Clear SGC

☐

Matt SGM

☐

Patterned SGP

☐

Non-Standard side elements glazing options

Nr. 121

☐

Chinchilla

☐

Kathedral Klein

☐

Nr. 118

☐

Crepi

☐

Tinted Grey SGT-G

☐

Tinted Brown SGT-B

☐

Stopsol Supersilver Clear (Reflective)

☐

Add-on side profiles for RD80

JUTTED

FLAT

30x80

Profile size, mm

Quantity

50x80

Profile size, mm

Quantity

Add-on side profiles for RD100

JUTTED

FLAT

30x90

Profile size, mm

Quantity

50x90

Profile size, mm

Quantity

Fixing holes

Straight

☐

Inclined

☐

Add-on bottom profiles for RD80 and RD100

20x82,5

Profile size, mm

Quantity

125x82,5

Profile size, mm

Quantity

Add-on bottom THERMO profiles for RD80 and RD100

H 15-100 x W 84

Profile height, mm

Profile length, mm

Quantity

H 101-200 x W 84

Profile height, mm

Profile length, mm

Quantity

Plinth Thermal Insulation Profile EPS

H 15-100 x W 75

Profile height, mm

Profile length, mm

Quantity

H 101-200 x W 75

Profile height, mm

Profile length, mm

Quantity

Cill profiles

ETC457 (150mm)

Profile length metre

Profile length metre

Aluminum moldings

20x2

Set

mm

30x2

Set

mm

40x2

Set

mm

50x2

Set

mm

100x2,5

Set

mm

120x2,5

Set

mm

50x20x2

Set

mm

70x20x2

Set

mm

80x20x2

Set

mm

50x30x3

Set

mm

70x30x3

Set

mm

80x30x3

Set

mm

60x40x2

Set

mm

80x40x2

Set

mm

100x50x3

Set

mm

Accessories

Power supply DELTA

☐

Door closer GUVTS

☐

Siegenia integrated power supply

☐

Door closer Assa Abloy DC840

☐

Spyhole

☐

Letter plate

☐

Electric door viewer

☐

Silver

☐

Black

☐

Door closer Geze TS5000

☐

Door inst. tapes

☐

RAL 7016

☐

RAL 8019

☐

Fitting screws

☐

RAL 9005

☐

RAL 9006

☐

RAL 9016

☐

Anchor plates

☐

Door closer Assa Abloy DC700

☐

Stainless steel care kit

☐

RAL 8014

☐

RAL 9005

☐

RAL 9016

☐

LED (46x46 mm)

☐

Grey (EV1)

☐







