



the **coach house**  
range of craftsman built garage doors

**price list** 

June 2021





## Welcome to the Woodrite garage door price list.

Here are the top ten items to note when using this price list:

**1**

Prices are in sterling and exclude VAT and delivery. Net delivery charges per door: £60. Mainland England and Wales - please call for other areas.

**2**

All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding.

**3**

All up and over doors are priced including retractable gear. Canopy gear is available on selected doors up to 8'0" x 7'0" (2438mm x 2134mm) as a no cost option.

**4**

Somerset Buckingham Balmoral and York doors are supplied with a base coat treatment ready for staining to the colour of your choice. Fully finished doors are available as an option in the colours listed. Warwick Monmouth and Thetford doors are supplied fully finished as standard.

**5**

Timber is a natural material and will have variations in colour shade and grain that will change over time as part of the normal ageing process.

**6**

If you are ordering doors to be fitted side by side please tell us and we will select timbers to produce a sympathetic match of colour and shade.

**7**

Drawings illustrate a single 7'0" x 7'0" door. (3'0" wide for personnel doors) Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise. Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

**8**

The proportions of the door panels and the lock handle position may vary dependent upon the door size ordered even within doors of the same style.

**9**

Doors are supplied with a lock hole unless otherwise specified. Up & Over doors have the lock handle in the lower third of the door.

**10**

Made to measure sizes are available in mm increments. For pricing locate the size band into which your door falls in the made to measure price tables.

## How to Order

### 1. Operation

First select your type of operation - up and over or side hinged or personnel

### 2. Style

Select your preferred design or short-list a few alternatives. If you are ordering doors to be installed side by side make this clear on your order.

### 3. Size

Locate the size you require from the standard sizing tables or the size band if the door is made to measure.

All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding. See page 36 onwards for full details on door and opening sizes.

### 4. Gear

Panel-built up and over doors from the Somerset Buckingham Monmouth Thetford and Warwick ranges are available with Masta-Gear or Super-Chassis - specify your preference.

Solid-built up and over doors from Balmoral Thetford and Warwick ranges are available with Masta-Gear only.

If your door is to be automated you may wish to specify that no lock handle is required - leaving the door face clear.

Side Hinged and personnel doors can be specified with different hardware by selecting the alternative hardware packs from the option listing.

### 5. Finish

Specify your finish - basecoat treated primed for painting or one of the fully finished options. If you are trying to match to existing timbers please speak to a member of our customer service team for samples.

### 6. Frame

Specify your frame type size and finish. If you are fitting within the reveal ensure you have allowed sufficient clearances for brickwork coursing tolerance - see page 36 onwards for full details. Don't forget to specify architrave to cover steel frames.

### 7. Options

Specify all the options you require such as window leading and handle type.

### 8. Get in touch

Our customer service team will be delighted to assist at any stage of the ordering process. If you need advice on sizing operation or any aspect of the process just call. We can also assist with bespoke design requirements - let us know what you'd like and we'll bring it to life in wood!

# The Coach House Collection

The Coach House Collection of garage doors sets the standard for design durability and performance for timber garage doors. The ranges of doors are all hand-built from timber from managed renewable sources. Whatever style you select you can be confident you've chosen quality. Woodrite - "Good With Wood"!

## Masta-Gear up & over

Woodrite's Masta-Gear operating mechanism combines with a lightweight & strong aluminium sub-frame for panel-constructed doors or fixes directly to solid-constructed doors. Masta-Gear is the most versatile up & over door gear on the market today.

### Masta-Gear panel-constructed doors

The door panel is made first and the aluminium sub-frame and Masta-Gear operating mechanism is then built onto the door panel for maximum integrity. All doors have edge-to-edge timbers with no visible sub-frame from the outside.

### Masta-Gear solid-constructed doors

The door panel is made first and the Masta-gear operating mechanism is then mounted directly onto the door panel for maximum integrity and a rear face free from bracings.

Masta-Gear is available for all up & over ranges with retractable gear as standard single doors (Up to 9'0" wide x 7'0" high) are supplied with cranked arms for increased drive through width at wing mirror height. Canopy gear is available as a no cost option in the sizes as indicated with each range for Somerset and Buckingham but excluding any raised and fielded styles. Masta-Gear is available in an extensive range of standard sizes and all sizes in-between within our made to measure service.



## Super-Chassis up & over

A super-strong steel chassis with integrated lifting gear is at the heart of our Super-Chassis gear. The door chassis is built to the door size and the door panel is then mounted into the chassis for improved rigidity.

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.

Super-Chassis gear is available for doors from the Buckingham, Somerset, Monmouth, Thetford and Warwick ranges. A large range of standard sizes is available and all sizes in-between within our made to measure service.

Super-Chassis is available with straight arm retractable gear as standard. Canopy gear is available as a no cost option in the sizes as indicated within each range for Somerset and Buckingham but excluding any raised and fielded styles.



## Side hinged & personnel

Side hinged garage doors and personnel doors are constructed using traditional build methods employing mortice and tenoned joints. The side top and bottom rails are all machined using 43mm thick timbers and rebated centre rails eliminate gaps between panels for added security.

Side hinged garage doors and personnel doors are hung with three butt hinges per leaf. Side hinged doors have a night latch and finger pull (commonly used on front doors). Alternative finishes are available - see individual furniture packs for details.

Personnel doors have a mortice lock and lever set as standard. Side hinged doors have shoot bolts top and bottom to secure the inactive leaf and door stays to hold the door in the open position.



Solid-constructed

## Section 1 Panel-Constructed Doors

### The somerset cedar Up & Over Range

A range of up and over designs made with selected cedar mouldings and plywood. Doors are suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sizes listed.

Page 6-7



### The buckingham cedar Up & Over Range

A range of up and over designs made with selected cedar mouldings cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up and over doors are suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sizes listed.

Page 8-11



### The monmouth oak Up & Over Range

A range of up and over designs that are fully finished as standard. Doors are made with selected oak mouldings and oak faced ply. Up & Over doors are suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available.

Page 12-13



### The warwick idigbo Up & Over Range

Idigbo is a hardwood that looks very like oak yet is lower in price. Doors are fully finished as standard and made with selected idigbo mouldings idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Doors are suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available.

Page 14-17



### The thetford accoya Up & Over Range

The Thetford range is fully finished as standard and made with selected Accoya mouldings, tongue and grooved boards and raised and fielded panels dependent on style. Up & Over doors are suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available. Doors have a 10 year finish warranty.

Page 18



## Section 2 Solid-Constructed Doors

### The balmoral cedar Up & Over Range

A range of up and over designs made with selected cedar mouldings cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up and over are solid-built suitable for use with Masta-Gear and available in standard and made to measure sizes. Canopy gear is not available.

Page 19-21



### The warwick Idigbo Up & Over Range

Idigbo is a hardwood that looks very like oak yet is lower in price. Doors are fully finished as standard and made with selected idigbo mouldings idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Doors are suitable for straight arm Masta-Gear in standard and made to measure sizes. Canopy gear is not available.

Page 22-26



### The thetford accoya Up & Over Range

The Thetford range is fully finished as standard and made with selected Accoya mouldings, tongue and grooved boards and raised and fielded panels dependent on style. Up & Over doors are suitable for straight arm Masta-Gear in standard and made to measure sizes. Canopy gear is not available. Doors have a 10 year finish warranty.

Page 27



## Section 3 Side Hinged Doors

### The york cedar Side Hinged & Personnel Range

A range of side hinged and personnel designs. Doors are made with selected cedar mouldings cedar tongue and groove boards and cedar raised and fielded panels dependent on style. York doors are of solid-construction and available in made to measure sizes.

Page 28-30



### The warwick idigbo Side Hinged & Personnel Range

Idigbo is a hardwood that looks very like oak yet is lower in price. Doors are fully finished as standard and made with selected idigbo mouldings idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Warwick doors are of solid-construction and available in made to measure sizes.

Page 31-32



### The thetford accoya Side Hinged & Personnel Range

The Thetford range is made with selected Accoya mouldings, tongue and groove boards and Accoya raised and fielded panels dependent on style. Doors have a 10 year finish warranty. Thetford doors are of solid-construction and available in made to measure sizes.

Page 32



## Section 4 Options & Technical

Page 33-39

Finishes, frames, thresholds, windows, architrave, hardware, wide board, rounded chamfers & cranked arms. Followed by technical information on sizes, clearances and care and maintenance.



# Section 1 Panel-Constructed Doors

Panel constructed doors are, as the name suggests, built as panel and then mounted onto a steel / aluminium Chassis to provide rigidity.

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.




## Masta-Gear panel-constructed doors

The door panel is made first and the aluminium sub-frame and Masta-Gear operating mechanism is then built onto the door panel for maximum integrity. All doors have edge-to-edge timbers with no visible sub-frame from the outside.

## Super-Chassis panel-constructed doors

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.



The strong steel / aluminium chassis sits behind the door panel.

The top edge slam strip on Super-Chassis doors with a steel frame that sits hidden behind the frame head.



You won't see this on Woodrite doors - an exposed steel chassis detracting from the beauty of edge to edge timber.

# panel-built cedar

THE SOMERSET RANGE is made with selected cedar mouldings and exterior grade plywood.  
Doors are of panel-construction onto either Masta-Gear or Super-Chassis in standard or made to measure sizes as listed.

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Appley	Cannington	Chard	Churchill	Holcombe	Horton*	Metric (mm) Width x Height
7'0" X 6'6"	2148 1786	2141 1779	1956 1594	1990 1628	2567 2191	2283 1921	2134 x 1981
7'0" X 7'0"	2148 1835	2141 1828	1956 1643	1990 1677	2575 2248	2283 1970	2134 x 2134
7'5" x 6'6"	2158 1881	2150 1874	1965 1688	2000 1723	2582 2292	2292 2016	2261 x 1981
7'5" x 7'0"	2158 1963	2150 1956	1965 1771	2000 1806	2590 2382	2292 2098	2261 x 2134
7'6" x 6'6"	2158 1881	2150 1874	1965 1688	2000 1723	2583 2293	2292 2016	2286 x 1981
7'6" x 7'0"	2158 1965	2150 1958	1965 1773	2000 1807	2591 2386	2292 2100	2286 x 2134
8'0" x 6'6"	2183 1999	2186 2002	1990 1806	2025 1841	2618 2420	2318 2134	2438 x 1981
8'0" x 7'0"	2183 2015	2186 2018	1990 1822	2025 1856	2627 2445	2318 2149	2438 x 2134
9'0" x 6'6"	2490 2479	2483 2472	2259 2248	2283 2271	2970 2945	2662 2651	2743 x 1981
9'0" x 7'0"	2490 2529	2483 2522	2259 2298	2283 2321	2980 3005	2660 2699	2743 x 2134
10'0" x 6'6"	2636 2710	2652 2706	2393 2446	2402 2455	3160 3213	2860 2913	3048 x 1981
10'0" x 7'0"	2656 2723	2652 2719	2393 2459	2402 2468	3171 3238	2860 2926	3048 x 2134
11'0" x 6'6"	2627 3410	2847 3631	2591 3374	2586 3369	3151 3892	2832 3616	3353 x 1981
11'0" x 7'0"	2626 3423	2846 3643	2591 3388	2586 3383	3521 3916	2831 3628	3353 x 2134
12'0" x 6'6"	2860 3736	3039 3915	2783 3659	2778 3654	3412 4245	3066 3942	3658 x 1981
12'0" x 7'0"	3220 3751	3398 3930	3142 3674	3137 3669	3784 4273	3425 3957	3658 x 2134
13'0" x 6'6"	3425 4108	3775 4459	3380 4064	3480 4164	4221 4859	3672 4356	3962 x 1981
13'0" x 7'0"	3433 4123	3784 4474	3389 4079	3489 4179	4235 4888	3681 4371	3962 x 2134
14'0" x 6'6"	3514 4119	3783 4389	3414 4020	3487 4093	4445 5005	3761 4367	4267 x 1981
14'0" x 7'0"	3522 4119	3792 4389	3423 4020	3496 4093	4461 5020	3770 4367	4267 x 2134
15'0" x 6'6"	3834 4285	4103 4555	3733 4184	3806 4258	4796 5185	4082 4533	4572 x 1981
15'0" x 7'0"	3834 4319	4103 4588	3733 4218	3806 4291	4813 5235	4082 4567	4572 x 2134
16'0" x 6'6"	3886 4464	4155 4734	3877 4456	3856 4435	4861 5378	4225 4804	4877 x 1981
16'0" x 7'0"	4321 4496	4590 4765	4313 4488	4292 4466	5315 5427	4661 4835	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



\* see illustrations above for double door configuration

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0"w - 7'0'h	2148	2172	2141	2165	1956	1979	1990	2014	2134w - 2134h
7'0"w - 7'6'h	2350	2253	2343	2246	2158	2061	2192	2095	2134w - 2286h
7'0"w - 8'0'h	2364	2338	2364	2337	2172	2145	2213	2186	2134w - 2438h
7'6"w - 7'0'h	2158	2232	2150	2224	1965	2039	2000	2074	2286w - 2134h
7'6"w - 7'6'h	2360	2320	2352	2313	2167	2128	2202	2162	2286w - 2286h
7'6"w - 8'0'h	2373	2407	2372	2407	2180	2215	2221	2256	2286w - 2438h
8'0"w - 7'0'h	2183	2265	2186	2269	1990	2072	2025	2107	2438w - 2134h
8'0"w - 7'6'h	2385	2368	2388	2371	2192	2175	2227	2210	2438w - 2286h
8'0"w - 8'0'h	2399	2434	2409	2444	2206	2242	2247	2283	2438w - 2438h
9'0"w - 7'0'h	2490	2734	2483	2727	2259	2503	2283	2526	2743w - 2134h
9'0"w - 7'6'h	2692	2823	2685	2816	2461	2591	2485	2615	2743w - 2286h
9'0"w - 8'0'h	2712	2931	2712	2931	2481	2700	2512	2730	2743w - 2438h
10'0"w - 7'0'h	2656	3622	2652	3618	2393	3358	2402	3367	3048w - 2134h
10'0"w - 7'6'h	2819	3886	2815	3882	2556	3623	2565	3632	3048w - 2286h
10'0"w - 8'0'h	2839	-	2842	-	2576	-	2592	-	3048w - 2438h
11'0"w - 7'0'h	2626	3739	2846	3959	2591	3704	2586	3699	3353w - 2134h
11'0"w - 7'6'h	3137	3973	3358	4193	3101	3937	3096	3932	3353w - 2286h
11'0"w - 8'0'h	3401	-	3654	-	3393	-	3393	-	3353w - 2438h
12'0"w - 7'0'h	3220	4067	3398	4246	3142	3990	3137	3985	3658w - 2134h
12'0"w - 7'6'h	3473	4098	3651	4277	3395	4021	3390	4016	3658w - 2286h
12'0"w - 8'0'h	3737	-	3948	-	3686	-	3687	-	3658w - 2438h
13'0"w - 7'0'h	3433	4472	3784	4822	3389	4427	3489	4527	3962w - 2134h
13'0"w - 7'6'h	3965	4565	4316	4916	3921	4521	4021	4621	3962w - 2286h
13'0"w - 8'0'h	3965	-	4369	-	3962	-	4074	-	3962w - 2438h
14'0"w - 7'0'h	3522	4467	3792	4737	3423	4368	3496	4441	4267w - 2134h
14'0"w - 7'6'h	4164	-	4433	-	4065	-	4138	-	4267w - 2286h
14'0"w - 8'0'h	4164	-	4487	-	4105	-	4192	-	4267w - 2438h
15'0"w - 7'0'h	3834	4759	4103	5028	3733	4658	3806	4731	4572w - 2134h
15'0"w - 7'6'h	4197	-	4466	-	4096	-	4169	-	4572w - 2286h
15'0"w - 8'0'h	4197	-	4520	-	4137	-	4223	-	4572w - 2438h
16'0"w - 7'0'h	4321	4810	4590	5080	4313	4802	4292	4781	4877w - 2134h
16'0"w - 7'6'h	4357	-	4626	-	4349	-	4327	-	4877w - 2286h
16'0"w - 8'0'h	4357	-	4680	-	4389	-	4381	-	4877w - 2438h

For finishes,  
frames and other  
options see page  
33-35

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm.  
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

# panel-built cedar

Coach house  
Somerset

## STANDARD SIZE Retractable Up & Over Gear

	Kingsdon*		Standerwick		Taunton		Tickenham*		Washford*		Yeovil		Metric (mm)
	Imperial	Width x Height											Width x Height
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	2134 x 1981
7'0" x 6'6"	2411	2035	1863	1501	2136	1774	2146	1783	2162	1800	2106	1744	2134 x 2134
7'0" x 7'0"	2419	2092	1863	1550	2136	1823	2146	1833	2162	1849	2106	1793	2261 x 1981
7'5" x 6'6"	2426	2136	1873	1596	2146	1869	2155	1878	2171	1895	2115	1838	2261 x 2134
7'5" x 7'0"	2434	2227	1873	1678	2146	1951	2155	1961	2171	1977	2115	1921	2261 x 2134
7'6" x 6'6"	2427	2137	1873	1596	2146	1869	2155	1878	2171	1895	2115	1838	2286 x 1981
7'6" x 7'0"	2436	2230	1873	1680	2146	1953	2155	1963	2171	1979	2115	1923	2286 x 2134
8'0" x 6'6"	2814	2596	1911	1727	2171	1987	2303	2119	2319	2135	2140	1956	2438 x 1981
8'0" x 7'0"	2823	2621	1911	1743	2171	2003	2303	2134	2319	2151	2140	1972	2438 x 2134
9'0" x 6'6"	3097	3049	2016	2005	2458	2447	2515	2503	2566	2555	2462	2451	2743 x 1981
9'0" x 7'0"	3105	3106	2016	2055	2458	2497	2515	2554	2566	2605	2462	2501	2743 x 2134
10'0" x 6'6"	3285	3322	2135	2189	2620	2674	2633	2687	2685	2739	2614	2667	3048 x 1981
10'0" x 7'0"	3035	3102	2135	2202	2620	2687	2633	2700	2685	2752	2614	2680	3048 x 2134
Single Door ↑													
Double Door ↓													
11'0" x 6'6"	3041	3586	2459	3242	2826	3609	2779	3562	2832	3615	2802	3586	3353 x 1981
11'0" x 7'0"	3411	3806	2459	3256	2825	3622	2779	3576	2832	3629	2802	3599	3353 x 2134
12'0" x 6'6"	3289	4122	2650	3526	3099	3975	2970	3846	2947	3823	2994	3870	3658 x 1981
12'0" x 7'0"	3661	4150	3010	3541	3458	3990	3330	3861	3306	3838	3353	3885	3658 x 2134
13'0" x 6'6"	3919	4557	3236	3920	3763	4447	3648	4332	3620	4304	3704	4388	3962 x 1981
13'0" x 7'0"	3933	4586	3245	3935	3771	4462	3657	4347	3628	4319	3713	4403	3962 x 2134
14'0" x 6'6"	4022	4581	3243	3849	3771	4376	3655	4261	3627	4232	3711	4317	4267 x 1981
14'0" x 7'0"	4037	4596	3252	3849	3779	4376	3664	4261	3636	4232	3720	4317	4267 x 2134
15'0" x 6'6"	4372	4761	3562	4013	4092	4543	3974	4425	3946	4397	4031	4483	4572 x 1981
15'0" x 7'0"	4389	4812	3562	4047	4092	4577	3974	4459	3946	4431	4031	4516	4572 x 2134
16'0" x 6'6"	4530	5046	3611	4190	4142	4721	4114	4693	4163	4742	4080	4659	4877 x 1981
16'0" x 7'0"	4983	5095	4046	4221	4577	4752	4549	4724	4598	4773	4515	4690	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Kingsdon double



\*Tickenham double



\*Washford double



\* see illustrations above for double door configuration

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

	Imperial Width - Height		Masta Super		Metric (mm) Width - Height								
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	2134w - 2134h
7'0" w - 7'0" h	2419	2429	1863	1887	2136	2160	2146	2169	2162	2186	2106	2129	2134w - 2134h
7'0" w - 7'6" h	2628	2518	2066	1968	2338	2241	2348	2251	2364	2267	2308	2211	2134w - 2286h
7'0" w - 8'0" h	2650	2610	2079	2053	2352	2326	2375	2349	2392	2365	2328	2302	2134w - 2438h
7'6" w - 7'0" h	2436	2496	1873	1947	2146	2220	2155	2229	2171	2245	2115	2189	2286w - 2134h
7'6" w - 7'6" h	2646	2593	2075	2035	2348	2308	2357	2317	2373	2334	2317	2278	2286w - 2286h
7'6" w - 8'0" h	2667	2688	2088	2122	2361	2395	2384	2418	2400	2435	2337	2371	2286w - 2438h
8'0" w - 7'0" h	2823	2871	1911	1993	2171	2253	2303	2385	2319	2401	2140	2222	2438w - 2134h
8'0" w - 7'6" h	3033	2983	2100	2083	2373	2356	2505	2488	2521	2504	2342	2325	2438w - 2286h
8'0" w - 8'0" h	3056	3058	2114	2149	2387	2422	2532	2568	2549	2584	2363	2398	2438w - 2438h
9'0" w - 7'0" h	3105	3311	2016	2260	2458	2702	2515	2759	2566	2810	2462	2706	2743w - 2134h
9'0" w - 7'6" h	3317	3410	2204	2335	2660	2791	2751	2881	2803	2933	2664	2794	2743w - 2286h
9'0" w - 8'0" h	3347	3529	2225	2443	2681	2899	2751	2969	2803	3021	2691	2909	2743w - 2438h
10'0" w - 7'0" h	3035	4001	2135	3101	2620	3586	2633	3599	2685	3651	2614	3579	3048w - 2134h
10'0" w - 7'6" h	3209	4276	2285	3352	2783	3850	2830	3898	2882	3949	2777	3844	3048w - 2286h
10'0" w - 8'0" h	3240	-	2305	-	2803	-	2830	-	2882	-	2803	-	3048w - 2438h
11'0" w - 7'0" h	3411	4122	2459	3572	2825	3938	2779	3892	2832	3945	2802	3915	3353w - 2134h
11'0" w - 7'6" h	3575	4368	2969	3805	3336	4172	3289	4125	3342	4178	3261	4100	3353w - 2286h
11'0" w - 8'0" h	3851	-	3260	-	3628	-	3586	-	3639	-	3609	-	3353w - 2438h
12'0" w - 7'0" h	3661	4466	3010	3857	3458	4306	3330	4177	3306	4154	3353	4201	3658w - 2134h
12'0" w - 7'6" h	3927	4510	3263	3889	3711	4337	3583	4208	3559	4185	3606	4232	3658w - 2286h
12'0" w - 8'0" h	4204	-	3554	-	4002	-	3879	-	3856	-	3903	-	3658w - 2438h
13'0" w - 7'0" h	3933	4934	3245	4283	3771	4810	3657	4696	3628	4667	3713	4751	3962w - 2134h
13'0" w - 7'6" h	4200	5042	3777	4377	4303	4904	4034	4641	4160	4761	4245	4845	3962w - 2286h
13'0" w - 8'0" h	4515	-	3817	-	4344	-	4243	-	4214	-	4298	-	3962w - 2438h
14'0" w - 7'0" h	4037	4945	3252	4197	3779	4725	3664	4609	3636	4581	3720	4665	4267w - 2134h
14'0" w - 7'6" h	4415	-	3894	-	4421	-	4306	-	4277	-	4361	-	4267w - 2286h
14'0" w - 8'0" h	4731	-	3934	-	4462	-	4360	-	4331	-	4415	-	4267w - 2438h
15'0" w - 7'0" h	4389	5251	3562	4487	4092	5016	3974	4898	3946	4870	4031	4956	4572w - 2134h
15'0" w - 7'6" h	4769	-	3918	-	4455	-	4336	-	4309	-	4394	-	4572w - 2286h
15'0" w - 8'0" h	4785	-	3966	-	4495	-	4390	-	4363	-	4448	-	4572w - 2438h
16'0" w - 7'0" h	4983	5410	4046	4536	4577	5067	4549	5039	4598	5088	4515	5005	4877w - 2134h
16'0" w - 7'6" h	5037	-	4082	-	4613	-	4585	-	4634	-	4551	-	4877w - 2286h
16'0" w - 8'0" h	5055	-	4123	-	4654	-	4639	-	4688	-	4605	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.  
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

For finishes, frames and other options see page 33-35

# panel-built cedar

THE BUCKINGHAM RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of panel-construction onto either Mastagear or Super-Chassis in standard or made to measure sizes as listed.

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Adstock	Bierton	Bledlow	Burnham*	Chalfont*	Charridge	Metric (mm) Width x Height
7'0" X 6'6"	4364 3996	2869 2496	3019 2615	2688 2329	2621 2278	2603 2260	2134 x 1981
7'0" X 7'0"	4459 4047	2869 2545	3019 2666	2722 2415	2621 2327	2603 2309	2134 x 2134
7'5" x 6'6"	4470 4096	2922 2665	3107 2792	2836 2567	2707 2450	2689 2432	2261 x 1981
7'5" x 7'0"	4470 4182	2922 2748	3141 2913	2870 2688	2707 2533	2689 2515	2261 x 2134
7'6" x 6'6"	4470 4096	2924 2667	3108 2793	2836 2567	2707 2450	2689 2432	2286 x 1981
7'6" x 7'0"	4470 4184	2924 2751	3143 2916	2870 2690	2707 2534	2689 2516	2286 x 2134
8'0" x 6'6"	4517 4210	3045 2881	3302 3084	2991 2819	2839 2674	2821 2657	2438 x 1981
8'0" x 7'0"	4517 4227	3045 2897	3302 3101	3025 2870	2839 2690	2821 2672	2438 x 2134
9'0" x 6'6"	5466 5316	3454 3397	3558 3543	3354 3339	3144 3129	3190 3175	2743 x 1981
9'0" x 7'0"	5466 5368	3454 3447	3593 3630	3388 3426	3144 3179	3190 3225	2743 x 2134
10'0" x 6'6"	5733 5755	3679 3698	3767 3830	3618 3682	3378 3438	3424 3485	3048 x 1981
10'0" x 7'0"	5733 5769	3679 3711	3802 3879	3653 3730	3378 3451	3424 3498	3048 x 2134
11'0" x 6'6"	6331 6879	4772 5248	4515 5036	4547 5067	4157 4678	4307 4827	3353 x 1981
11'0" x 7'0"	6331 6894	4772 5262	4515 5050	4587 5122	4157 4692	4307 4842	3353 x 2134
12'0" x 6'6"	6956 7602	4939 5512	4713 5331	4716 5333	4326 4944	4477 5094	3658 x 1981
12'0" x 7'0"	6956 7617	4939 5528	4748 5381	4756 5389	4326 4959	4477 5110	3658 x 2134
13'0" x 6'6"	8350 8729	5347 6042	5179 5889	5061 5868	4584 5390	4742 5548	3962 x 1981
13'0" x 7'0"	8359 8744	5356 6058	5188 5905	5111 5923	4593 5406	4751 5564	3962 x 2134
14'0" x 6'6"	8528 8825	5239 5825	5279 5907	5231 5955	4505 5197	4657 5349	4267 x 1981
14'0" x 7'0"	8537 8825	5248 5825	5323 5941	5280 5995	4514 5197	4666 5349	4267 x 2134
15'0" x 6'6"	8924 8999	6010 6426	6008 6438	5661 6163	5269 5771	5470 5972	4572 x 1981
15'0" x 7'0"	8924 9034	6010 6461	6043 6508	5707 6244	5269 5807	5470 6008	4572 x 2134
16'0" x 6'6"	8957 9166	6142 6692	6176 6739	5990 6626	5309 5945	5784 6420	4877 x 1981
16'0" x 7'0"	8957 9198	6598 6724	6666 6806	6491 6704	5764 5977	6240 6453	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0" w - 7'0" h	4459 4400	2869 2882	3019 3019	2722 2768	2621 2664	2603 2646	2134w - 2134h		
7'0" w - 7'6" h	4629 4485	3181 3100	3231 3104	2968 2887	3097 3016	3078 2997	2134w - 2286h		
7'0" w - 8'0" h	4969 4897	3331 3323	3259 3205	3011 3003	3105 3097	3072 3064	2134w - 2438h		
7'6" w - 7'0" h	4470 4463	2924 3017	3143 3195	2870 2968	2707 2801	2689 2783	2286w - 2134h		
7'6" w - 7'6" h	4640 4556	3126 3106	3389 3322	3116 3095	3058 3038	3040 3020	2286w - 2286h		
7'6" w - 8'0" h	4978 4971	3430 3487	3416 3426	3158 3214	3206 3262	3173 3229	2286w - 2438h		
8'0" w - 7'0" h	4517 4489	3045 3147	3302 3363	3025 3132	2839 2940	2821 2923	2438w - 2134h		
8'0" w - 7'6" h	4658 4596	3247 3250	3461 3463	3271 3274	3205 3208	3188 3190	2438w - 2286h		
8'0" w - 8'0" h	4998 4990	3576 3632	3489 3546	3314 3371	3361 3418	3329 3386	2438w - 2438h		
9'0" w - 7'0" h	5466 5583	3454 3652	3593 3845	3388 3640	3144 3384	3190 3430	2743w - 2134h		
9'0" w - 7'6" h	5607 5676	3817 3906	3703 3836	3634 3768	3690 3823	3738 3871	2743w - 2286h		
9'0" w - 8'0" h	6019 6180	3983 4165	3832 4057	3683 3908	3704 3929	3738 3963	2743w - 2438h		
10'0" w - 7'0" h	5733 6709	3679 4610	3802 4819	3653 4670	3378 4350	3424 4397	3048w - 2134h		
10'0" w - 7'6" h	5875 6986	4019 5099	4006 5130	3858 4981	3911 5035	3960 5083	3048w - 2286h		
10'0" w - 8'0" h	6561 -	4238 -	4041 -	3906 -	3925 -	3960 -	3048w - 2438h		
11'0" w - 7'0" h	6331 7224	4772 5593	4515 5380	4587 5452	4157 5022	4307 5172	3353w - 2134h		
11'0" w - 7'6" h	6824 7468	4916 5823	4659 5610	4786 5736	4319 5270	4695 5646	3353w - 2286h		
11'0" w - 8'0" h	7274 -	5143 -	4694 -	4854 -	4319 -	4695 -	3353w - 2438h		
12'0" w - 7'0" h	6956 7948	4939 5858	4748 5711	4756 5720	4326 5290	4477 5440	3658w - 2134h		
12'0" w - 7'6" h	7449 8094	5303 5990	5161 5892	5175 5906	4731 5462	5108 5839	3658w - 2286h		
12'0" w - 8'0" h	7987 -	5553 -	5195 -	5243 -	4731 -	5108 -	3658w - 2438h		
13'0" w - 7'0" h	8359 9109	5356 6423	5188 6269	5111 6288	4593 5770	4751 5928	3962w - 2134h		
13'0" w - 7'6" h	8749 9320	6045 6620	5892 6481	5881 6539	5367 6025	5752 6410	3962w - 2286h		
13'0" w - 8'0" h	9418 -	6311 -	5926 -	5950 -	5367 -	5752 -	3962w - 2438h		
14'0" w - 7'0" h	8537 9190	5248 6174	5323 6306	5280 6359	4514 5546	4666 5697	4267w - 2134h		
14'0" w - 7'6" h	8927 -	6179 -	6194 -	6050 -	5513 -	5899 -	4267w - 2286h		
14'0" w - 8'0" h	9618 -	6462 -	6302 -	6119 -	5513 -	5899 -	4267w - 2438h		
15'0" w - 7'0" h	8924 9494	6010 6921	6043 6967	5707 6704	5269 6267	5470 6468	4572w - 2134h		
15'0" w - 7'6" h	9062 -	6481 -	6533 -	6246 -	5846 -	6274 -	4572w - 2286h		
15'0" w - 8'0" h	9753 -	6787 -	6568 -	6320 -	5846 -	6274 -	4572w - 2438h		
16'0" w - 7'0" h	8957 9528	6598 7053	6666 7136	6491 7033	5764 6307	6240 6782	4877w - 2134h		
16'0" w - 7'6" h	9095 -	6613 -	6701 -	6575 -	5903 -	6435 -	4877w - 2286h		
16'0" w - 8'0" h	9787 -	6936 -	6736 -	6649 -	5903 -	6435 -	4877w - 2438h		

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high excluding any raised and fielded styles.  
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

For finishes,  
frames and other  
options see page  
33-35

Drawings illustrate a single 7'0" x 7'0" door.  
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Chalfont double  
  
\*Burnham double

\* see illustrations above for double door configuration

# panel-built cedar

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Chesham*	Coleshill	Gawcott	Granborough	Hardwick*	Ickford	Metric (mm) Width x Height
-------------------------------	----------	-----------	---------	-------------	-----------	---------	----------------------------------

	Masta	Super	Masta	Super	Masta	Super										
7'0" X 6'6"	2401	2042	2671	2328	2608	2266	4046	3687	2239	1881	2944	2585	2134 x 1981			
7'0" X 7'0"	2401	2094	2671	2377	2608	2315	4141	3739	2319	2012	2944	2637	2134 x 2134			
7'5" X 6'6"	2480	2211	2753	2496	2695	2438	4151	3787	2387	2118	3029	2760	2261 x 1981			
7'5" X 7'0"	2480	2297	2753	2578	2695	2520	4151	3874	2479	2296	3029	2847	2261 x 2134			
7'6" X 6'6"	2480	2211	2754	2497	2695	2438	4151	3787	2387	2118	3031	2762	2286 x 1981			
7'6" X 7'0"	2480	2299	2754	2581	2695	2522	4151	3876	2479	2298	3031	2850	2286 x 2134			
8'0" X 6'6"	2553	2381	2884	2720	2827	2662	4428	4133	2391	2220	3159	2988	2438 x 1981			
8'0" X 7'0"	2553	2398	2884	2735	2827	2678	4428	4149	2483	2328	3159	3004	2438 x 2134			
9'0" X 6'6"	2808	2793	3285	3271	3163	3149	5091	4952	2809	2794	3552	3538	2743 x 1981			
9'0" X 7'0"	2808	2845	3285	3321	3163	3199	5091	5005	2924	2961	3552	3590	2743 x 2134			
10'0" X 6'6"	3046	3109	3520	3580	3398	3458	5432	5466	2933	2996	3807	3871	3048 x 1981			
10'0" X 7'0"	3046	3123	3520	3593	3398	3471	5432	5480	3048	3125	3807	3884	3048 x 2134			
11'0" X 6'6"	3694	4249	4546	5066	4196	4716	6528	7074	3854	4410	4747	5267	3353 x 1981			
11'0" X 7'0"	3694	4264	4546	5081	4196	4731	6528	7088	4015	4585	4747	5282	3353 x 2134			
12'0" X 6'6"	3782	4435	4709	5326	4366	4983	6537	7183	3862	4515	4910	5527	3658 x 1981			
12'0" X 7'0"	3782	4450	4709	5342	4366	4999	6537	7198	4023	4691	4910	5543	3658 x 2134			
13'0" X 6'6"	4354	5195	5111	5821	4640	5446	7924	8303	3947	4788	5314	6024	3962 x 1981			
13'0" X 7'0"	4363	5211	5121	5837	4649	5461	7933	8319	4116	4964	5324	6040	3962 x 2134			
14'0" X 6'6"	4574	5333	5009	5609	4559	5251	7948	8245	3954	4714	5443	6071	4267 x 1981			
14'0" X 7'0"	4583	5333	5018	5609	4568	5251	7958	8245	4124	4874	5452	6071	4267 x 2134			
15'0" X 6'6"	5170	5707	5766	6196	5326	5828	8807	8882	4618	5162	5969	6399	4572 x 1981			
15'0" X 7'0"	5170	5742	5766	6231	5326	5863	8807	8917	4808	5381	5969	6434	4572 x 2134			
16'0" X 6'6"	5464	6135	5933	6496	5650	6285	8840	9049	4633	5304	6108	6671	4877 x 1981			
16'0" X 7'0"	5920	6168	6389	6529	6105	6318	8840	9082	5272	5520	6563	6704	4877 x 2134			

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0"- 8'0" high on all widths.  
Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height										
7'0" w - 7'0" h	2401	2446	2671	2714	2608	2652	4141	4091	2319	2365	2944	2989	2134w - 2134h				
7'0" w - 7'6" h	2598	2517	3147	3066	3084	3003	4311	4176	2597	2516	3311	3230	2134w - 2286h				
7'0" w - 8'0" h	2592	2584	3148	3140	3078	3070	4319	4257	2671	2663	3312	3304	2134w - 2438h				
7'6" w - 7'0" h	2480	2578	2754	2848	2695	2788	4151	4154	2479	2577	3031	3128	2286w - 2134h				
7'6" w - 7'6" h	2677	2656	3103	3083	3045	3025	4322	4247	2768	2747	3410	3389	2286w - 2286h				
7'6" w - 8'0" h	2670	2726	3246	3302	3179	3235	4329	4331	2853	2909	3410	3466	2286w - 2438h				
8'0" w - 7'0" h	2553	2660	2884	2986	2827	2929	4428	4411	2483	2590	3159	3266	2438w - 2134h				
8'0" w - 7'6" h	2750	2753	3249	3251	3194	3196	4570	4519	2772	2775	3577	3579	2438w - 2286h				
8'0" w - 8'0" h	2744	2801	3393	3450	3335	3392	4578	4581	2858	2915	3571	3627	2438w - 2438h				
9'0" w - 7'0" h	2808	3060	3285	3526	3163	3404	5091	5219	2924	3176	3552	3804	2743w - 2134h				
9'0" w - 7'6" h	3005	3138	3822	3955	3710	3843	5232	5312	3236	3369	3980	4113	2743w - 2286h				
9'0" w - 8'0" h	3005	3231	3822	4047	3710	3935	5246	5418	3351	3576	3980	4205	2743w - 2438h				
10'0" w - 7'0" h	3046	4063	3520	4492	3398	4370	5432	6420	3048	4065	3807	4825	3048w - 2134h				
10'0" w - 7'6" h	3202	4326	4043	5167	3932	5055	5573	6697	3319	4442	4211	5334	3048w - 2286h				
10'0" w - 8'0" h	3202	-	4043	-	3932	-	5814	-	3433	-	4211	-	3048w - 2438h				
11'0" w - 7'0" h	3694	4594	4546	5411	4196	5061	6528	7419	4015	4915	4747	5612	3353w - 2134h				
11'0" w - 7'6" h	3870	4856	4931	5882	4584	5535	7021	7662	4305	5291	5189	6140	3353w - 2286h				
11'0" w - 8'0" h	3916	-	4946	-	4584	-	7049	-	4466	-	5189	-	3353w - 2438h				
12'0" w - 7'0" h	3782	4781	4709	5672	4366	5329	6537	7529	4023	5021	4910	5873	3658w - 2134h				
12'0" w - 8'0" h	4252	5019	5337	6068	4997	5728	7030	7675	4533	5300	5595	6326	3658w - 2286h				
13'0" w - 7'0" h	4252	-	5351	-	4997	-	7058	-	4694	-	5595	-	3658w - 2438h				
13'0" w - 7'6" h	4363	5575	5121	6202	4649	5826	7933	8683	4116	5329	5324	6404	3962w - 2134h				
13'0" w - 8'0" h	5116	5810	6090	6680	5649	6307	8323	8895	4979	5672	6350	6939	3962w - 2286h				
13'0" w - 8'0" h	5116	-	6105	-	5649	-	8351	-	5139	-	6350	-	3962w - 2438h				
14'0" w - 7'0" h	4583	5698	5018	5957	4568	5599	7958	8610	4124	5239	5452	6435	4267w - 2134h				
14'0" w - 7'6" h	5331	-	6236	-	5796	-	8347	-	4987	-	6496	-	4267w - 2286h				
14'0" w - 8'0" h	5331	-	6250	-	5796	-	8376	-	5147	-	6496	-	4267w - 2438h				
15'0" w - 7'0" h	5170	6202	5766	6691	5326	6323	8807	9377	4808	5841	5969	6894	4572w - 2134h				
15'0" w - 7'6" h	5674	-	6557	-	6129	-	8945	-	5457	-	6824	-	4572w - 2286h				
15'0" w - 8'0" h	5674	-	6572	-	6129	-	8973	-	5640	-	6824	-	4572w - 2438h				
16'0" w - 7'0" h	5920	6497	6389	6858	6105	6647	8840	9411	5272	5849	6563	7033	4877w - 2134h				
16'0" w - 7'6" h	5969	-	6755	-	6300	-	8979	-	5465	-	6980	-	4877w - 2286h				
16'0" w - 8'0" h	5969	-	6755	-	6300	-	9007	-	5648	-	6980	-	4877w - 2438h				

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high excluding any raised and fielded styles.  
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

# buckingham Coach house

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Chesham double

\*Hardwick double

For finishes, frames and other options see page 33-35

# panel-built cedar

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Hampden*	Marston	Padbury	Quainton	Woburn*	Salford	Metric (mm) Width x Height
7'0" X 6'6"	2688 2329	4170 3829	4001 3613	2989 2631	2541 2198	4057 3698	2134 x 1981
7'0" X 7'0"	2722 2415	4265 3881	4096 3665	2989 2682	2541 2247	4151 3750	2134 x 2134
7'5" x 6'6"	2836 2567	4275 3929	4129 3765	3080 2811	2627 2370	4162 3798	2261 x 1981
7'5" x 7'0"	2870 2688	4275 4016	4129 3852	3080 2897	2627 2453	4162 3885	2261 x 2134
7'6" x 6'6"	2836 2567	4275 3929	4130 3767	3080 2811	2627 2370	4162 3798	2286 x 1981
7'6" x 7'0"	2870 2690	4275 4018	4130 3855	3080 2899	2627 2454	4162 3887	2286 x 2134
8'0" x 6'6"	2991 2819	4322 4044	4674 4357	3210 3038	2759 2594	4208 3913	2438 x 1981
8'0" x 7'0"	3025 2870	4322 4060	4674 4374	3210 3054	2759 2610	4208 3929	2438 x 2134
9'0" x 6'6"	3354 3339	5164 5087	5099 4897	3506 3491	3064 3049	5024 4886	2743 x 1981
9'0" x 7'0"	3388 3426	5164 5140	5099 4949	3506 3544	3064 3099	5024 4938	2743 x 2134
10'0" x 6'6"	3618 3682	5534 5630	5748 5772	3923 3986	3298 3358	5309 5344	3048 x 1981
10'0" x 7'0"	3653 3730	5534 5644	5748 5785	3923 4000	3298 3371	5309 5357	3048 x 2134
11'0" x 6'6"	4547 5067	6168 6778	6122 6501	4652 5172	4077 4598	6013 6561	3353 x 1981
11'0" x 7'0"	4587 5122	6168 6792	6122 6516	4652 5187	4077 4612	6013 6576	3353 x 2134
12'0" x 6'6"	4716 5333	6793 7500	7207 7683	4821 5439	4246 4864	6637 7282	3658 x 1981
12'0" x 7'0"	4756 5389	6793 7516	7207 7699	4821 5454	4246 4879	6637 7298	3658 x 2134
13'0" x 6'6"	5061 5868	7561 7975	8177 8083	5112 5911	4504 5310	7326 7705	3962 x 1981
13'0" x 7'0"	5111 5923	7570 7991	8187 8099	5282 6094	4513 5326	7335 7721	3962 x 2134
14'0" x 6'6"	5231 5955	8202 8534	8224 8048	5402 6126	4425 5117	7966 8263	4267 x 1981
14'0" x 7'0"	5280 5995	8211 8534	8233 8048	5411 6126	4434 5117	7975 8263	4267 x 2134
15'0" x 6'6"	5661 6163	8598 8709	8614 8387	5957 6460	5189 5691	8362 8437	4572 x 1981
15'0" x 7'0"	5707 6244	8598 8744	8614 8422	5957 6495	5189 5727	8362 8472	4572 x 2134
16'0" x 6'6"	5990 6626	8633 8877	9274 9167	6110 6746	5229 5865	8397 8605	4877 x 1981
16'0" x 7'0"	6491 6704	8633 8910	9274 9200	6566 6779	5684 5897	8397 8638	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Hampden double



\*Woburn double



\* see illustrations above for double door configuration

For finishes,  
frames and other  
options see page  
33-35

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0" w - 7'0" h	2722	2768	4265	4233	4096	4017	2989	3034	2134w - 2134h
7'0" w - 7'6" h	2968	2887	4435	4318	4266	4116	3344	3263	2134w - 2286h
7'0" w - 8'0" h	3011	3003	4715	4671	4260	4183	3366	3358	2134w - 2438h
7'6" w - 7'0" h	2870	2968	4275	4296	4130	4134	3080	3177	2286w - 2134h
7'6" w - 7'6" h	3116	3095	4446	4389	4287	4241	3446	3425	2286w - 2286h
7'6" w - 8'0" h	3158	3214	4725	4745	4279	4311	3467	3523	2286w - 2438h
8'0" w - 7'0" h	3025	3132	4322	4322	4674	4636	3210	3316	2438w - 2134h
8'0" w - 7'6" h	3271	3274	4463	4430	4815	4743	3601	3603	2438w - 2286h
8'0" w - 8'0" h	3314	3371	4743	4764	4809	4791	3623	3680	2438w - 2438h
9'0" w - 7'0" h	3388	3640	5164	5354	5099	5164	3506	3758	2743w - 2134h
9'0" w - 7'6" h	3634	3768	5306	5447	5206	5257	3908	4041	2743w - 2286h
9'0" w - 8'0" h	3683	3908	5658	5892	5206	5349	3936	4161	2743w - 2438h
10'0" w - 7'0" h	3653	4670	5534	6584	5748	6726	3923	4940	3048w - 2134h
10'0" w - 7'6" h	3858	4981	5676	6861	5875	6995	4300	5424	3048w - 2286h
10'0" w - 8'0" h	3906	-	6284	-	6095	-	4339	-	3048w - 2438h
11'0" w - 7'0" h	4587	5452	6168	7123	6122	6846	4652	5517	4267w - 2134h
11'0" w - 7'6" h	4786	5736	6661	7367	6615	7090	5040	5991	4267w - 2286h
11'0" w - 8'0" h	4854	-	7057	-	6643	-	4797	-	4267w - 2438h
12'0" w - 7'0" h	4756	5720	6793	7846	7207	8029	4821	5785	4267w - 2134h
12'0" w - 7'6" h	5175	5906	7286	7992	7700	8175	5452	6184	4267w - 2286h
12'0" w - 8'0" h	5243	-	7770	-	7728	-	5209	-	4267w - 2438h
13'0" w - 7'0" h	5111	6288	7570	8355	8187	8464	5282	6459	4267w - 2134h
13'0" w - 7'6" h	5881	6539	7960	8567	8549	8675	6282	6940	4267w - 2286h
13'0" w - 8'0" h	5950	-	8444	-	8577	-	5877	-	4267w - 2438h
14'0" w - 7'0" h	5280	6359	8211	8898	8233	8412	5411	6490	4267w - 2134h
14'0" w - 7'6" h	6050	-	8601	-	8595	-	6429	-	4267w - 2286h
14'0" w - 8'0" h	6119	-	9173	-	8624	-	6023	-	4267w - 2438h
15'0" w - 7'0" h	5707	6704	8598	9204	8614	8882	5957	6955	4267w - 2134h
15'0" w - 7'6" h	6246	-	8737	-	8744	-	6761	-	4267w - 2286h
15'0" w - 8'0" h	6320	-	9309	-	8772	-	6356	-	4267w - 2438h
16'0" w - 7'0" h	6491	7033	8633	9239	9274	9529	6566	7108	4267w - 2134h
16'0" w - 7'6" h	6575	-	8757	-	9404	-	6931	-	4267w - 2286h
16'0" w - 8'0" h	6649	-	9344	-	9433	-	6526	-	4267w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high excluding any raised and fielded styles.  
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# panel-built cedar


## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Sherington		Taplow		Tingewick*		Uxbridge*		Wendover*		Whitchurch		Metric (mm) Width x Height	
Single Door	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super		
7'0" X 6'6"	4279	3921	3126	2767	2175	1833	2247	1905	2283	1924	4254	3896	2134 x 1981	
7'0" X 7'0"	4374	3972	3087	2780	2175	1882	2247	1954	2351	2044	4349	3947	2134 x 2134	
7'5" X 6'6"	4385	4021	3215	2946	2262	2005	2323	2066	2440	2171	4360	3996	2261 x 1981	
7'5" X 7'0"	4385	4107	3215	3032	2262	2087	2323	2148	2518	2336	4360	4082	2261 x 2134	
7'6" X 6'6"	4385	4021	3217	2948	2262	2005	2323	2066	2440	2171	4360	3996	2286 x 1981	
7'6" X 7'0"	4385	4109	3217	3036	2262	2089	2323	2150	2518	2338	4360	4084	2286 x 2134	
8'0" X 6'6"	4431	4136	3311	3139	2381	2217	2393	2228	2739	2567	4406	4111	2438 x 1981	
8'0" X 7'0"	4431	4152	3311	3156	2381	2232	2393	2244	2837	2681	4406	4127	2438 x 2134	
9'0" X 6'6"	5289	5151	3786	3771	2637	2622	2609	2595	2833	2818	5241	5103	2743 x 1981	
9'0" X 7'0"	5289	5203	3786	3823	2637	2673	2661	2697	2931	2969	5241	5155	2743 x 2134	
10'0" X 6'6"	5674	5708	4113	4177	2870	2931	2911	2971	3006	3069	5521	5556	3048 x 1981	
10'0" X 7'0"	5674	5722	4113	4190	2870	2944	2911	2984	3104	3181	5521	5570	3048 x 2134	
Double Door	11'0" X 6'6"	6307	6856	5050	5581	3530	4085	3617	4173	3946	4502	6133	6682	3353 x 1981
	11'0" X 7'0"	6307	6870	5091	5626	3530	4100	3617	4187	4083	4653	6133	6696	3353 x 2134
	12'0" X 6'6"	6933	7578	5263	5880	3698	4351	3763	4415	3954	4607	6862	7508	3658 x 1981
	12'0" X 7'0"	6933	7594	5263	5896	3698	4366	3763	4431	4091	4760	6862	7524	3658 x 2134
	13'0" X 6'6"	7770	8149	5765	6475	3926	4768	3987	4828	4032	4873	8168	8547	3962 x 1981
	13'0" X 7'0"	7779	8164	5775	6491	3935	4783	3996	4844	4178	5026	8177	8563	3962 x 2134
	14'0" X 6'6"	8410	8707	5938	6566	3876	4602	3950	4675	4040	4799	8346	8643	4267 x 1981
	14'0" X 7'0"	8419	8707	5947	6566	3885	4602	3958	4675	4186	4936	8356	8643	4267 x 2134
	15'0" X 6'6"	8807	8882	6472	6902	4610	5147	4664	5201	4729	5266	8742	8827	4572 x 1981
	15'0" X 7'0"	8807	8917	6472	6937	4610	5183	4664	5237	4886	5459	8742	8862	4572 x 2134
	16'0" X 6'6"	8841	9050	6658	7221	4738	5409	4878	5549	4737	5408	8874	9083	4877 x 1981
	16'0" X 7'0"	8841	9083	7114	7254	5194	5442	5333	5581	5349	5597	8874	9116	4877 x 2134

# buckingham Coach house

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Wendover double



\* see illustrations above for double door configuration

\*Tingewick double



\* see illustrations above for double door configuration

\*Uxbridge double



\* see illustrations above for double door configuration

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Metric (mm) Width - Height										
Masta Gear doors available from 6'0"- 8'0" high on all widths. Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide													
7'0" w - 7'0" h	4374	4325	3087	3133	2175	2219	2247	2291	2351	2396	4349	4300	2134w - 2134h
7'0" w - 7'6" h	4545	4410	3337	3256	2617	2535	2706	2624	2617	2536	4519	4385	2134w - 2286h
7'0" w - 8'0" h	4825	4763	3493	3485	2610	2602	2699	2691	2680	2672	4859	4797	2134w - 2438h
7'6" w - 7'0" h	4385	4388	3217	3315	2262	2355	2323	2416	2518	2616	4360	4363	2286w - 2134h
7'6" w - 7'6" h	4555	4481	3428	3407	2599	2579	2671	2651	2794	2773	4530	4456	2286w - 2286h
7'6" w - 8'0" h	4834	4837	3594	3650	2711	2768	2787	2843	2865	2922	4869	4871	2286w - 2438h
8'0" w - 7'0" h	4431	4414	3311	3418	2381	2483	2393	2494	2837	2943	4406	4389	2438w - 2134h
8'0" w - 7'6" h	4573	4522	3523	3525	2734	2737	2750	2752	3132	3135	4548	4496	2438w - 2286h
8'0" w - 8'0" h	4853	4856	3701	3758	2854	2911	2871	2928	3224	3281	4887	4890	2438w - 2438h
9'0" w - 7'0" h	5289	5418	3786	4038	2637	2878	2661	2902	2931	3183	5241	5369	2743w - 2134h
9'0" w - 7'6" h	5431	5511	3997	4130	3145	3279	3178	3311	3226	3360	5383	5462	2743w - 2286h
9'0" w - 8'0" h	5783	5955	4204	4430	3145	3371	3178	3403	3325	3550	5794	5966	2743w - 2438h
10'0" w - 7'0" h	5674	6662	4113	5131	2870	3843	2911	3883	3104	4122	5521	6510	3048w - 2134h
10'0" w - 7'6" h	5815	6939	4284	5407	3366	4490	3417	4541	3358	2774	5663	6787	3048w - 2286h
10'0" w - 8'0" h	6424	-	4514	-	3366	-	3417	-	3457	-	6349	-	3048w - 2438h
11'0" w - 7'0" h	6307	7201	5091	5956	3530	4430	3617	4518	4083	4984	6133	7027	3353w - 2134h
11'0" w - 7'6" h	6800	7445	5249	6200	3889	4875	3993	4979	4351	5337	6626	7271	3353w - 2286h
11'0" w - 8'0" h	7196	-	5516	-	3889	-	3993	-	4488	-	7076	-	3353w - 2438h
12'0" w - 7'0" h	6933	7924	5263	6226	3698	4697	3763	4761	4091	5090	6862	7854	3658w - 2134h
12'0" w - 7'6" h	7426	8070	5641	6372	4301	5067	4377	5144	4578	5345	7356	8000	3658w - 2286h
12'0" w - 8'0" h	7910	-	5931	-	4301	-	4377	-	4716	-	7894	-	3658w - 2438h
13'0" w - 7'0" h	7779	8529	5775	6855	3935	5148	3996	5208	4178	5391	8177	8927	3962w - 2134h
13'0" w - 7'6" h	8168	8740	6478	7067	4907	5601	4982	5676	5018	5711	8567	9138	3962w - 2286h
13'0" w - 8'0" h	8653	-	6790	-	4907	-	4982	-	5155	-	9236	-	3962w - 2438h
14'0" w - 7'0" h	8419	9071	5947	6930	3885	4950	3958	5024	4186	5301	8356	9008	4267w - 2134h
14'0" w - 7'6" h	8809	-	6650	-	5053	-	5147	-	5025	-	8745	-	4267w - 2286h
14'0" w - 8'0" h	9381	-	6985	-	5053	-	5147	-	5163	-	9436	-	4267w - 2438h
15'0" w - 7'0" h	8807	9377	6472	7397	4610	5642	4664	5696	4886	5918	8742	9322	4572w - 2134h
15'0" w - 7'6" h	8945	-	6957	-	5385	-	5452	-	5507	-	8880	-	4572w - 2286h
15'0" w - 8'0" h	9517	-	7314	-	5385	-	5452	-	5664	-	9572	-	4572w - 2438h
16'0" w - 7'0" h	8841	9412	7114	7583	5194	5771	5333	5911	5349	5926	8874	9445	4877w - 2134h
16'0" w - 7'6" h	8965	-	7143	-	5530	-	5696	-	5515	-	8914	-	4877w - 2286h
16'0" w - 8'0" h	9552	-	7523	-	5530	-	5696	-	5672	-	9605	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high excluding any raised and fielded styles.  
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

# panel-built oak

THE MONMOUTH RANGE of panel-built up and over garage doors is made with oak faced exterior grade ply and oak mouldings. They are available with either Masta-Gear or Super-Chassis lifting gear in a range of single and double standard and made to measure sizes.

## STANDARD SIZE Retractable Up & Over Gear

	Broadoak		Fairoak		Kingsoak		Oakdale		Oakgrove		Oakhampton		Metric (mm)
Imperial Width x Height	3x3	4x4	3x4	4x5	3x5	4x6	3x6	4x7	3x7	4x8	3x8	4x9	Width x Height
7'0" X 6'6"	3432	3256	3264	3077	3052	2849	3109	2911	3916	3759	3621	3458	2134 x 1981
7'0" X 7'0"	3432	3314	3264	3135	3086	2943	3109	2968	3916	3817	3621	3516	2134 x 2134
7'5" x 6'6"	3451	3376	3396	3318	3290	3204	3128	3031	3935	3879	3640	3579	2261 x 1981
7'5" x 7'0"	3451	3473	3396	3414	3290	3301	3128	3127	3935	3976	3640	3675	2261 x 2134
7'6" x 6'6"	3451	3376	3396	3318	3290	3204	3128	3031	3935	3879	3640	3579	2286 x 1981
7'6" x 7'0"	3451	3475	3396	3416	3290	3303	3128	3130	3935	3978	3640	3677	2286 x 2134
8'0" x 6'6"	3492	3529	3325	3350	3218	3235	3169	3183	3979	4035	3681	3731	2438 x 1981
8'0" x 7'0"	3591	3548	3424	3368	3317	3254	3268	3202	4078	4053	3780	3750	2438 x 2134
9'0" x 6'6"	4411	4609	4218	4403	4085	4260	4037	4209	4928	5147	4345	4538	2743 x 1981
9'0" x 7'0"	4411	4668	4218	4461	4085	4319	4037	4267	4928	5206	4342	4594	2743 x 2134
10'0" x 6'6"	4579	4938	4299	4639	4160	4490	4116	4442	5096	5492	4513	4868	3048 x 1981
10'0" x 7'0"	4579	4953	4299	4654	4160	4505	4116	4458	5096	5507	4513	4883	3048 x 2134
11'0" x 6'6"	5398	6339	4964	5875	4888	5794	4719	5613	5824	6691	5810	6781	3353 x 1981
11'0" x 7'0"	5397	6354	4963	5890	4888	5810	4719	5629	5824	6707	5809	6796	3353 x 2134
12'0" x 6'6"	5765	6840	5330	6375	5249	6288	5085	6113	6269	7275	6178	7282	3658 x 1981
12'0" x 7'0"	5765	6858	5330	6392	5249	6306	5085	6130	6269	7293	6178	7300	3658 x 2134
13'0" x 6'6"	6243	7547	5920	7202	5487	6738	5600	6860	7429	8584	6710	8047	3962 x 1981
13'0" x 7'0"	6252	7565	5930	7220	5496	6755	5610	6877	7429	8602	6719	8065	3962 x 2134
14'0" x 6'6"	6269	7484	5947	7139	5701	6876	5626	6795	7042	8078	6737	7984	4267 x 1981
14'0" x 7'0"	6279	7484	5956	7139	5711	6876	5636	6795	7042	8078	6746	7984	4267 x 2134
15'0" x 6'6"	7171	7697	6848	7352	6596	7082	6526	7007	7891	8294	7639	8198	4572 x 1981
15'0" x 7'0"	7171	7737	6848	7391	6596	7122	6526	7046	7891	8333	7639	8238	4572 x 2134
16'0" x 6'6"	7338	8025	7154	7828	6701	7343	6608	7244	8059	8623	7584	8289	4877 x 1981
16'0" x 7'0"	7338	8062	7154	7865	6701	7380	6608	7280	8059	8660	7584	8325	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Oakhampton double



\* see illustrations above for double door configuration

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

	Masta		Super		Masta		Super		Masta		Super		Metric (mm)
Imperial Width - Height	Width	Height	Width - Height										
7'0" w - 7'0" h	3432	3707	3264	3528	3086	3337	3109	3362	3916	4210	3621	3910	2134w - 2134h
7'0" w - 7'6" h	3665	3816	3498	3637	3285	3409	3343	3471	4150	4319	3854	4018	2134w - 2286h
7'0" w - 8'0" h	3700	3935	3531	3755	3320	3528	3376	3589	4184	4438	3889	4138	2134w - 2438h
7'6" w - 7'0" h	3451	3786	3396	3728	3290	3614	3128	3441	3935	4289	3640	3989	2286w - 2134h
7'6" w - 7'6" h	3684	3904	3629	3845	3302	3494	3362	3558	4169	4407	3873	4106	2286w - 2286h
7'6" w - 8'0" h	3718	4026	3549	3846	3335	3617	3394	3680	4202	4529	3907	4228	2286w - 2438h
8'0" w - 7'0" h	3591	3840	3424	3661	3317	3547	3268	3495	4078	4346	3780	4043	2438w - 2134h
8'0" w - 7'6" h	3782	3974	3614	3795	3507	3680	3458	3628	4269	4480	3970	4176	2438w - 2286h
8'0" w - 8'0" h	3775	4028	3648	3892	3542	3779	3492	3726	4262	4534	3963	4230	2438w - 2438h
9'0" w - 7'0" h	4411	4907	4218	4701	4085	4558	4037	4507	4928	5445	4342	4834	2743w - 2134h
9'0" w - 7'6" h	4602	5025	4409	4818	4276	4676	4228	4624	5119	5563	4533	4951	2743w - 2286h
9'0" w - 8'0" h	4643	5172	4449	4965	4317	4823	4268	4770	5161	5710	4574	5099	2743w - 2438h
10'0" w - 7'0" h	4579	6004	4299	5705	4160	5556	4116	5509	5096	6558	4513	5934	3048w - 2134h
10'0" w - 7'6" h	4739	6327	4460	6028	4321	5879	4276	5832	5257	6881	4674	6257	3048w - 2286h
10'0" w - 8'0" h	4781	3674	4500	3373	4362	3226	4317	3177	5298	4227	4715	3604	3048w - 2438h
11'0" w - 7'0" h	5397	6723	4963	6259	4888	6179	4719	5998	5824	7077	5809	7165	3353w - 2134h
11'0" w - 7'6" h	5818	7025	5384	6560	5309	6479	5140	6298	6245	7377	6231	7466	3353w - 2286h
11'0" w - 8'0" h	6162	4275	5721	3803	5653	3729	5091	3128	6589	4627	6575	4717	3353w - 2438h
12'0" w - 7'0" h	5765	7227	5330	6762	5249	6675	5085	6500	6269	7662	6178	7669	3658w - 2134h
12'0" w - 7'6" h	6185	7417	5750	6952	5670	6866	5506	6690	6690	7853	6598	7860	3658w - 2286h
12'0" w - 8'0" h	6529	4668	6087	4195	6013	4116	5457	3520	7033	5103	6942	5110	3658w - 2438h
13'0" w - 7'0" h	6252	7972	5930	7627	5496	7163	5610	7285	7429	9009	6719	8472	3962w - 2134h
13'0" w - 7'6" h	7161	8236	6839	7891	6405	7426	6519	7548	7969	9273	7628	8735	3962w - 2286h
13'0" w - 8'0" h	6857	5202	6532	4854	6073	4363	5569	3823	8372	6239	7323	5701	3962w - 2438h
14'0" w - 7'0" h	6279	7891	5956	7546	5711	7283	5636	7203	7042	8486	6746	8392	4267w - 2134h
14'0" w - 7'6" h	7188	5142	6865	4796	6620	4534	6545	4453	7582	5736	7655	5642	4267w - 2286h
14'0" w - 8'0" h	7271	5230	6946	4883	6703	4622	5982	3851	7985	5825	7738	5731	4267w - 2438h
15'0" w - 7'0" h	7171	8251	6848	7905	6596	7636	6526	7560	7891	8847	7639	8752	4572w - 2134h
15'0" w - 7'6" h	7236	5171	6913	4826	6661	4556	6591	4481	7956	5768	7704	5672	4572w - 2286h
15'0" w - 8'0" h	7319	5260	6994	4912	6744	4645	6028	3879	8039	5856	7787	5761	4572w - 2438h
16'0" w - 7'0" h	7338	8429	7154	8233	6701	7748	6608	7648	8059	9028	7584	8693	4877w - 2134h
16'0" w - 7'6" h	7485	5439	7219	5153	6766	4668	6673	4569	8207	6037	7732	5703	4877w - 2286h
16'0" w - 8'0" h	7485	5439	7299	5239	6849	4757	6110	3967	8207	6037	7732	5703	4877w - 2438h

For finishes, frames and other options see page 33-35

# panel-built oak

Coach house  
monmouth

## STANDARD SIZE Retractable Up & Over Gear

	Oakhaven		Oakley		Oakmere		Oakridge*		Oakwood*		Sevenoak		Metric (mm)
Imperial	Width x Height		Width x Height		Width x Height		Width x Height		Width x Height		Width x Height		Width x Height
7'0" X 6'6"	3667 3493	3037 2833	3453 3279	3240 3051	3258 3070	3354 3173	2134 x 1981						
7'0" X 7'0"	3667 3550	3037 2891	3453 3337	3240 3108	3258 3128	3354 3231	2134 x 2134						
7'5" X 6'6"	3686 3613	3180 3087	3472 3399	3259 3171	3277 3190	3373 3294	2261 x 1981						
7'5" X 7'0"	3686 3710	3180 3184	3472 3496	3259 3268	3277 3287	3373 3390	2261 x 2134						
7'6" X 6'6"	3686 3613	3180 3087	3472 3399	3259 3171	3277 3190	3373 3294	2286 x 1981						
7'6" X 7'0"	3686 3712	3180 3186	3472 3498	3259 3270	3277 3289	3373 3392	2286 x 2134						
8'0" X 6'6"	3728 3766	3097 3106	3513 3552	3300 3323	3318 3343	3414 3446	2438 x 1981						
8'0" X 7'0"	3827 3785	3196 3124	3612 3570	3399 3342	3417 3361	3513 3464	2438 x 2134						
9'0" X 6'6"	4393 4574	3950 4115	4433 4632	3918 4082	3975 4142	4080 4254	2743 x 1981						
9'0" X 7'0"	4390 4630	3950 4174	4433 4691	3918 4140	3975 4201	4080 4313	2743 x 2134						
10'0" X 6'6"	4558 4916	4029 4350	4708 5076	3997 4315	4053 4376	4161 4491	3048 x 1981						
10'0" X 7'0"	4558 4931	4029 4365	4708 5092	3997 4330	4053 4391	4161 4506	3048 x 2134						
11'0" X 6'6"	5944 6590	4677 5568	5419 6362	4966 5877	5023 5937	5212 6140	3353 x 1981						
11'0" X 7'0"	5942 6834	4677 5584	5418 6377	4966 5893	5023 5954	5211 6156	3353 x 2134						
12'0" X 6'6"	6310 7320	5043 6068	6201 7308	5332 6377	5388 6437	5578 6640	3658 x 1981						
12'0" X 7'0"	6310 7337	5043 6085	6201 7325	5332 6395	5388 6455	5578 6658	3658 x 2134						
13'0" X 6'6"	6969 8092	5273 6509	6692 8028	5803 7077	5854 7131	6084 7377	3962 x 1981						
13'0" X 7'0"	6969 8109	5282 6527	6702 8046	5813 7094	5864 7149	6093 7395	3962 x 2134						
14'0" X 6'6"	6995 8029	5492 6652	6303 7520	5829 7012	5880 7067	6109 7313	4267 x 1981						
14'0" X 7'0"	6995 8029	5502 6652	6312 7520	5838 7012	5889 7067	6119 7313	4267 x 2134						
15'0" X 6'6"	7843 8242	6392 6864	7205 7733	6728 7223	6779 7278	7010 7526	4572 x 1981						
15'0" X 7'0"	7843 8281	6392 6903	7205 7773	6728 7263	6779 7317	7010 7565	4572 x 2134						
16'0" X 6'6"	7787 8332	6473 7100	7370 8060	6809 7459	6860 7513	7091 7761	4877 x 1981						
16'0" X 7'0"	7787 8369	6473 7136	7370 8096	6809 7495	6860 7550	7091 7797	4877 x 2134						

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0"- 8'0" high on all widths.  
Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide

	Imperial		Metric (mm)
	Width - Height	Width - Height	Width - Height
7'0"w - 7'0'h	3667 3944	3037 3285	3453 3730
7'0"w - 7'6'h	3901 4053	3270 3393	3687 3839
7'0"w - 8'0" h	3936 4172	3305 3513	3721 3958
7'6"w - 7'0" h	3686 4023	3180 3497	3472 3809
7'6"w - 7'6" h	3920 4140	3386 3585	3706 3927
7'6"w - 8'0" h	3953 4263	3323 3603	3739 4049
8'0"w - 7'0" h	3827 4078	3196 3417	3612 3863
8'0"w - 7'6" h	4018 4211	3386 3551	3803 3997
8'0"w - 8'0" h	4011 4265	3421 3649	3838 4095
9'0"w - 7'0" h	4390 4869	3950 4414	4433 4931
9'0"w - 7'6" h	4581 4987	4141 4531	4623 5048
9'0"w - 8'0" h	4622 5134	4182 4679	4665 5196
10'0"w - 7'0" h	4558 5982	4029 5416	4708 6143
10'0"w - 7'6" h	4719 6305	4190 5739	4869 6466
10'0"w - 8'0" h	4760 3652	4231 3085	4938 3842
11'0"w - 7'0" h	5942 7203	4677 5953	5418 6746
11'0"w - 7'6" h	6364 7504	5098 6254	5839 7047
11'0"w - 8'0" h	6708 4754	5442 3504	6183 4297
12'0"w - 7'0" h	6310 7706	5043 6455	6201 7694
12'0"w - 7'6" h	6731 7897	5464 6645	6622 7885
12'0"w - 8'0" h	7075 5147	5808 3896	6966 5135
13'0"w - 7'0" h	6969 8517	5282 6934	6702 8453
13'0"w - 7'6" h	7509 8780	6191 7197	7611 8717
13'0"w - 8'0" h	7912 5746	5859 4134	7306 5683
14'0"w - 7'0" h	6995 8436	5502 7060	6312 7927
14'0"w - 7'6" h	7536 5686	6411 4310	7221 5177
14'0"w - 8'0" h	7939 5775	6494 4399	7304 5266
15'0"w - 7'0" h	7843 8795	6392 7417	7205 8287
15'0"w - 7'6" h	7907 5715	6457 4338	7269 5207
15'0"w - 8'0" h	7990 5804	6540 4426	7352 5296
16'0"w - 7'0" h	7787 8737	6473 7504	7370 8464
16'0"w - 7'6" h	7935 5746	6538 4425	7518 5473
16'0"w - 8'0" h	7935 5746	6621 4513	7518 5473

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Oakhaven double



\*Oakridge double



\*Oakwood double



For finishes,  
frames and other  
options see page  
33-35

# panel-built idigbo

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of panel construction onto Masta-Gear in standard or made to measure sizes as listed.

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Alcester	Brandon	Bidford	Baddesley*	Kenilworth*	Claverdon	Metric (mm) Width x Height
7'0" X 6'6"	4193 -	3594 3233	3905 3505	3444 3038	3357 2947	3342 2931	2134 x 1981
7'0" X 7'0"	4193 -	3594 3297	3905 3568	3444 3102	3357 3010	3342 2994	2134 x 2134
7'5" x 6'6"	4213 -	3732 3434	3934 3646	3520 3228	3448 3153	3433 3137	2261 x 1981
7'5" x 7'0"	4213 -	3732 3540	3934 3753	3520 3335	3448 3260	3433 3244	2261 x 2134
7'6" x 6'6"	4213 -	3734 3436	3936 3648	3520 3228	3448 3153	3433 3137	2286 x 1981
7'6" x 7'0"	4213 -	3734 3545	3936 3757	3520 3337	3448 3262	3433 3246	2286 x 2134
8'0" x 6'6"	4239 -	3822 3648	4081 3920	3601 3433	3545 3374	3530 3359	2438 x 1981
8'0" x 7'0"	4273 -	3856 3669	4115 3940	3635 3454	3578 3394	3564 3379	2438 x 2134
9'0" x 6'6"	5180 -	4470 4483	4780 4809	4123 4137	4179 4196	4189 4206	2743 x 1981
9'0" x 7'0"	5180 -	4470 4548	4780 4874	4123 4202	4179 4261	4189 4271	2743 x 2134
10'0" x 6'6"	5380 -	4675 4917	4985 5242	4345 4570	4376 4602	4384 4612	3048 x 1981
10'0" x 7'0"	5380 -	4675 4933	4985 5259	4345 4587	4376 4619	4384 4629	3048 x 2134
Single Door							
Double Door							
11'0" x 6'6"	6010 -	5534 6390	5851 6723	5325 6192	4977 5827	4996 5847	3353 x 1981
11'0" x 7'0"	6010 -	5534 6408	5851 6741	5325 6210	4977 5845	4996 5865	3353 x 2134
12'0" x 6'6"	6330 -	5696 6680	6015 7014	5333 6320	5146 6124	5165 6144	3658 x 1981
12'0" x 7'0"	6330 -	5696 6699	6015 7034	5333 6339	5146 6143	5165 6164	3658 x 2134
13'0" x 6'6"	7278 -	6270 7484	6705 7941	5939 7162	5640 6849	5675 6885	3962 x 1981
13'0" x 7'0"	7289 -	6281 7503	6716 7960	5950 7182	5651 6868	5686 6904	3962 x 2134
14'0" x 6'6"	7396 -	6434 7555	6926 8071	6395 7540	5810 6925	5845 6962	4267 x 1981
14'0" x 7'0"	7942 -	6981 7555	7473 8071	6942 7540	6356 6925	6392 6962	4267 x 2134
15'0" x 6'6"	8370 -	7588 7929	8081 8447	7512 7922	6926 7307	6963 7345	4572 x 1981
15'0" x 7'0"	8378 -	7596 7973	8089 8491	7520 7966	6934 7350	6971 7388	4572 x 2134
16'0" x 6'6"	8411 -	7754 8268	8248 8787	7778 8366	6957 7504	7201 7760	4877 x 1981
16'0" x 7'0"	8426 -	7768 8314	8262 8833	7792 8412	6971 7550	7215 7806	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0"w - 7'0'h	4193 -	3594 3732	3905 4003	3444 3537	3357 3445	3342 3430	2134w - 2134h		
7'0"w - 7'6'h	4386 -	3839 3829	4098 4100	3668 3666	3681 3680	3666 3664	2134w - 2286h		
7'0"w - 8'0'h	4536 -	4049 4131	4169 4257	3677 3759	3691 3773	3666 3747	2134w - 2438h		
7'6"w - 7'0'h	4213 -	3734 3889	3936 4101	3520 3682	3448 3606	3433 3590	2286w - 2134h		
7'6"w - 7'6'h	4406 -	3927 3996	4129 4208	3744 3821	3782 3861	3767 3845	2286w - 2286h		
7'6"w - 8'0'h	4555 -	4151 4318	4199 4368	3752 3917	3791 3957	3767 3932	2286w - 2438h		
8'0"w - 7'0'h	4273 -	3856 3992	4115 4264	3635 3777	3578 3718	3564 3703	2438w - 2134h		
8'0"w - 7'6'h	4432 -	4015 4117	4274 4389	3825 3934	3889 4002	3874 3987	2438w - 2286h		
8'0"w - 8'0'h	4582 -	4256 4429	4345 4522	3834 4004	3899 4071	3875 4046	2438w - 2438h		
9'0"w - 7'0'h	5180 -	4470 4813	4780 5139	4123 4467	4179 4526	4189 4536	2743w - 2134h		
9'0"w - 7'6'h	5339 -	4629 4920	4547 4849	4441 4740	4510 4812	4520 4823	2743w - 2286h		
9'0"w - 8'0'h	5520 -	4899 5318	5010 5434	4450 4864	4519 4936	4520 4937	2743w - 2438h		
10'0"w - 7'0'h	5380 -	4675 6095	4985 6421	4345 5749	4376 5781	4384 5790	3048w - 2134h		
10'0"w - 7'6'h	5798 -	5092 6429	5403 6755	4922 6250	4985 6316	4994 6325	3048w - 2286h		
10'0"w - 8'0'h	5999 -	5394 -	5474 -	4931 -	4994 -	4994 -	3048w - 2438h		
Single Door									
Double Door									
11'0"w - 7'0'h	6010 -	5534 6816	5851 7149	5325 6618	4977 6253	4996 6273	3353w - 2134h		
11'0"w - 7'6'h	6440 -	5963 7101	6281 7435	5765 6915	5453 6587	5637 6781	3353w - 2286h		
11'0"w - 8'0'h	6977 -	6646 -	6702 -	6125 -	5794 -	5979 -	3353w - 2438h		
12'0"w - 7'0'h	6330 -	5696 7107	6015 7442	5333 6748	5146 6551	5165 6572	3658w - 2134h		
12'0"w - 7'6'h	6895 -	6261 7272	6580 7607	5938 6955	5777 6786	5962 6980	3658w - 2286h		
12'0"w - 8'0'h	7475 -	6975 -	7017 -	6298 -	6119 -	6304 -	3658w - 2438h		
13'0"w - 7'0'h	7289 -	6281 7954	6716 8410	5950 7632	5651 7318	5686 7355	3962w - 2134h		
13'0"w - 7'6'h	8224 -	7256 8199	7692 8656	6925 7920	6673 7654	6873 7865	3962w - 2286h		
13'0"w - 8'0'h	8121 -	7228 -	7386 -	6552 -	6281 -	6481 -	3962w - 2438h		
14'0"w - 7'0'h	7942 -	6981 8005	7473 8521	6942 7990	6356 7375	6392 7412	4267w - 2134h		
14'0"w - 7'6'h	8342 -	7421 -	8054 -	7382 -	6862 -	7063 -	4267w - 2286h		
14'0"w - 8'0'h	8641 -	7854 -	8010 -	7400 -	6862 -	7063 -	4267w - 2438h		
15'0"w - 7'0'h	8378 -	7596 8541	8089 9059	7520 8534	6934 7918	6971 7956	4572w - 2134h		
15'0"w - 7'6'h	8407 -	7626 -	8119 -	7689 -	7090 -	7292 -	4572w - 2286h		
15'0"w - 8'0'h	8706 -	8090 -	8260 -	7708 -	7090 -	7292 -	4572w - 2438h		
16'0"w - 7'0'h	8426 -	7768 8721	8262 9240	7792 8819	6971 7957	7215 8213	4877w - 2134h		
16'0"w - 7'6'h	8455 -	7797 -	8292 -	7871 -	7137 -	7422 -	4877w - 2286h		
16'0"w - 8'0'h	8754 -	8292 -	8464 -	7890 -	7137 -	7422 -	4877w - 2438h		

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



\*Kenilworth double



\*Baddesley double



For finishes,  
frames and other  
options see page  
33-35

# panel-built idigbo

## STANDARD SIZE Retractable Up & Over Gear

Coach-house  
warwick

Imperial	Charlton*	Hatton	Grendon	Grafton	Henley*	Aston	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	3140 2718	3468 3046	3326 2914	3986 -	2934 2503	3579 3163	2134 x 1981
7'0" X 7'0"	3140 2782	3468 3110	3326 2978	3986 -	3006 2642	3579 3226	2134 x 2134
7'5" X 6'6"	3216 2909	3552 3245	3417 3121	4007 -	3075 2761	3663 3361	2261 x 1981
7'5" X 7'0"	3216 3016	3552 3351	3417 3227	4007 -	3156 2953	3663 3468	2261 x 2134
7'6" X 6'6"	3216 2909	3553 3246	3417 3121	4007 -	3075 2761	3665 3363	2286 x 1981
7'6" X 7'0"	3216 3018	3553 3355	3417 3230	4007 -	3156 2956	3665 3472	2286 x 2134
8'0" X 6'6"	3285 3102	3700 3520	3514 3343	4142 -	3087 2894	3811 3637	2438 x 1981
8'0" X 7'0"	3319 3122	3734 3540	3548 3363	4176 -	3203 3001	3845 3657	2438 x 2134
9'0" X 6'6"	3797 3794	4304 4309	4169 4185	4939 -	3749 3744	4419 4430	2743 x 1981
9'0" X 7'0"	3797 3859	4304 4374	4169 4250	4939 -	3852 3917	4419 4495	2743 x 2134
10'0" X 6'6"	4020 4230	4471 4702	4363 4590	5160 -	3798 3996	4597 4835	3048 x 1981
10'0" X 7'0"	4020 4246	4471 4719	4363 4606	5160 -	3901 4121	4597 4852	3048 x 2134
Single Door							
Double Door							
11'0" X 6'6"	4866 5754	5259 6102	4972 5822	6052 -	4744 5627	5485 6339	3353 x 1981
11'0" X 7'0"	4866 5772	5259 6120	4972 5840	6052 -	4888 5795	5485 6357	3353 x 2134
12'0" X 6'6"	4973 5985	5417 6387	5142 6120	6078 -	4769 5772	5643 6624	3658 x 1981
12'0" X 7'0"	4973 6005	5417 6406	5142 6139	6078 -	4913 5942	5643 6643	3658 x 2134
13'0" X 6'6"	5526 6772	5964 7163	5641 6850	6997 -	5046 6268	6182 7391	3962 x 1981
13'0" X 7'0"	5536 6791	5975 7182	5652 6869	7008 -	5200 6438	6193 7411	3962 x 2134
14'0" X 6'6"	5735 6890	6122 7227	5811 6927	7041 -	5071 6192	6340 7455	4267 x 1981
14'0" X 7'0"	6282 6890	6669 7227	6358 6927	7588 -	5761 6343	6886 7455	4267 x 2134
15'0" X 6'6"	6811 7229	7272 7597	6929 7309	8236 -	6277 6677	7490 7826	4572 x 1981
15'0" X 7'0"	6819 7272	7280 7641	6937 7353	8244 -	6457 6892	7498 7869	4572 x 2134
16'0" X 6'6"	7014 7607	7456 7954	7167 7724	8278 -	6304 6861	7673 8183	4877 x 1981
16'0" X 7'0"	7028 7653	7469 8001	7181 7771	8293 -	6481 7079	7687 8229	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.  
Super-Chassis doors available 6'0" - 8'0" high on doors up to 9'0" wide 6'0" - 7'6" high on doors from 10'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Imperial	Metric (mm)
Width - Height	Width - Height
7'0" w - 7'0" h	3140 3217
7'0" w - 7'6" h	3323 3305
7'0" w - 8'0" h	3324 3387
7'6" w - 7'0" h	3216 3362
7'6" w - 7'6" h	3399 3459
7'6" w - 8'0" h	3399 3545
8'0" w - 7'0" h	3319 3446
8'0" w - 7'6" h	3469 3561
8'0" w - 8'0" h	3469 3620
9'0" w - 7'0" h	3797 4124
9'0" w - 7'6" h	3946 4221
9'0" w - 8'0" h	3946 4335
10'0" w - 7'0" h	4020 5408
10'0" w - 7'6" h	4429 5732
10'0" w - 8'0" h	4429 -
11'0" w - 7'0" h	4866 6180
11'0" w - 7'6" h	5277 6446
11'0" w - 8'0" h	5619 -
12'0" w - 7'0" h	4973 6413
12'0" w - 7'6" h	5519 6558
12'0" w - 8'0" h	5860 -
13'0" w - 7'0" h	5536 7241
13'0" w - 7'6" h	6453 7467
13'0" w - 8'0" h	6062 -
14'0" w - 7'0" h	6282 7340
14'0" w - 7'6" h	6663 -
14'0" w - 8'0" h	6663 -
15'0" w - 7'0" h	6819 7840
15'0" w - 7'6" h	6829 -
15'0" w - 8'0" h	6829 -
16'0" w - 7'0" h	7028 8060
16'0" w - 7'6" h	7039 -
16'0" w - 8'0" h	7039 -
Single Door	
Double Door	
7'0" w - 7'0" h	3468 3545
7'0" w - 7'6" h	3861 3852
7'0" w - 8'0" h	3866 3939
7'6" w - 7'0" h	3553 3699
7'6" w - 7'6" h	3962 4032
7'6" w - 8'0" h	3966 4123
8'0" w - 7'0" h	3548 3687
8'0" w - 7'6" h	4128 4236
8'0" w - 8'0" h	3859 3970
9'0" w - 7'0" h	4304 4639
9'0" w - 7'6" h	4729 5025
9'0" w - 8'0" h	4499 4801
10'0" w - 7'0" h	4729 5139
10'0" w - 7'6" h	4363 5768
10'0" w - 8'0" h	5185 6527
11'0" w - 7'0" h	5259 6528
11'0" w - 7'6" h	6012 7153
11'0" w - 8'0" h	6363 -
12'0" w - 7'0" h	5417 6815
12'0" w - 7'6" h	6336 7351
12'0" w - 8'0" h	6686 -
13'0" w - 7'0" h	5975 7632
13'0" w - 7'6" h	7335 8281
13'0" w - 8'0" h	6912 -
14'0" w - 7'0" h	6669 7677
14'0" w - 7'6" h	7181 8177
14'0" w - 8'0" h	7523 -
15'0" w - 7'0" h	7280 8209
15'0" w - 7'6" h	7755 -
15'0" w - 8'0" h	7765 -
16'0" w - 7'0" h	7469 8407
16'0" w - 7'6" h	7389 -
16'0" w - 8'0" h	7985 -
Single Door	
Double Door	
7'0" w - 7'0" h	3326 3413
7'0" w - 7'6" h	3650 3648
7'0" w - 8'0" h	3651 3731
7'6" w - 7'0" h	3417 3574
7'6" w - 7'6" h	3752 3829
7'6" w - 8'0" h	3751 3915
8'0" w - 7'0" h	3548 3687
8'0" w - 7'6" h	3859 3970
8'0" w - 8'0" h	3859 4030
9'0" w - 7'0" h	4169 4514
9'0" w - 7'6" h	4499 4801
9'0" w - 8'0" h	4499 4915
10'0" w - 7'0" h	4729 5025
10'0" w - 7'6" h	5160 -
11'0" w - 7'0" h	4972 6248
11'0" w - 7'6" h	5614 6756
11'0" w - 8'0" h	5955 -
12'0" w - 7'0" h	5142 6548
12'0" w - 7'6" h	5939 6956
12'0" w - 8'0" h	6280 -
13'0" w - 7'0" h	5652 7319
13'0" w - 7'6" h	6839 7829
13'0" w - 8'0" h	6448 -
14'0" w - 7'0" h	6358 7377
14'0" w - 7'6" h	7588 -
14'0" w - 8'0" h	7030 -
15'0" w - 7'0" h	6937 7921
15'0" w - 7'6" h	8273 -
15'0" w - 8'0" h	8292 -
16'0" w - 7'0" h	7181 8177
16'0" w - 7'6" h	8322 -
16'0" w - 8'0" h	8341 -
Single Door	
Double Door	
7'0" w - 7'0" h	3986 -
7'0" w - 7'6" h	4179 -
7'0" w - 8'0" h	4189 -
7'6" w - 7'0" h	4007 -
7'6" w - 7'6" h	4199 -
7'6" w - 8'0" h	4208 -
8'0" w - 7'0" h	4176 -
8'0" w - 7'6" h	4335 -
8'0" w - 8'0" h	4345 -
9'0" w - 7'0" h	4939 -
9'0" w - 7'6" h	5098 -
9'0" w - 8'0" h	5107 -
10'0" w - 7'0" h	5160 -
10'0" w - 7'6" h	5578 -
11'0" w - 7'0" h	6052 -
11'0" w - 7'6" h	5955 -
11'0" w - 8'0" h	6482 -
12'0" w - 7'0" h	6078 -
12'0" w - 7'6" h	6643 -
12'0" w - 8'0" h	6088 -
13'0" w - 7'0" h	7008 -
13'0" w - 7'6" h	7943 -
13'0" w - 8'0" h	7570 -
14'0" w - 7'0" h	7588 -
14'0" w - 7'6" h	5761 6793
14'0" w - 8'0" h	6285 -
15'0" w - 7'0" h	8244 -
15'0" w - 7'6" h	6631 -
15'0" w - 8'0" h	6795 -
16'0" w - 7'0" h	6656 -
16'0" w - 7'6" h	6820 -
16'0" w - 8'0" h	6820 -

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



\* see illustrations above for double door configuration



\* see illustrations above for double door configuration

For finishes, frames and other options see page 33-35

# panel-built idigbo



## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Harbury*	Welford	Bentley	Langley	Southam*	Gaydon	Metric (mm) Width x Height
7'0" X 6'6"	3267 2857	4033 -	4218 -	3621 3224	3267 2857	3930 -	2134 x 1981
7'0" X 7'0"	3267 2920	4033 -	4218 -	3621 3288	3267 2920	3930 -	2134 x 2134
7'5" x 6'6"	3358 3063	4054 -	4248 -	3713 3431	3358 3063	3950 -	2261 x 1981
7'5" x 7'0"	3358 3170	4054 -	4248 -	3713 3537	3358 3170	3950 -	2261 x 2134
7'6" x 6'6"	3358 3063	4054 -	4250 -	3713 3431	3358 3063	3950 -	2286 x 1981
7'6" x 7'0"	3358 3172	4054 -	4250 -	3713 3540	3358 3172	3950 -	2286 x 2134
8'0" x 6'6"	3455 3284	4079 -	4509 -	3767 3608	3455 3284	3975 -	2438 x 1981
8'0" x 7'0"	3488 3304	4113 -	4543 -	3801 3629	3488 3304	4009 -	2438 x 2134
9'0" x 6'6"	4089 4106	4980 -	5247 -	4425 4454	4089 4106	4853 -	2743 x 1981
9'0" x 7'0"	4089 4171	4980 -	5247 -	4425 4519	4089 4171	4853 -	2743 x 2134
10'0" x 6'6"	4286 4512	5242 -	5673 -	4768 5014	4286 4512	5053 -	3048 x 1981
10'0" x 7'0"	4286 4529	5242 -	5673 -	4768 5031	4286 4529	5053 -	3048 x 2134
11'0" x 6'6"	4887 5737	5913 -	6091 -	5407 6279	4887 5737	5774 -	3353 x 1981
11'0" x 7'0"	4887 5755	5913 -	6091 -	5407 6296	4887 5755	5774 -	3353 x 2134
12'0" x 6'6"	5056 6034	6233 -	6810 -	5576 6576	5056 6034	6094 -	3658 x 1981
12'0" x 7'0"	5056 6053	6233 -	6810 -	5576 6595	5056 6053	6094 -	3658 x 2134
13'0" x 6'6"	5550 6759	6810 -	7463 -	5892 7132	5550 6759	6593 -	3962 x 1981
13'0" x 7'0"	5561 6778	6821 -	7473 -	6237 7483	5561 6778	6604 -	3962 x 2134
14'0" x 6'6"	5720 6835	7149 -	7533 -	6395 7539	5720 6835	6931 -	4267 x 1981
14'0" x 7'0"	6266 6835	7695 -	8079 -	6941 7539	6266 6835	7478 -	4267 x 2134
15'0" x 6'6"	6836 7217	8124 -	8572 -	7511 7921	6836 7217	7905 -	4572 x 1981
15'0" x 7'0"	6844 7260	8132 -	8580 -	7519 7965	6844 7260	7913 -	4572 x 2134
16'0" x 6'6"	6867 7414	8167 -	8932 -	7697 8280	6867 7414	7948 -	4877 x 1981
16'0" x 7'0"	6881 7460	8182 -	8947 -	7710 8326	6881 7460	7963 -	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0"w - 7'0'h	3267	3355	4033	-	4218	-	3621	3723	3267 3355
7'0"w - 7'6'h	3591	3590	4226	-	4411	-	3945	3958	3591 3590
7'0"w - 8'0'h	3601	3683	4367	-	4421	-	3969	4065	3601 3683
7'6"w - 7'0'h	3358	3516	4054	-	4250	-	3713	3884	3358 3516
7'6"w - 7'6'h	3692	3771	4246	-	4443	-	4047	4139	3692 3771
7'6"w - 8'0'h	3701	3867	4386	-	4451	-	4069	4249	3701 3867
8'0"w - 7'0'h	3488	3628	4113	-	4543	-	3801	3952	3488 3628
8'0"w - 7'6'h	3799	3912	4272	-	4702	-	4112	4236	3799 3912
8'0"w - 8'0'h	3809	3981	4413	-	4712	-	4135	4320	3809 3981
9'0"w - 7'0'h	4089	4436	4980	-	5247	-	4425	4784	4089 4436
9'0"w - 7'6'h	4420	4722	5139	-	5406	-	4756	5071	4420 4722
9'0"w - 8'0'h	4429	4846	5311	-	5406	-	4779	5209	4429 4846
10'0"w - 7'0'h	4286	5691	5242	-	5673	-	4768	6193	4286 5691
10'0"w - 7'6'h	4895	6226	5660	-	6090	-	5377	6728	4895 6226
10'0"w - 8'0'h	4904	-	5851	-	6100	-	5409	-	4904 -
11'0"w - 7'0'h	4887	6163	5913	-	6091	-	5407	6705	4887 6163
11'0"w - 7'6'h	5363	6497	6342	-	6521	-	6049	7213	5363 6497
11'0"w - 8'0'h	5704	-	6880	-	6881	-	6169	-	5704 -
12'0"w - 7'0'h	5056	6461	6233	-	6810	-	5576	7003	5056 6461
12'0"w - 7'6'h	5687	6696	6798	-	7375	-	6373	7411	5687 6696
12'0"w - 8'0'h	6029	-	7378	-	7735	-	6494	-	6029 -
13'0"w - 7'0'h	5561	7228	6821	-	7473	-	6237	7933	5561 7228
13'0"w - 7'6'h	6583	7564	7756	-	8449	-	7424	8443	6583 7564
13'0"w - 8'0'h	6191	-	7603	-	8035	-	6665	-	6191 -
14'0"w - 7'0'h	6266	7285	7695	-	8079	-	6941	7989	6266 7285
14'0"w - 7'6'h	6772	-	8095	-	8519	-	7448	-	6772 -
14'0"w - 8'0'h	6772	-	8375	-	8537	-	7080	-	8158 -
15'0"w - 7'0'h	6844	7828	8132	-	8580	-	7519	8533	6844 7828
15'0"w - 7'6'h	7000	-	8161	-	8609	-	7841	-	7000 -
15'0"w - 8'0'h	7000	-	8442	-	8628	-	7473	-	7000 -
16'0"w - 7'0'h	6881	7867	8182	-	8947	-	7710	8733	6881 7867
16'0"w - 7'6'h	7047	-	8202	-	8976	-	8052	-	7992 -
16'0"w - 8'0'h	7047	-	8492	-	8995	-	7685	-	8273 -

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



For finishes,  
frames and other  
options see page  
33-35

# panel-built idigbo

## STANDARD SIZE Retractable Up & Over Gear

Coach-house  
warwick

Imperial	Dorchester	Thrapston	Stratford*	Thames*	Whitnash*	Kennington	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	Masta 4149 -	Super 3837 3433	Masta 3006 2578	Super 2624 2177	Masta 2609 2161	Super 4147 -	2134 x 1981
7'0" X 7'0"	Masta 4149 -	Super 3837 3497	Masta 3006 2642	Super 2624 2241	Masta 2645 2262	Super 4147 -	2134 x 2134
7'5" X 6'6"	Masta 4169 -	Super 3891 3601	Masta 3097 2785	Super 2679 2346	Masta 2704 2371	Super 4167 -	2261 x 1981
7'5" X 7'0"	Masta 4169 -	Super 3891 3707	Masta 3097 2891	Super 2679 2453	Masta 2745 2521	Super 4167 -	2261 x 2134
7'6" X 6'6"	Masta 4169 -	Super 3894 3603	Masta 3097 2785	Super 2679 2346	Masta 2704 2371	Super 4167 -	2286 x 1981
7'6" X 7'0"	Masta 4169 -	Super 3894 3712	Masta 3097 2894	Super 2679 2455	Masta 2745 2524	Super 4167 -	2286 x 2134
8'0" X 6'6"	Masta 4194 -	Super 3984 3818	Masta 3182 2993	Super 2728 2517	Masta 2874 2670	Super 4192 -	2438 x 1981
8'0" X 7'0"	Masta 4228 -	Super 4018 3838	Masta 3216 3014	Super 2762 2537	Masta 2959 2745	Super 4226 -	2438 x 2134
9'0" X 6'6"	Masta 5102 -	Super 4731 4758	Masta 3735 3730	Super 2944 2914	Masta 3242 3212	Super 5076 -	2743 x 1981
9'0" X 7'0"	Masta 5102 -	Super 4731 4823	Masta 3735 3794	Super 3205 3238	Masta 3293 3331	Super 5076 -	2743 x 2134
10'0" X 6'6"	Masta 5374 -	Super 4937 5192	Masta 3928 4133	Super 3327 3501	Masta 3339 3514	Super 5286 -	3048 x 1981
10'0" X 7'0"	Masta 5374 -	Super 4937 5209	Masta 3928 4150	Super 3327 3518	Masta 3391 3585	Super 5286 -	3048 x 2134
Single Door							
11'0" X 6'6"	Masta 6045 -	Super 5712 6614	Masta 4519 5389	Super 3881 4720	Masta 4071 4920	Super 5932 -	3353 x 1981
11'0" X 7'0"	Masta 6045 -	Super 5807 6695	Masta 4519 5407	Super 3881 4738	Masta 4143 5013	Super 5932 -	3353 x 2134
12'0" X 6'6"	Masta 6366 -	Super 5975 6973	Masta 4687 5686	Super 3978 4941	Masta 4096 5065	Super 6437 -	3658 x 1981
12'0" X 7'0"	Masta 6366 -	Super 5975 6992	Masta 4687 5705	Super 3978 4960	Masta 4168 5160	Super 6437 -	3658 x 2134
13'0" X 6'6"	Masta 7029 -	Super 6608 7838	Masta 5107 6333	Super 4302 5486	Masta 4348 5535	Super 7230 -	3962 x 1981
13'0" X 7'0"	Masta 7040 -	Super 6619 7858	Masta 5118 6352	Super 4312 5506	Masta 4430 5630	Super 7240 -	3962 x 2134
14'0" X 6'6"	Masta 7367 -	Super 6777 7914	Masta 5276 6408	Super 4398 5486	Masta 4372 5459	Super 7347 -	4267 x 1981
14'0" X 7'0"	Masta 7914 -	Super 7323 7914	Masta 5822 6408	Super 4945 5486	Masta 4991 5535	Super 7894 -	4267 x 2134
15'0" X 6'6"	Masta 8342 -	Super 6987 7395	Masta 6392 6789	Super 5442 5792	Masta 5496 5848	Super 8321 -	4572 x 1981
15'0" X 7'0"	Masta 8350 -	Super 6995 7439	Masta 6400 6832	Super 5450 5835	Masta 5586 5978	Super 8329 -	4572 x 2134
16'0" X 6'6"	Masta 8385 -	Super 7158 7740	Masta 6554 7124	Super 5569 6089	Masta 5515 6033	Super 8436 -	4877 x 1981
16'0" X 7'0"	Masta 8400 -	Super 7172 7786	Masta 6568 7170	Super 5583 6136	Masta 5611 6165	Super 8451 -	4877 x 2134
Double Door							


## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0"- 8'0" high on all widths.  
Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide

Imperial	Metric (mm)
Width - Height	Width - Height
7'0"w - 7'0"h	Masta 4149 - Super 3837 3932
7'0"w - 7'6"h	Masta 4342 - Super 4030 4029
7'0"w - 8'0"h	Masta 4483 - Super 4240 4331
7'6"w - 7'0'h	Masta 4169 - Super 3894 4056
7'6"w - 7'6"h	Masta 4362 - Super 4086 4163
7'6"w - 8'0"h	Masta 4502 - Super 4310 4485
8'0"w - 7'0'h	Masta 4228 - Super 4018 4162
8'0"w - 7'6'h	Masta 4387 - Super 4177 4287
8'0"w - 8'0'h	Masta 4528 - Super 4451 4634
9'0"w - 7'0'h	Masta 5102 - Super 4731 5088
9'0"w - 7'6'h	Masta 5261 - Super 4891 5195
9'0"w - 8'0'h	Masta 5433 - Super 5161 5593
10'0"w - 7'0'h	Masta 5374 - Super 4937 6370
10'0"w - 7'6'h	Masta 5792 - Super 5355 6704
10'0"w - 8'0'h	Masta 5984 - Super 5656 -
11'0"w - 7'0'h	Masta 6045 - Super 5807 7103
11'0"w - 7'6'h	Masta 6475 - Super 6237 7389
11'0"w - 8'0'h	Masta 7013 - Super 6920 -
12'0"w - 7'0'h	Masta 6366 - Super 5975 7401
12'0"w - 7'6'h	Masta 6931 - Super 6540 7565
12'0"w - 8'0'h	Masta 7511 - Super 7254 -
13'0"w - 7'0'h	Masta 7040 - Super 6619 8308
13'0"w - 7'6'h	Masta 7975 - Super 7594 8553
13'0"w - 8'0'h	Masta 7822 - Super 7565 -
14'0"w - 7'0'h	Masta 7914 - Super 7323 8364
14'0"w - 7'6'h	Masta 8313 - Super 7763 -
14'0"w - 8'0'h	Masta 8594 - Super 7259 -
15'0"w - 7'0'h	Masta 8350 - Super 6995 8007
15'0"w - 7'6'h	Masta 8380 - Super 7024 -
15'0"w - 8'0'h	Masta 8660 - Super 7489 -
16'0"w - 7'0'h	Masta 8400 - Super 7172 8193
16'0"w - 7'6'h	Masta 8420 - Super 7570 -
16'0"w - 8'0'h	Masta 8710 - Super 8066 -
Single Door	
11'0"w - 7'0'h	Masta 4147 - Super 2134 x 1981
11'0"w - 7'6'h	Masta 4340 - Super 2134 x 2134
11'0"w - 8'0'h	Masta 4490 - Super 2134 x 2438h
12'0"w - 7'0'h	Masta 4637 - Super 3658 x 1981
12'0"w - 7'6'h	Masta 4643 - Super 3658 x 2134
12'0"w - 8'0'h	Masta 4660 - Super 3658w - 2286h
13'0"w - 7'0'h	Masta 5199 - Super 3658w - 2438h
13'0"w - 7'6'h	Masta 5286 - Super 3658w - 2286h
13'0"w - 8'0'h	Masta 5303 - Super 3658w - 2286h
14'0"w - 7'0'h	Masta 5703 - Super 3658w - 2286h
14'0"w - 7'6'h	Masta 5904 - Super 3048w - 2438h
15'0"w - 7'0'h	Masta 5932 - Super 3353w - 2134h
15'0"w - 7'6'h	Masta 6362 - Super 3353w - 2286h
15'0"w - 8'0'h	Masta 6437 - Super 3353w - 2438h
16'0"w - 7'0'h	Masta 6437 - Super 3658w - 2134h
16'0"w - 7'6'h	Masta 7002 - Super 3658w - 2286h
16'0"w - 8'0'h	Masta 7581 - Super 3658w - 2438h
Double Door	

Drawings illustrate a single 7'0" x 7'0" door.  
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Whitnash double



\* see illustrations above for double door configuration

\*Stratford double



\* see illustrations above for double door configuration

\*Thames double



\* see illustrations above for double door configuration

For finishes,  
frames and other  
options see page  
33-35

# panel-built accoya

THE THETFORD RANGE is made with selected Accoya mouldings, Accoya tongue groove boards and raised and fielded panels dependent on design. Doors are of panel construction onto Super-Chassis or Masta-Gear in standard or made to measure sizes as listed.



# Coach house thetford


## STANDARD SIZE Retractable Up & Over Gear

	Barnham*	Culford	Elveden	Oulton	Harling	Ingham	Northwold	Fincham	Metric (mm)
Imperial									Width x Height
	Masta Super	Width x Height							
7'0" X 6'6"	3570 3338	3644 3412	3473 3241	3844 3597	3632 3400	3105 2873	2707 2475	3589 3313	2134 x 1981
7'0" X 7'0"	3606 3430	3644 3468	3548 3372	4158 3985	3632 3456	3105 2929	2707 2531	3637 3417	2134 x 2134
7'5" x 6'6"	3754 3574	3828 3648	3696 3516	3987 3827	3817 3637	3289 3109	2845 2665	3761 3537	2261 x 1981
7'5" x 7'0"	3791 3704	3828 3742	3711 3625	4316 4250	3817 3731	3289 3203	2845 2758	3802 3671	2261 x 2134
7'6" x 6'6"	3754 3574	3828 3648	3697 3517	3987 3827	3817 3637	3289 3109	2845 2665	3765 3541	2286 x 1981
7'6" x 7'0"	3791 3707	3828 3744	3712 3628	4316 4270	3817 3733	3289 3205	2845 2761	3803 3675	2286 x 2134
8'0" x 6'6"	3889 3814	3964 3889	3812 3738	4097 3900	3953 3878	3423 3348	2932 2857	3874 3755	2438 x 1981
8'0" x 7'0"	3957 3868	3995 3907	3859 3770	4487 4282	3984 3896	3454 3366	2963 2875	3953 3821	2438 x 2134
9'0" x 6'6"	4414 4504	4518 4607	4436 4526	4589 4580	4503 4592	3919 4008	3214 3304	4482 4533	2743 x 1981
9'0" x 7'0"	4451 4598	4518 4664	4451 4598	4993 5041	4503 4649	3919 4065	3341 3487	4634 4743	2743 x 2134
10'0" x 6'6"	4588 4877	4735 5024	4607 4896	4786 4983	4720 5009	4091 4380	3536 3825	4632 4883	3048 x 1981
10'0" x 7'0"	4624 4928	4735 5039	4622 4926	5235 5447	4720 5024	4091 4395	3536 3840	4785 5050	3048 x 2134
Single Door									
Double Door									
11'0" x 6'6"	5619 6374	5691 6446	5373 6117	5760 6469	5676 6431	4937 5651	4215 4928	5619 6272	3353 x 1981
11'0" x 7'0"	5692 6463	5691 6462	5391 6150	6298 7023	5676 6446	4937 5666	4215 4943	5692 6361	3353 x 2134
12'0" x 6'6"	5885 6745	5959 6819	5587 6436	5796 6619	5944 6804	5202 6021	4387 5205	5891 6650	3658 x 1981
12'0" x 7'0"	5958 6836	5959 6837	5617 6483	6334 7174	5944 6821	5202 6038	4387 5222	5965 6741	3658 x 2134
13'0" x 6'6"	6291 7350	6500 7559	6104 7151	6504 7538	6475 7534	5586 6603	4654 5671	6394 7359	3962 x 1981
13'0" x 7'0"	6375 7440	6510 7576	6144 7198	7142 8201	6485 7551	5596 6620	4664 5688	6477 7449	3962 x 2134
14'0" x 6'6"	7136 7609	7347 7820	6909 7371	7133 7600	7322 7795	6346 6778	5322 5754	7235 7615	4267 x 1981
14'0" x 7'0"	7219 7683	7357 7820	6949 7401	7771 8246	7332 7795	6356 6778	5332 5754	7318 7688	4267 x 2134
15'0" x 6'6"	7836 -	8049 -	7575 -	7924 -	8024 -	7036 -	5918 -	7890 -	4572 x 1981
15'0" x 7'0"	7909 -	8049 -	7605 -	8642 -	8024 -	7036 -	5918 -	7963 -	4572 x 2134
16'0" x 6'6"	7978 -	8194 -	7793 -	7952 -	8169 -	7292 -	6152 -	8112 -	4877 x 1981
16'0" x 7'0"	8060 -	8202 -	7831 -	8678 -	8177 -	7301 -	6160 -	8193 -	4877 x 2134


## MADE TO MEASURE SIZE Retractable Up & Over Gear By width For finishes, frames and other options see page 33-35

	Masta Gear doors available from 6'0" - 8'0" high on all widths. Super-Chassis doors available 6'0" - 8'0" high on doors up to 9'0" wide 6'0" - 7'6" high on doors from 10'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide								Masta Super	Metric (mm)
Imperial	Width - Height	Masta Super	Width - Height							
7'0" w - 7'0" h	3606 3814	3644 3851	3548 3755	4158 4368	3632 3840	3105 3312	2707 2914	3637 3800	2134w - 2134h	
7'0" w - 7'6" h	3822 3891	3859 3928	3764 3832	4426 4498	3848 3917	3320 3389	2922 2991	3853 3877	2134w - 2286h	
7'0" w - 8'0" h	4688 4829	4725 4866	4200 4341	4427 4571	4714 4855	4073 4215	3478 3619	4289 4386	2134w - 2438h	
7'6" w - 7'0" h	3791 4010	3828 4047	3712 3931	4316 4573	3817 4036	3289 3508	2845 3064	3803 3978	2286w - 2134h	
7'6" w - 7'6" h	4006 4095	4044 4133	3928 4017	4585 4711	4032 4121	3505 3594	3060 3149	4019 4064	2286w - 2286h	
7'6" w - 8'0" h	4929 5094	4967 5132	4392 4558	4584 4787	4955 5120	4315 4480	3649 3815	4483 4605	2286w - 2438h	
8'0" w - 7'0" h	3957 4154	3995 4192	3859 4056	4487 4567	3984 4181	3454 3651	2963 3160	3953 4106	2438w - 2134h	
8'0" w - 7'6" h	4141 4255	4180 4294	4043 4157	4724 4725	4168 4282	3638 3752	3147 3261	4137 4207	2438w - 2286h	
8'0" w - 8'0" h	5122 5289	5161 5327	4537 4703	4725 4793	5150 5316	4507 4673	3772 3938	4631 4754	2438w - 2438h	
9'0" w - 7'0" h	4451 4831	4518 4898	4451 4831	4993 5274	4503 4882	3919 4299	3341 3721	4634 4976	2743w - 2134h	
9'0" w - 7'6" h	4635 4916	4702 4983	4636 4917	5388 5571	4687 4968	4103 4384	3525 3806	4908 5151	2743w - 2286h	
9'0" w - 8'0" h	5732 6114	5799 6180	5098 5479	5388 5675	5784 6165	5087 5469	4218 4600	5191 5534	2743w - 2438h	
10'0" w - 7'0" h	4624 5952	4735 6062	4622 5949	5235 6470	4720 6047	4091 5418	3536 4863	4785 6074	3048w - 2134h	
10'0" w - 7'6" h	4809 6237	4919 6348	4806 6235	5630 6969	4904 6333	4275 5704	3720 5149	4969 6359	3048w - 2286h	
10'0" w - 8'0" h	5964 -	6074 -	5297 -	5630 -	6059 -	5318 -	4483 -	5460 -	3048w - 2438h	
Single Door										
Double Door										
11'0" w - 7'0" h	5692 6823	5691 6821	5391 6510	6298 7382	5676 6806	4937 6026	4215 5303	5692 6721	3353w - 2134h	
11'0" w - 7'6" h	6121 7057	6120 7056	5820 6744	6757 7647	6105 7040	5367 6260	4644 5538	6121 6955	3353w - 2286h	
11'0" w - 8'0" h	7773 -	7771 -	6744 -	7193 -	7756 -	6898 -	5826 -	7224 -	3353w - 2438h	
12'0" w - 7'0" h	5958 7195	5959 7196	5617 6843	6334 7534	5944 7181	5202 6398	4387 5582	5965 7100	3658w - 2134h	
12'0" w - 7'6" h	6464 7323	6465 7324	6123 6971	6870 7692	6449 7309	5708 6526	4892 5710	6470 7228	3658w - 2286h	
12'0" w - 8'0" h	8231 -	8232 -	7104 -	7305 -	8216 -	7355 -	6144 -	7392 -	3658w - 2438h	
13'0" w - 7'0" h	6375 7837	6510 7972	6144 7595	7142 8598	6485 7947	5596 7016	4664 6085	6477 7846	3962w - 2134h	
13'0" w - 7'6" h	7272 8036	7408 8171	7047 7794	8069 8827	7383 8146	6484 7215	5552 6284	7365 8045	3962w - 2286h	
13'0" w - 8'0" h	8427 -	8563 -	7353 -	7777 -	8538 -	7931 -	6558 -	8029 -	3962w - 2438h	
14'0" w - 7'0" h	7219 8079	7357 8217	6949 7797	7771 8642	7332 8192	6356 7175	5332 6150	7318 8085	4267w - 2134h	
14'0" w - 7'6" h	7621 -	7759 -	7357 -	8203 -	7734 -	6749 -	5725 -	7711 -	4267w - 2286h	
14'0" w - 8'0" h	9304 -	9442 -	8138 -	8323 -	9417 -	8312 -	6799 -	8612 -	4267w - 2438h	
15'0" w - 7'0" h	7909 -	8049 -	7605 -	8642 -	8024 -	7036 -	5918 -	7963 -	4572w - 2134h	
15'0" w - 7'6" h	7919 -	8059 -	7615 -	8682 -	8034 -	7046 -	5928 -	7973 -	4572w - 2286h	
15'0" w - 8'0" h	9718 -	9858 -	8454 -	8802 -	9833 -	8725 -	7073 -	8932 -	4572w - 2438h	
16'0" w - 7'0" h	8060 -	8202 -	7831 -	8678 -	8177 -	7301 -	6160 -	8193 -	4877w - 2134h	
16'0" w - 7'6" h	8070 -	8212 -	7841 -	8718 -	8187 -	7311 -	6170 -	8203 -	4877w - 2286h	
16'0" w - 8'0" h	9927 -	10069 -	8739 -	8838 -	10044 -	9106 -	7418 -	9220 -	4877w - 2438h	






\*Barnham double



\*Ingham double



\*Northwold double

\* see illustrations above for double door configuration

## Section 2 Solid-Constructed Doors

Solid-constructed doors use traditional joinery to create a solid timber panel that, other than on very large doors, requires no chassis or sub-frame to provide its strength.

The door panel is made first and the Masta-gear operating mechanism is then mounted directly onto the door panel for maximum integrity and a rear face free from bracings.

Solid-build doors are available with Masta-Gear lifting gear. From the front, solid-build doors have deeper edge rails, solid profiles front to back and beautiful rounded chamfer detailing. From the back they look just as good - edge to edge timber!



Masta-Gear doors have  
edge-to-edge timber  
all round




You won't see this on  
Woodrite doors - an exposed  
steel chassis detracting from  
the beauty of edge to edge  
timber.

# solid-built cedar

THE BALMORAL RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction onto Masta-Gear in standard or made to measure sizes as listed.

## STANDARD SIZE Retractable Up & Over Gear



\* see illustration above for double door configuration

Imperial Width x Height	Adstock	Bierton	Burnham	Chalfont*	Chalfont* wide	Chartridge	Chartridge wide	Coleshill	Metric (mm) Width x Height
7'0" X 6'6"	6418	4463	3754	3543	3897	3270	3597	3969	2134 x 1981
7'0" X 7'0"	6418	4463	3754	3543	3897	3270	3597	3969	2134 x 2134
7'5" X 6'6"	6598	4555	3853	3805	4185	3519	3871	4064	2261 x 1981
7'5" X 7'0"	6598	4554	3852	3804	4185	3519	3871	4064	2261 x 2134
7'6" X 6'6"	6598	4556	3853	3637	4000	3364	3700	4066	2286 x 1981
7'6" X 7'0"	6598	4556	3852	3637	4000	3364	3700	4066	2286 x 2134
8'0" X 6'6"	6778	4640	3938	3719	4091	3445	3789	4352	2438 x 1981
8'0" X 7'0"	6778	4640	3938	3719	4091	3445	3789	4152	2438 x 2134
9'0" X 6'6"	7802	5336	4518	4200	4620	3961	4358	4781	2743 x 1981
9'0" X 7'0"	7802	5336	4518	4200	4620	3961	4358	4781	2743 x 2134
10'0" X 6'6"	8289	5614	4812	4482	4930	4243	4667	5085	3048 x 1981
10'0" X 7'0"	8289	5614	4812	4482	4930	4243	4667	5085	3048 x 2134
Single Door									
Double Door									
11'0" X 6'6"	9514	7607	6567	5736	6309	6424	7066	6385	3353 x 1981
11'0" X 7'0"	9514	7607	6567	5736	6309	6424	7066	6385	3353 x 2134
12'0" X 6'6"	10064	7769	6737	5905	6496	6595	7255	6552	3658 x 1981
12'0" X 7'0"	10064	7769	6737	5905	6496	6595	7255	6552	3658 x 2134
13'0" X 6'6"	11508	8475	7243	6377	7014	7091	7800	7195	3962 x 1981
13'0" X 7'0"	11508	8475	7243	6377	7014	7091	7800	7195	3962 x 2134
14'0" X 6'6"	11882	8510	7413	6258	6883	6942	7637	7368	4267 x 1981
14'0" X 7'0"	11882	8510	7413	6258	6883	6942	7637	7368	4267 x 2134
15'0" X 6'6"	11909	8729	7658	6792	7471	7508	8259	7610	4572 x 1981
15'0" X 7'0"	11909	8729	7658	6792	7471	7508	8259	7610	4572 x 2134
16'0" X 6'6"	12798	8889	7828	6881	7569	7598	8358	7708	4877 x 1981
16'0" X 7'0"	12798	8889	7828	6881	7569	7598	8358	7708	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear

By width


For finishes, frames and other options see page 33-35

Imperial Width - Height	Masta Gear doors available from 6' 0" - 8' 0" high on all widths.								Metric (mm) Width - Height
7'0"w - 7'0"h	6418	4463	3754	3543	3897	3270	2938	3969	2134w - 2134h
7'0"w - 7'6'h	6608	4645	4071	3897	4286	3611	3088	4290	2134w - 2286h
7'0"w - 8'0'h	6608	4770	4071	4029	4432	3743	3538	4290	2134w - 2438h
7'6"w - 7'0'h	6598	4556	3852	3637	4000	3364	3080	4066	2286w - 2134h
7'6"w - 7'6'h	6788	4738	4181	3995	4394	3709	3230	4570	2286w - 2286h
7'6"w - 8'0'h	6787	4873	4180	4138	4552	3852	3689	4397	2286w - 2438h
8'0"w - 7'0'h	6778	4640	3938	3719	4091	3445	3143	4152	2438w - 2134h
8'0"w - 7'6'h	6969	4822	4278	4081	4489	3794	3293	4495	2438w - 2286h
8'0"w - 8'0'h	6969	4968	4278	4236	4660	3950	3760	4495	2438w - 2438h
9'0"w - 7'0'h	7802	5336	4518	4200	4620	3961	3629	4781	2743w - 2134h
9'0"w - 7'6'h	8046	5569	4934	4638	5102	4388	3780	5196	2743w - 2286h
9'0"w - 8'0'h	8046	5732	4934	4811	5292	4561	4255	5196	2743w - 2438h
10'0"w - 7'0'h	8289	5614	4812	4482	4930	4243	3894	5085	3048w - 2134h
10'0"w - 7'6'h	8410	5730	5128	4809	5290	4560	3936	5398	3048w - 2286h
10'0"w - 8'0'h	8410	5914	5128	5005	5505	4755	4402	5398	3048w - 2438h
Single Door									
Double Door									
11'0"w - 7'0'h	9514	7607	6567	5736	6309	6424	4110	6385	3353w - 2134h
11'0"w - 7'6'h	9635	7722	6906	5856	6442	6544	4153	6710	3353w - 2286h
11'0"w - 8'0'h	9635	7917	6906	6063	6670	6751	4635	6710	3353w - 2438h
12'0"w - 7'0'h	10064	7769	6737	5905	6496	6595	4317	6552	3658w - 2134h
12'0"w - 7'6'h	10185	7884	7099	6026	6629	6716	4359	6900	3658w - 2286h
12'0"w - 8'0'h	10185	8101	7099	6256	6882	6946	4859	6900	3658w - 2438h
13'0"w - 7'0'h	11508	8475	7243	6377	7014	7091	4786	7195	3962w - 2134h
13'0"w - 7'6'h	11848	8801	7848	6717	7389	7432	4828	7786	3962w - 2286h
13'0"w - 8'0'h	11848	9040	7848	6970	7667	7685	5336	7786	3962w - 2438h
14'0"w - 7'0'h	11882	8510	7413	6258	6883	6942	4992	7368	4267w - 2134h
14'0"w - 7'6'h	12223	8835	8041	6887	7576	7603	5034	7981	4267w - 2286h
14'0"w - 8'0'h	12223	9074	8041	7163	7879	7879	5560	7981	4267w - 2438h
15'0"w - 7'0'h	11909	8729	7658	6792	7471	7508	5201	7610	4572w - 2134h
15'0"w - 7'6'h	12364	9164	8424	7247	7972	7964	5243	8360	4572w - 2286h
15'0"w - 8'0'h	12364	9425	8424	7546	8301	8263	5785	8360	4572w - 2438h
16'0"w - 7'0'h	12798	8889	7828	6881	7569	7598	5406	7708	4877w - 2134h
16'0"w - 7'6'h	13253	9325	8617	7337	8070	8053	5448	8470	4877w - 2286h
16'0"w - 8'0'h	13253	9607	8617	7647	8412	8364	6008	8470	4877w - 2438h

# solid-built cedar

## STANDARD SIZE Retractable Up & Over Gear

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



# Coach house balmoral

Imperial	Coleshill wide	Gawcott	Gawcott wide	Granborough	Hampden*	Ickford	Marston	Padbury	Metric (mm)
Width x Height									Width x Height
7'0" X 6'6"	4366	3270	3597	5325	3342	4567	6044	6624	2134 x 1981
7'0" X 7'0"	4366	3270	3597	5325	3383	4567	6044	6624	2134 x 2134
7'5" X 6'6"	4471	3519	3871	5592	3487	4664	6048	6636	2261 x 1981
7'5" X 7'0"	4470	3519	3871	5592	3533	4663	6048	6636	2261 x 2134
7'6" X 6'6"	4472	3364	3700	5592	3487	4666	6048	6638	2286 x 1981
7'6" X 7'0"	4472	3364	3700	5592	3533	4665	6048	6637	2286 x 2134
8'0" X 6'6"	4788	3445	3789	5861	3491	4753	6404	6654	2438 x 1981
8'0" X 7'0"	4567	3445	3789	5861	3537	4753	6404	6654	2438 x 2134
9'0" X 6'6"	5259	3961	4358	6841	4049	5439	7529	7890	2743 x 1981
9'0" X 7'0"	5259	3961	4358	6841	4106	5439	7529	7890	2743 x 2134
10'0" X 6'6"	5593	4243	4667	7238	4181	5727	7662	8057	3048 x 1981
10'0" X 7'0"	5593	4243	4667	7238	4238	5727	7662	8057	3048 x 2134
11'0" X 6'6"	7023	6424	7066	8979	5054	7899	9643	8995	3353 x 1981
11'0" X 7'0"	7023	6424	7066	8979	5088	7899	9643	8995	3353 x 2134
12'0" X 6'6"	7207	6595	7255	9529	5188	8139	10277	10093	3658 x 1981
12'0" X 7'0"	7207	6595	7255	9529	5228	8139	10277	10093	3658 x 2134
13'0" X 6'6"	7915	7091	7800	10152	5419	8754	10748	10896	3962 x 1981
13'0" X 7'0"	7915	7091	7800	10152	5459	8754	10748	10870	3962 x 2134
14'0" X 6'6"	8104	6942	7637	10175	5431	8999	11476	10945	4267 x 1981
14'0" X 7'0"	8104	6942	7637	10175	5471	8999	11476	10945	4267 x 2134
15'0" X 6'6"	8371	7508	8259	10712	5647	9111	11503	10991	4572 x 1981
15'0" X 7'0"	8371	7508	8259	10730	5693	9111	11503	10991	4572 x 2134
16'0" X 6'6"	8479	7598	8358	10739	5656	9351	12216	11020	4877 x 1981
16'0" X 7'0"	8479	7598	8358	10739	5702	9351	12216	11020	4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear

By width

For finishes, frames and other options see page 33-35


Imperial Width - Height	Masta Gear doors available from 6' 0" - 8' 0" high on all widths.								Metric (mm) Width - Height
7'0"w - 7'0"h	3065	3270	2938	5325	3383	4567	6044	6624	2134w - 2134h
7'0"w - 7'6"h	3398	3611	3088	5515	3668	4871	6235	6814	2134w - 2286h
7'0"w - 8'0"h	3746	3743	3538	5515	3748	4871	6235	6814	2134w - 2438h
7'6"w - 7'0'h	3170	3364	3080	5592	3533	4665	6048	6637	2286w - 2134h
7'6"w - 7'6" h	3520	3709	3230	5783	3829	4981	6238	6828	2286w - 2286h
7'6"w - 8'0" h	3868	3852	3689	5782	3920	4980	6238	6827	2286w - 2438h
8'0"w - 7'0" h	3238	3445	3143	5861	3537	4753	6404	6654	2438w - 2134h
8'0"w - 7'6" h	3604	3794	3293	6051	3834	5080	6595	6845	2438w - 2286h
8'0"w - 8'0" h	3952	3950	3760	6051	3926	5080	6595	6845	2438w - 2438h
9'0"w - 7'0" h	3783	3961	3629	6841	4106	5439	7529	7890	2743w - 2134h
9'0"w - 7'6" h	4182	4388	3780	7085	4479	5842	7773	8134	2743w - 2286h
9'0"w - 8'0" h	4530	4561	4255	7085	4594	5842	7773	8134	2743w - 2438h
10'0"w - 7'0" h	4000	4243	3894	7238	4238	5727	7662	8057	3048w - 2134h
10'0"w - 7'6" h	4308	4560	3936	7359	4488	6030	7783	8178	3048w - 2286h
10'0"w - 8'0" h	4629	4755	4402	7359	4603	6030	7783	8178	3048w - 2438h
11'0"w - 7'0" h	4201	6424	4110	8979	5088	7899	9643	8995	3353w - 2134h
11'0"w - 7'6" h	4542	6544	4153	9100	5278	8224	9763	9115	3353w - 2286h
11'0"w - 8'0" h	4863	6751	4635	9100	5375	8224	9763	9115	3353w - 2438h
12'0"w - 7'0" h	4371	6595	4317	9529	5228	8139	10277	10093	3658w - 2134h
12'0"w - 7'6" h	4745	6716	4359	9650	5429	8498	10398	10214	3658w - 2286h
12'0"w - 8'0" h	5066	6946	4859	9650	5538	8498	10398	10214	3658w - 2438h
13'0"w - 7'0" h	5002	7091	4786	10152	5459	8754	10748	10870	3962w - 2134h
13'0"w - 7'6" h	5410	7432	4828	10492	5880	9333	11089	11237	3962w - 2286h
13'0"w - 8'0" h	5731	7685	5336	10492	5989	9333	11089	11237	3962w - 2438h
14'0"w - 7'0" h	5177	6942	4992	10175	5471	8999	11476	10945	4267w - 2134h
14'0"w - 7'6" h	5618	7603	5034	10516	5892	9612	11817	11285	4267w - 2286h
14'0"w - 8'0" h	5939	7879	5560	10516	6001	9612	11817	11285	4267w - 2438h
15'0"w - 7'0" h	5347	7508	5201	10730	5693	9111	11503	10991	4572w - 2134h
15'0"w - 7'6" h	5821	7964	5243	11185	6240	9839	11958	11446	4572w - 2286h
15'0"w - 8'0" h	6142	8263	5785	11185	6360	9839	11958	11446	4572w - 2438h
16'0"w - 7'0" h	5517	7598	5406	10739	5702	9351	12216	11020	4877w - 2134h
16'0"w - 7'6" h	6024	8053	5448	11194	6249	10113	12671	11475	4877w - 2286h
16'0"w - 8'0" h	6345	8364	6008	11194	6369	10113	12671	11475	4877w - 2438h

# solid-built cedar

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

## STANDARD SIZE Retractable Up & Over Gear

\*Wemford double



\* see illustration above for double door configuration  
\*For Woburn & Uttoxeter see Warwick Southam & Southam Wide

Coach house  
**balmoral**

Imperial Width x Height	Quainton	Salford	Sherington	Woburn*	Utt oxeter*	Wemford*	Whitchurch	Metric (mm) Width x Height
7'0" X 6'6"	5322	5041	5874	3178	3241	3401	5318	2134 x 1981
7'0" X 7'0"	5322	5041	5874	3178	3241	3476	5318	2134 x 2134
7'5" X 6'6"	5581	5045	5878	3383	3478	3576	5322	2261 x 1981
7'5" X 7'0"	5581	5045	5878	3383	3478	3654	5322	2261 x 2134
7'6" X 6'6"	5581	5045	5878	3234	3324	3418	5322	2286 x 1981
7'6" X 7'0"	5581	5045	5878	3233	3324	3493	5322	2286 x 2134
8'0" X 6'6"	5585	5401	6234	3315	3394	3422	5326	2438 x 1981
8'0" X 7'0"	5585	5401	6234	3315	3394	3497	5326	2438 x 2134
9'0" X 6'6"	6479	6390	7306	3617	3816	3976	6541	2743 x 1981
9'0" X 7'0"	6479	6390	7306	3758	3816	4070	6541	2743 x 2134
10'0" X 6'6"	6616	6521	7439	4000	4073	4103	6674	3048 x 1981
10'0" X 7'0"	6616	6521	7439	4000	4073	4196	6674	3048 x 2134
Single Door	11'0" X 6'6"	7780	8023	8825	5550	5753	5420	8860 3353 x 1981
	11'0" X 7'0"	7780	8023	8881	5550	5753	5500	8860 3353 x 2134
Double Door	12'0" X 6'6"	8551	8657	9516	5720	5899	5429	9396 3658 x 1981
	12'0" X 7'0"	8551	8657	9516	5720	5899	5509	9396 3658 x 2134
Single Door	13'0" X 6'6"	9043	8947	10193	6117	6273	5660	10725 3962 x 1981
	13'0" X 7'0"	9623	8947	10193	6117	6273	5740	10725 3962 x 2134
Double Door	14'0" X 6'6"	9873	9673	10922	6009	6136	5422	11102 4267 x 1981
	14'0" X 7'0"	9873	9673	10922	6009	6136	5499	11102 4267 x 2134
Single Door	15'0" X 6'6"	9958	9700	9685	6534	6643	5922	11136 4572 x 1981
	15'0" X 7'0"	9958	9700	9685	6534	6643	6014	11136 4572 x 2134
Double Door	16'0" X 6'6"	10208	10412	10398	6623	6790	5932	12024 4877 x 1981
	16'0" X 7'0"	10208	10412	10398	6623	6790	6023	12024 4877 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear

By width

For finishes, frames and other options see page 33-35

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0" w - 7'0" h	5322	5041	5874	3178	3241	3476	5318	2134w - 2134h
7'0" w - 7'6" h	5512	5231	6065	3515	3582	3920	5509	2134w - 2286h
7'0" w - 8'0" h	5650	5231	6065	3653	3729	3998	5509	2134w - 2438h
7'6" w - 7'0" h	5581	5045	5878	3233	3324	3493	5322	2286w - 2134h
7'6" w - 7'6" h	5771	5235	6069	3573	3668	3938	5513	2286w - 2286h
7'6" w - 8'0" h	5943	5234	6068	3716	3824	4015	5512	2286w - 2438h
8'0" w - 7'0" h	5585	5401	6234	3315	3394	3497	5326	2438w - 2134h
8'0" w - 7'6" h	5776	5591	6425	3658	3741	3942	5517	2438w - 2286h
8'0" w - 8'0" h	5948	5591	6425	3813	3908	4021	5517	2438w - 2438h
9'0" w - 7'0" h	6479	6390	7306	3758	3816	4070	6541	2743w - 2134h
9'0" w - 7'6" h	6723	6634	7550	4176	4236	4615	6786	2743w - 2286h
9'0" w - 8'0" h	6930	6634	7550	4354	4422	4713	6786	2743w - 2438h
10'0" w - 7'0" h	6616	6521	7439	4000	4073	4196	6674	3048w - 2134h
10'0" w - 7'6" h	6736	6642	7560	4305	4382	4623	6795	3048w - 2286h
10'0" w - 8'0" h	6943	6642	7560	4500	4588	4721	6795	3048w - 2438h
Single Door	11'0" w - 7'0" h	7780	8023	8881	5550	5753	5500	8860 3353w - 2134h
	11'0" w - 7'6" h	7901	8144	9002	5671	5873	5701	8980 3353w - 2286h
Double Door	11'0" w - 8'0" h	8039	8144	9002	5878	6109	5810	8980 3353w - 2438h
	12'0" w - 7'0" h	8551	8657	9516	5720	5899	5509	9396 3658w - 2134h
Single Door	12'0" w - 7'6" h	8672	8778	9637	5840	6020	5710	9517 3658w - 2286h
	12'0" w - 8'0" h	8845	8778	9637	6070	6275	5819	9517 3658w - 2438h
Double Door	13'0" w - 7'0" h	9623	8947	10193	6117	6273	5740	10725 3962w - 2134h
	13'0" w - 7'6" h	9963	9287	10534	6458	6614	6161	11065 3962w - 2286h
Single Door	13'0" w - 8'0" h	10205	9287	10534	6710	6889	6270	11065 3962w - 2438h
	14'0" w - 7'0" h	9873	9673	10922	6009	6136	5499	11102 4267w - 2134h
Double Door	14'0" w - 7'6" h	10213	10014	11263	6627	6760	6173	11442 4267w - 2286h
	14'0" w - 8'0" h	10489	10014	10017	6903	7054	6282	11442 4267w - 2438h
Single Door	15'0" w - 7'0" h	9958	9700	9685	6534	6643	6014	11136 4572w - 2134h
	15'0" w - 7'6" h	10413	10155	10140	6989	7099	6561	11591 4572w - 2286h
Double Door	15'0" w - 8'0" h	10689	10155	10140	7288	7413	6682	11591 4572w - 2438h
	16'0" w - 7'0" h	10208	10412	10398	6623	6790	6023	12024 4877w - 2134h
Single Door	16'0" w - 7'6" h	10664	10868	11382	7079	7245	6571	12480 4877w - 2286h
	16'0" w - 8'0" h	10974	10868	11382	7389	7579	6691	12480 4877w - 2438h

# Solid-built idigbo

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed.

Coach-house  
**warwick**

## STANDARD SIZE Retractable Up & Over Gear


Imperial Width x Height	Alcester	Brandon	Baddesley	Kenilworth*	Kenilworth* wide	Claverdon	Metric (mm) Width x Height
7'0" X 6'6"	5612	4739	3639	3562	3919	3600	2134 x 1981
7'0" X 7'0"	5612	4739	3639	3562	3919	3600	2134 x 2134
7'5" x 6'6"	5720	4753	3651	3574	3932	3612	2261 x 1981
7'5" x 7'0"	5720	4753	3650	3574	3932	3612	2261 x 2134
7'6" x 6'6"	5720	4756	3651	3574	3932	3612	2286 x 1981
7'6" x 7'0"	5720	4755	3650	3574	3932	3612	2286 x 2134
8'0" x 6'6"	5866	4899	3786	3709	4080	3746	2438 x 1981
8'0" x 7'0"	5866	4899	3786	3709	4080	3746	2438 x 2134
9'0" x 6'6"	7039	7062	4993	4829	5312	4914	2743 x 1981
9'0" x 7'0"	7039	7062	4993	4829	5312	4914	2743 x 2134
10'0" x 6'6"	7260	7263	5186	5022	5525	5107	3048 x 1981
10'0" x 7'0"	7260	7263	5186	5022	5525	5107	3048 x 2134
11'0" x 6'6"	8143	7875	6166	5601	6161	6002	3353 x 1981
11'0" x 7'0"	8143	7875	6166	5601	6161	6002	3353 x 2134
12'0" x 6'6"	8474	8078	6357	5792	6371	6195	3658 x 1981
12'0" x 7'0"	8474	8078	6357	5792	6371	6195	3658 x 2134
13'0" x 6'6"	10005	9175	6994	6382	7021	6818	3962 x 1981
13'0" x 7'0"	10608	9778	7597	6985	7684	7421	3962 x 2134
14'0" x 6'6"	10845	9843	7788	7176	7894	7615	4267 x 1981
14'0" x 7'0"	10845	9843	7788	7176	7894	7615	4267 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

\*Kenilworth double



\*Baddesley double



\* see illustration above for double door configuration

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'0"h	5612	4739	3639	3562	3919	3600	2134w - 2134h
7'0"w - 7'6"h	5739	4866	3890	3689	4058	3727	2134w - 2286h
7'0"w - 8'0'h	5739	4969	3890	3820	4202	3858	2134w - 2438h
7'6"w - 7'0'h	5720	4755	3650	3574	3932	3612	2286w - 2134h
7'6"w - 7'6'h	5918	4953	3984	3772	4149	3810	2286w - 2286h
7'6"w - 8'0'h	5916	5064	3983	3913	4304	3951	2286w - 2438h
8'0"w - 7'0'h	5866	4899	3786	3709	4080	3746	2438w - 2134h
8'0"w - 7'6'h	6026	5058	4093	3869	4256	3906	2438w - 2286h
8'0"w - 8'0'h	6026	5180	4093	4022	4425	4059	2438w - 2438h
9'0"w - 7'0'h	7039	7062	4993	4829	5312	4914	2743w - 2134h
9'0"w - 7'6'h	7199	7222	5322	4989	5488	5074	2743w - 2286h
9'0"w - 8'0'h	7199	7356	5322	5159	5675	5244	2743w - 2438h
10'0"w - 7'0'h	7260	7263	5186	5022	5525	5107	3048w - 2134h
10'0"w - 7'6'h	7711	7714	5829	5473	6020	5558	3048w - 2286h
10'0"w - 8'0'h	7711	7867	5829	5666	6232	5751	3048w - 2438h
11'0"w - 7'0'h	8143	7875	6166	5601	6161	6002	3353w - 2134h
11'0"w - 7'6'h	8594	8326	6832	6051	6657	6452	3353w - 2286h
11'0"w - 8'0'h	8594	8487	6832	6256	6881	6657	3353w - 2438h
12'0"w - 7'0'h	8474	8078	6357	5792	6371	6195	3658w - 2134h
12'0"w - 7'6'h	9077	8681	7198	6395	7034	6798	3658w - 2286h
12'0"w - 8'0'h	9077	8861	7198	6621	7284	7025	3658w - 2438h
13'0"w - 7'0'h	10608	9778	7597	6985	7684	7421	3962w - 2134h
13'0"w - 7'6'h	10608	9778	7857	6985	7684	7421	3962w - 2286h
13'0"w - 8'0'h	10608	9975	7857	7235	7958	7671	3962w - 2438h
14'0"w - 7'0'h	10845	9843	7788	7176	7894	7615	4267w - 2134h
14'0"w - 7'6'h	10845	9843	8071	7176	7894	7615	4267w - 2286h
14'0"w - 8'0'h	10845	10040	8071	7448	8193	7887	4267w - 2438h

For finishes,  
frames and other  
options see page  
33-35

# solid-built idigbo

## STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Claverdon wide	Hatton	Hatton wide	Grendon	Grendon wide	Grafton	Metric (mm) Width x Height
7'0" X 6'6"	3960	4147	4562	3600	3960	4610	2134 x 1981
7'0" X 7'0"	3960	4147	4562	3600	3960	4610	2134 x 2134
7'5" x 6'6"	3973	4161	4577	3612	3973	4765	2261 x 1981
7'5" x 7'0"	3973	4161	4577	3612	3973	4765	2261 x 2134
7'6" x 6'6"	3973	4164	4580	3612	3973	4765	2286 x 1981
7'6" x 7'0"	3973	4163	4580	3612	3973	4765	2286 x 2134
8'0" x 6'6"	4120	4507	4957	3746	4120	4958	2438 x 1981
8'0" x 7'0"	4120	4305	4735	3746	4120	4958	2438 x 2134
9'0" x 6'6"	5405	5608	6169	4914	5405	6054	2743 x 1981
9'0" x 7'0"	5405	5608	6169	4914	5405	6054	2743 x 2134
10'0" x 6'6"	5618	5825	6408	5107	5618	6226	3048 x 1981
10'0" x 7'0"	5618	5825	6408	5107	5618	6226	3048 x 2134
11'0" x 6'6"	6602	6251	6877	6002	6602	7330	3353 x 1981
11'0" x 7'0"	6602	6251	6877	6002	6602	7330	3353 x 2134
12'0" x 6'6"	6815	6451	7097	6195	6815	7660	3658 x 1981
12'0" x 7'0"	6815	6451	7097	6195	6815	7660	3658 x 2134
13'0" x 6'6"	7500	7281	8009	6818	7500	8502	3962 x 1981
13'0" x 7'0"	8163	7884	8672	7421	8163	9105	3962 x 2134
14'0" x 6'6"	8377	8091	8900	7615	8377	9156	4267 x 1981
14'0" x 7'0"	8377	8091	8900	7615	8377	9156	4267 x 2134

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'0'h	3960	4147	4562	3600	3960	4610	2134w - 2134h
7'0"w - 7'6'h	4100	4378	4815	3727	4100	4737	2134w - 2286h
7'0"w - 8'0'h	4243	4378	4815	3858	4243	4737	2134w - 2438h
7'6"w - 7'0'h	3973	4163	4580	3612	3973	4765	2286w - 2134h
7'6"w - 7'6'h	4191	4653	5118	3810	4191	4963	2286w - 2286h
7'6"w - 8'0'h	4346	4472	4920	3951	4346	4962	2286w - 2438h
8'0"w - 7'0'h	4120	4305	4735	3746	4120	4958	2438w - 2134h
8'0"w - 7'6'h	4296	4586	5044	3906	4296	5118	2438w - 2286h
8'0"w - 8'0'h	4465	4586	5044	4059	4465	5118	2438w - 2438h
9'0"w - 7'0'h	5405	5608	6169	4914	5405	6054	2743w - 2134h
9'0"w - 7'6'h	5581	5903	6493	5074	5581	6214	2743w - 2286h
9'0"w - 8'0'h	5768	5903	6493	5244	5768	6214	2743w - 2438h
10'0"w - 7'0'h	5618	5825	6408	5107	5618	6226	3048w - 2134h
10'0"w - 7'6'h	6114	6429	7072	5558	6114	6677	3048w - 2286h
10'0"w - 8'0'h	6326	6429	7072	5751	6326	6677	3048w - 2438h
11'0"w - 7'0'h	6602	6251	6877	6002	6602	7330	3353w - 2134h
11'0"w - 7'6'h	7098	6864	7550	6452	7098	7780	3353w - 2286h
11'0"w - 8'0'h	7322	6864	7550	6657	7322	7780	3353w - 2438h
12'0"w - 7'0'h	6815	6451	7097	6195	6815	7660	3658w - 2134h
12'0"w - 7'6'h	7478	7234	7957	6798	7478	8263	3658w - 2286h
12'0"w - 8'0'h	7727	7234	7957	7025	7727	8263	3658w - 2438h
13'0"w - 7'0'h	8163	7884	8672	7421	8163	9105	3962w - 2134h
13'0"w - 7'6'h	8163	8082	8890	7421	8163	9105	3962w - 2286h
13'0"w - 8'0'h	8438	8082	8890	7671	8438	9105	3962w - 2438h
14'0"w - 7'0'h	8377	8091	8900	7615	8377	9156	4267w - 2134h
14'0"w - 7'6'h	8377	8306	9137	7615	8377	9156	4267w - 2286h
14'0"w - 8'0'h	8676	8306	9137	7887	8676	9156	4267w - 2438h

For finishes,  
frames and other  
options see page  
33-35


# Solid-built idigbo

## STANDARD SIZE Retractable Up & Over Gear

Coach house  
**warwick**

Imperial	Harbury*	Aston	Welford	Bentley	Langley	Gaydon	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	3461	4286	4529	5408	5193	4125	2134 x 1981
7'0" X 7'0"	3502	4286	4529	5408	5193	4125	2134 x 2134
7'5" X 6'6"	3517	4302	4543	5433	5366	4139	2261 x 1981
7'5" X 7'0"	3563	4302	4543	5433	5366	4139	2261 x 2134
7'6" X 6'6"	3517	4304	4543	5435	5366	4139	2286 x 1981
7'6" X 7'0"	3563	4304	4543	5435	5366	4139	2286 x 2134
8'0" X 6'6"	3570	4448	4783	5504	5419	4379	2438 x 1981
8'0" X 7'0"	3616	4448	4783	5504	5419	4379	2438 x 2134
9'0" X 6'6"	4724	5816	6050	6810	7073	5400	2743 x 1981
9'0" X 7'0"	4782	5816	6050	6810	7073	5400	2743 x 2134
10'0" X 6'6"	4753	6013	6081	6885	7109	5428	3048 x 1981
10'0" X 7'0"	4811	6013	6081	6885	7109	5428	3048 x 2134
11'0" X 6'6"	4847	3725	7445	7735	7356	6460	3353 x 1981
11'0" X 7'0"	4883	3725	7445	7735	7356	6460	3353 x 2134
12'0" X 6'6"	4975	3785	7828	8375	7921	6843	3658 x 1981
12'0" X 7'0"	5015	3785	7828	8375	7921	6843	3658 x 2134
13'0" X 6'6"	5298	4615	8422	9455	8436	7244	3962 x 1981
13'0" X 7'0"	5941	5218	9025	10023	9806	7847	3962 x 2134
14'0" X 6'6"	5935	5277	9452	10141	10079	8271	4267 x 1981
14'0" X 7'0"	5975	5277	9452	10141	10079	8271	4267 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



\* see illustrations above for double door configuration

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.


Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'0"h	3502	4286	4529	5408	5193	4125	2134w - 2134h
7'0"w - 7'6"h	3627	4502	4656	5535	5320	4252	2134w - 2286h
7'0"w - 8'0'h	3707	4502	4656	5535	5456	4252	2134w - 2438h
7'6"w - 7'0'h	3563	4304	4543	5435	5366	4139	2286w - 2134h
7'6"w - 7'6'h	3770	4601	4740	5633	5564	4337	2286w - 2286h
7'6"w - 8'0'h	3861	4600	4739	5632	5733	4336	2286w - 2438h
8'0"w - 7'0'h	3616	4448	4783	5504	5419	4379	2438w - 2134h
8'0"w - 7'6'h	3785	4716	4943	5664	5579	4539	2438w - 2286h
8'0"w - 8'0'h	3877	4716	4943	5664	5749	4539	2438w - 2438h
9'0"w - 7'0'h	4782	5816	6050	6810	7073	5400	2743w - 2134h
9'0"w - 7'6'h	4975	6102	6210	6970	7233	5560	2743w - 2286h
9'0"w - 8'0'h	5090	6102	6210	6970	7437	5560	2743w - 2438h
10'0"w - 7'0'h	4811	6013	6081	6885	7109	5428	3048w - 2134h
10'0"w - 7'6'h	5295	6607	6532	7336	7559	5879	3048w - 2286h
10'0"w - 8'0'h	5410	6607	6532	7336	7764	5879	3048w - 2438h
11'0"w - 7'0'h	4883	3725	7445	7735	7356	6460	3353w - 2134h
11'0"w - 7'6'h	5405	4176	7895	8186	7807	6911	3353w - 2286h
11'0"w - 8'0'h	5498	4176	7895	8186	7943	6911	3353w - 2438h
12'0"w - 7'0'h	5015	3785	7828	8375	7921	6843	3658w - 2134h
12'0"w - 7'6'h	5699	4387	8431	8978	8524	7446	3658w - 2286h
12'0"w - 8'0'h	5800	4387	8431	8978	8694	7446	3658w - 2438h
13'0"w - 7'0'h	5941	5218	9025	10023	9806	7847	3962w - 2134h
13'0"w - 7'6'h	6022	5218	9025	10058	9806	7847	3962w - 2286h
13'0"w - 8'0'h	6123	5218	9025	10058	10044	7847	3962w - 2438h
14'0"w - 7'0'h	5975	5277	9452	10141	10079	8271	4267w - 2134h
14'0"w - 7'6'h	6056	5277	9452	10141	10079	8271	4267w - 2286h
14'0"w - 8'0'h	6158	5277	9452	10141	10351	8271	4267w - 2438h

For finishes, frames and other options see page 33-35


# **solid-built idigbo**

**warwick**  
Coach house


## **STANDARD SIZE Retractable Up & Over Gear**

		Dorchester	Southam*	Southam wide	Harbury wide	Kennington	
Imperial Width x Height							Metric (mm) Width x Height
		Masta	Masta	Masta	Masta	Masta	
	7'0" x 6'6"	5030	3461	3807	3807	4481	2134 x 1981
	7'0" x 7'0"	5030	3461	3807	3852	4481	2134 x 2134
	7'5" x 6'6"	5044	3525	3878	3869	4495	2261 x 1981
	7'5" x 7'0"	5044	3525	3877	3919	4495	2261 x 2134
	7'6" x 6'6"	5044	3525	3878	3869	4495	2286 x 1981
	7'6" x 7'0"	5044	3525	3877	3919	4495	2286 x 2134
	8'0" x 6'6"	5284	3659	4024	3927	4547	2438 x 1981
	8'0" x 7'0"	5284	3659	4024	3977	4547	2438 x 2134
	9'0" x 6'6"	6432	3967	4363	5196	5632	2743 x 1981
	9'0" x 7'0"	6432	4198	4617	5260	5632	2743 x 2134
	10'0" x 6'6"	6463	4348	4783	5228	5662	3048 x 1981
	10'0" x 7'0"	6463	4348	4783	5292	5662	3048 x 2134
Single Door ↑	11'0" x 6'6"	7324	5355	5891	5331	7345	3353 x 1981
	11'0" x 7'0"	7399	5355	5891	5371	7345	3353 x 2134
Double Door ↓	12'0" x 6'6"	7782	5546	6101	5472	7656	3658 x 1981
	12'0" x 7'0"	7782	5546	6101	5517	7656	3658 x 2134
	13'0" x 6'6"	8696	6039	6643	5828	8965	3962 x 1981
	13'0" x 7'0"	9298	6641	7306	6535	9567	3962 x 2134
	14'0" x 6'6"	9727	6832	7516	6528	9808	4267 x 1981
	14'0" x 7'0"	9727	6832	7516	6573	9808	4267 x 2134

**Drawings illustrate a single 7'0" x 7'0" door.**  
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



\*Southam double



\* see illustrations above for double door configuration

\* see illustrations above for double door configuration



卷之三



卷之三



\* see illustrations above for double door configuration for the Thetford Range on the facing page

**MADE TO MEASURE SIZE Retractable Up & Over Gear** By width

**Masta Gear doors available from 6' 0" - 8'0" high on all widths.**

Imperial Width - Height		Metric (mm) Width - Height					
	Masta	Masta	Masta	Masta	Masta	Masta	
7'0" w - 7'0" h	5030	3461	3807	3852	4481	2134w - 2134h	
7'0" w - 7'6" h	5157	3587	3946	3989	4608	2134w - 2286h	
7'0" w - 8'0" h	5157	3724	4096	4078	4608	2134w - 2438h	
7'6" w - 7'0" h	5044	3525	3877	3919	4495	2286w - 2134h	
7'6" w - 7'6" h	5242	3723	4095	4147	4693	2286w - 2286h	
7'6" w - 8'0" h	5241	3864	4250	4247	4691	2286w - 2438h	
8'0" w - 7'0" h	5284	3659	4024	3977	4547	2438w - 2134h	
8'0" w - 7'6" h	5444	3818	4200	4163	4707	2438w - 2286h	
8'0" w - 8'0" h	5444	3971	4369	4265	4707	2438w - 2438h	
9'0" w - 7'0" h	6432	4198	4617	5260	5632	2743w - 2134h	
9'0" w - 7'6" h	6592	4357	4793	5472	5792	2743w - 2286h	
9'0" w - 8'0" h	6592	4533	4987	5600	5792	2743w - 2438h	
10'0" w - 7'0" h	6463	4348	4783	5292	5662	3048w - 2134h	
10'0" w - 7'6" h	6913	4799	5278	5824	6112	3048w - 2286h	
10'0" w - 8'0" h	6913	4991	5490	5951	6112	3048w - 2438h	
Single Door	11'0" w - 7'0" h	7399	5355	5891	5371	7345	3353w - 2134h
	11'0" w - 7'6" h	7850	5806	6387	5946	7795	3353w - 2286h
Double Door	11'0" w - 8'0" h	7850	6010	6611	6048	7795	3353w - 2438h
	12'0" w - 7'0" h	7782	5546	6101	5517	7656	3658w - 2134h
	12'0" w - 7'6" h	8385	6149	6764	6269	8259	3658w - 2286h
	12'0" w - 8'0" h	8385	6376	7013	6380	8259	3658w - 2438h
	13'0" w - 7'0" h	9298	6641	7306	6535	9567	3962w - 2134h
	13'0" w - 7'6" h	9298	6641	7306	6624	9567	3962w - 2286h
	13'0" w - 8'0" h	9298	6891	7580	6736	9567	3962w - 2438h
	14'0" w - 7'0" h	9727	6832	7516	6573	9808	4267w - 2134h
	14'0" w - 7'6" h	9727	6832	7516	6662	9808	4267w - 2286h
	14'0" w - 8'0" h	8043	7105	7815	6773	9808	4267w - 2438h

**For finishes,  
frames and other  
options see page  
33-35**

# solid-built accoya

THE THETFORD RANGE is made with selected Accoya mouldings, Accoya tongue groove boards and raised and fielded panels dependent on design. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed.



**Coach house**  
**thetford**

## STANDARD SIZE Retractable Up & Over Gear

\* see illustrations on page left for double door configuration

Imperial	Barnham*	Culford	Elveden	Oulton	Harling	Ingham*	Northwold*	Fincham	Metric (mm)
Width x Height									Width x Height
7'0" X 6'6"	3962	3993	3894	5223	3993	3610	3365	5153	2134 x 1981
7'0" X 7'0"	4307	4337	3894	5223	4337	3954	3627	4924	2134 x 2134
7'5" X 6'6"	4074	4104	3964	5371	4104	3722	3439	5267	2261 x 1981
7'5" X 7'0"	4450	4480	3964	5370	4480	4097	3720	5016	2261 x 2134
7'6" X 6'6"	4074	4104	3966	5371	4104	3722	3439	5267	2286 x 1981
7'6" X 7'0"	4450	4480	3966	5370	4480	4097	3720	5016	2286 x 2134
8'0" X 6'6"	4224	4253	4078	5552	4253	3870	3549	5421	2438 x 1981
8'0" X 7'0"	4630	4659	4078	5552	4659	4277	3849	5153	2438 x 2134
9'0" X 6'6"	4873	4940	4832	6687	4940	4286	3936	5976	2743 x 1981
9'0" X 7'0"	5327	5394	4832	6687	5394	4892	4273	5673	2743 x 2134
10'0" X 6'6"	5102	5169	4995	6855	5169	4664	4087	6220	3048 x 1981
10'0" X 7'0"	5618	5685	4995	6855	5685	5181	4462	5870	3048 x 2134
11'0" X 6'6"	5721	6150	5890	5585	6150	5538	5139	7396	3353 x 1981
11'0" X 7'0"	6284	6713	5890	5585	6713	6101	5589	7042	3353 x 2134
12'0" X 6'6"	5948	6377	6038	5638	6377	5763	5289	7634	3658 x 1981
12'0" X 7'0"	6574	7003	6038	5638	7003	6389	5776	7238	3658 x 2134
13'0" X 6'6"	6778	7354	7034	6729	7354	6517	5794	8400	3962 x 1981
13'0" X 7'0"	8002	8579	7570	7265	8579	7741	6854	8497	3962 x 2134
14'0" X 6'6"	7541	8120	7725	7320	8120	7278	6479	9090	4267 x 1981
14'0" X 7'0"	8292	8871	7725	7320	8871	8029	7041	8631	4267 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked \*). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



For finishes,  
frames and other  
options see page  
33-35

## MADE TO MEASURE SIZE Retractable Up & Over Gear By width


Imperial Width - Height	Masta	Metric (mm) Width - Height							
7'0" w - 7'0" h	4307	4337	3894	5223	4337	3954	3627	4924	2134w - 2134h
7'0" w - 7'6" h	4419	4450	4565	5336	4450	4067	3740	5045	2134w - 2286h
7'0" w - 8'0" h	4419	4450	4909	5336	4450	4067	3740	5049	2134w - 2438h
7'6" w - 7'0" h	4450	4480	3966	5370	4480	4097	3720	5016	2286w - 2134h
7'6" w - 7'6" h	4625	4655	4751	5546	4655	4273	3896	5204	2286w - 2286h
7'6" w - 8'0" h	4624	4655	5126	5545	4655	4272	3895	5203	2286w - 2438h
8'0" w - 7'0" h	4630	4659	4078	5552	4659	4277	3849	5153	2438w - 2134h
8'0" w - 7'6" h	4772	4801	4880	5694	4801	4419	3991	5304	2438w - 2286h
8'0" w - 8'0" h	5008	4801	5287	5694	4801	4419	3991	5304	2438w - 2438h
9'0" w - 7'0" h	5327	5394	4832	6687	5394	4892	4273	5673	2743w - 2134h
9'0" w - 7'6" h	5469	5536	5710	6829	5536	5034	4416	5815	2743w - 2286h
9'0" w - 8'0" h	5469	5536	6164	6829	5536	5034	4416	5840	2743w - 2438h
10'0" w - 7'0" h	5618	5685	4995	6855	5685	5181	4462	5870	3048w - 2134h
10'0" w - 7'6" h	6019	6086	6234	7255	6086	5581	4863	6271	3048w - 2286h
10'0" w - 8'0" h	6019	6086	6750	7255	6086	5581	4863	6276	3048w - 2438h
11'0" w - 7'0" h	6284	6713	5890	5585	6713	6101	5589	7042	3353w - 2134h
11'0" w - 7'6" h	6685	7114	7205	5985	7114	6502	5990	7442	3353w - 2286h
11'0" w - 8'0" h	6685	7114	7768	5985	7114	6502	5990	7461	3353w - 2438h
12'0" w - 7'0" h	6574	7003	6038	5638	7003	6389	5776	7238	3658w - 2134h
12'0" w - 7'6" h	7110	7539	7589	6173	7539	6925	6312	7774	3658w - 2286h
12'0" w - 8'0" h	7110	7539	8215	6173	7539	6925	6312	7798	3658w - 2438h
13'0" w - 7'0" h	8002	8579	7570	7265	8579	7741	6854	8497	3962w - 2134h
13'0" w - 7'6" h	8002	8579	8687	7265	8579	7741	6854	8497	3962w - 2286h
13'0" w - 8'0" h	8002	8579	9375	7265	8579	7741	6854	8522	3962w - 2438h
14'0" w - 7'0" h	8292	8871	7725	7320	8871	8029	7041	8631	4267w - 2134h
14'0" w - 7'6" h	8292	8871	8944	7320	8871	8029	7041	8631	4267w - 2286h
14'0" w - 8'0" h	8292	8871	9694	7320	8871	8029	7041	8655	4267w - 2438h

# Section 3 Side Hinged & Personnel

Side hinged garage doors and personnel doors are constructed using traditional build methods employing mortice and tenoned joints. The side, top and bottom rails are all machined using 43mm thick timbers and rebated centre rails eliminate gaps between panels for added security.

Side hinged garage doors and personnel doors are hung with three butt hinges per leaf. Side hinged doors have a night latch and finger pull (commonly used on front doors). Alternative finishes are available - see individual furniture packs for details.

Personnel doors have a mortice lock and lever set as standard. Side hinged doors have shoot bolts top and bottom to secure the inactive leaf and door stays to hold the door in the open position.



Side hinged and personnel doors have edge-to-edge timber all round



You won't see this on  
Woodrite doors - an exposed  
steel chassis detracting from  
the beauty of edge to edge  
timber.

# solid-built cedar

THE YORK RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

Coach house  
york

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont**	
Imperial Width								For heights >7'0"-8'0" add
6'0 - 7'0"	4759	3342	4239	4296	4216	3390	3516	120      1829 - 2134
>7'0"-8'0"	5227	3393	4402	4459	4261	3440	3714	150      >2134 - 2438
>8'0"-9'0"	5794	3629	5136	5193	4374	3659	3981	180      >2438 x 2743
>9'0"-10'0"	6110	3853	5267	5324	4414	3785	4137	210      >2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont	
Imperial Width								For finishes, frames and other options see page 33-35
2'0 - 2'6"	-	1547	1809	2123	1829	1942	1513	60      610 - 762
>2'6"-3'0"	2417	1555	1893	2250	1908	2021	1581	75      >762 - 914
>3'0"-3'6"	2496	1604	1973	2261	1951	2023	1664	90      >914 x 1066
>3'6"-4'0"	2653	1626	2093	2389	2037	2035	1780	105      >1066 x 1220

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden**	
Imperial Width								** Also available as 1/3 - 2/3 opening
6'0 - 7'0"	3149	3710	3086	3995	3683	4783	3604	120      1829 - 2134
>7'0"-8'0"	3249	3912	3137	4153	3885	5097	3776	150      >2134 - 2438
>8'0"-9'0"	3490	4257	3356	4644	4450	5794	4142	180      >2438 x 2743
>9'0"-10'0"	3504	4416	3480	4770	4608	6110	4182	210      >2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden	
Imperial Width								Metric (mm) Width
2'0 - 2'6"	1418	1729	1679	1713	1618	2068	1572	60      610 - 762
>2'6"-3'0"	1440	1820	1685	1795	1692	2226	1690	75      >762 - 914
>3'0"-3'6"	1443	1903	1687	1874	1775	2382	1715	90      >914 x 1066
>3'6"-4'0"	1497	2021	1699	1994	1898	2483	1769	105      >1066 x 1220

# solid-built cedar

Coach house  
york

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Ickford	Marston	Padbury	Quainton	Salford	Sherington	Standerwick	For heights >7'0"-8'0" add	Metric (mm) Width
Imperial Width									
6'0 - 7'0"	4391	4933	5634	3931	4351	4957	3066	120	1829 - 2134
>7'0"-8'0"	4573	5250	6121	4135	4665	5271	3117	150	>2134 - 2438
>8'0"-9'0"	4902	6391	7903	4483	5562	6100	3369	180	>2438 x 2743
>9'0"-10'0"	5036	6712	7306	4722	5876	6416	3382	210	>2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Ickford	Marston	Padbury	Quainton	Salford	Sherington	Standerwick	For heights >7'0"-8'0" add	Metric (mm) Width
Imperial Width									
2'0 - 2'6"	1644	-	-	1759	1883	-	1413	60	610 - 762
>2'6"-3'0"	1726	2437	2951	1826	2053	2998	1419	75	>762 - 914
>3'0"-3'6"	1804	2440	2962	1909	2210	3125	1421	90	>914 x 1066
>3'6"-4'0"	1924	2443	2973	2025	2366	3282	1439	105	>1066 x 1220

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil	For heights >7'0"-8'0" add	For finishes, frames and other options see page 33-35	Metric (mm) Width
Imperial Width									
6'0 - 7'0"	4851	3412	3205	3213	5045	3384	120	1829 - 2134	
>7'0"-8'0"	5018	3463	3256	3264	5206	3434	150	>2134 - 2438	
>8'0"-9'0"	5717	3597	3551	3560	5805	3653	180	>2438 x 2743	
>9'0"-10'0"	5853	3820	3675	3683	6117	3778	210	>2743 x 3048	

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil	For heights >7'0"-8'0" add	Metric (mm) Width
Imperial Width								
2'0 - 2'6"	1991	2056	1557	1557		1733	60	610 - 762
>2'6"-3'0"	2078	2062	1579	1579	2561	1754	75	>762 - 914
>3'0"-3'6"	2162	2070	1581	1581	2640	1757	90	>914 x 1066
>3'6"-4'0"	2283	2088	1610	1610	2797	1786	105	>1066 x 1220

# solid-built idigbo

THE WARWICK SIDE HINGED RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

**Coach-house  
warwick**

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Alcester	Brandon	Bidford	Baddesley	Kenilworth**	Claverdon	Hatton	For heights >7'0"-8'0" add	Metric (mm) Width
6'0 - 7'0"	4144	4582	4655	4498	3724	3910	4291	156	1829 - 2134
>7'0"-8'0"	4401	4773	4847	4563	3939	4128	4476	168	>2134 - 2438
>8'0"-9'0"	4919	5142	5216	4671	3994	4426	4831	186	>2438 x 2743
>9'0"-10'0"	5101	5302	5375	4731	4167	4602	4984	216	>2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Alcester	Brandon	Bidford	Baddesley	Kenilworth	Claverdon	Hatton	For heights >7'0"-8'0" add	Metric (mm) Width
2'0 - 2'6"	-	1993	2234	2042	1699	1810	1913	66	610 - 762
>2'6"-3'0"	2160	2106	2393	2149	1792	1932	2023	72	>762 - 914
>3'0"-3'6"	2222	2201	2425	2210	1894	2033	2117	84	>914 x 1066
>3'6"-4'0"	2326	2348	2586	2324	2034	2177	2262	96	>1066 x 1220

For finishes,  
frames and  
other options  
see page 33-35

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Grendon	Grafton	Harbury**	Aston	Welford	Bentley	Langley	For heights >7'0"-8'0" add	Metric (mm) Width
6'0 - 7'0"	3877	4003	3762	4597	4043	4721	4137	156	1829 - 2134
>7'0"-8'0"	4095	4183	3948	4795	4226	5002	4359	168	>2134 - 2438
>8'0"-9'0"	4393	4919	4311	5113	5013	5971	4660	186	>2438 x 2743
>9'0"-10'0"	4569	5101	4370	5287	5201	6027	4910	216	>2743 x 3048

\*\* Also  
available  
as 1/3 - 2/3  
opening

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Grendon	Grafton	Harbury	Aston	Welford	Bentley	Langley	For heights >7'0"-8'0" add	Metric (mm) Width
2'0 - 2'6"	1770	1932	1589	1818	-	-	1114	66	610 - 762
>2'6"-3'0"	1870	2037	1736	1928	2100	2919	1177	72	>762 - 914
>3'0"-3'6"	1972	2140	1778	2022	2121	2951	1279	84	>914 x 1066
>3'6"-4'0"	2122	2216	1859	2167	2142	2983	1388	96	>1066 x 1220

# solid-built idigbo

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Gaydon	Dorchester	Thrapston	Kennington		
Imperial Width					For heights >7'0"- 8'0" add	Metric (mm) Width
6'0 - 7'0"	3563	4126	5045	4143	156	1829 - 2134
>7'0"-8'0"	3742	4305	5243	4245	168	>2134 - 2438
>8'0"-9'0"	4286	5091	5653	4877	186	>2438 x 2743
>9'0"-10'0"	4466	5273	5819	5053	216	>2743 x 3048

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Gaydon	Dorchester	Thrapston	Kennington		
Imperial Width					For heights >7'0"- 8'0" add	Metric (mm) Width
2'0 - 2'6"	1764	-	2022	-	66	610 - 762
>2'6"-3'0"	1868	-	2138	2514	72	>762 - 914
>3'0"-3'6"	1972	2778	2238	2575	84	>914 x 1066
>3'6"-4'0"	2075	2881	2386	2679	96	>1066 x 1220

Coach house

# warwick

# solid-built accoya

THE THETFORD SIDE HINGED RANGE is made with selected Accoya mouldings, tongue and grooved boards and raised and fielded panels dependent on style. Doors are of solid-construction in made to measure sizes as listed.

Coach house  
thetford

## MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Barnham	Culford	Elveden	Oulton	Harling	Northwold	Fincham		
Imperial Width								For heights >7'0"- 8'0" add	Metric (mm) Width
6'0 - 7'0"	4206	4396	4981	5409	4367	4394	4910	347	1829 - 2134
>7'0"-8'0"	4503	4705	5661	6076	4676	4715	5324	428	>2134 - 2438
>8'0"-9'0"	4718	4932	5952	6799	4902	4953	5565	467	>2438 x 2743
>9'0"-10'0"	4874	5099	6185	7109	5070	5132	5744	505	>2743 x 3048

\*\* Also available as 1/3 - 2/3 opening

## MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)


	Barnham	Culford	Elveden	Oulton	Harling	Northwold	Fincham		
Imperial Width								For heights >7'0"- 8'0" add	Metric (mm) Width
2'0 - 2'6"	1914	1995	2139	2433	2002	1806	2223	141	610 - 762
>2'6"-3'0"	2107	2213	2333	2582	2200	1951	2442	172	>762 - 914
>3'0"-3'6"	2243	2349	2454	2730	2337	2040	2564	203	>914 x 1066
>3'6"-4'0"	2407	2516	2620	2877	2509	2156	2732	234	>1066 x 1220

## Finishes



All cedar doors are treated with a base coat ready for staining. Factory finished doors are available in a range of colours. Woodrite uses the TEKNOS wood finish system for Cedar Oak Accoya and Idigbo and recommends this for on site finishing.

### Cedar - Somerset, Buckingham, Balmoral & York ranges



#### FINISHES FOR CEDAR DOORS

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak

Silver, Silver Grey, Ice Silver, Slate Grey

RAL

White or Grey primer (Please state when ordering)

single/double	side / pers
165 / 260	220 / 205
210 / 330	250 / 235
330 / 550	365 / 330
160 / 200	195 / 165

Single doors ≤ 10'0" wide

Double doors > 10'0" wide



### Cedar natural colour variation

The image right shows the effect of the base colour of the cedar on the finished colour. All are Cedar treated with our basecoat preservative (1) the first coat of Light Oak (2) and the final second topcoat of Light Oak (3).

The colour variation across a light medium and dark mottled timber can be seen from left to right. All Woodrite doors are made from timbers selected to blend well for depth of colour however by its very nature uniformity for every door is not possible.

Some doors will be made from predominantly darker timbers and some will be made from predominantly lighter timbers. Each will have a different density for the same colour finish so if you are matching to other timbers talk to our customer services team about samples.

### Idigbo - Warwick Ranges - fully finished as standard



### Oak - Monmouth ranges - fully finished as standard



### Accoya - Thetford Ranges - fully finished as standard



### Free sample service

Woodrite offers a free sample service to help provide a more accurate example of finishes (notwithstanding the notes on natural variation above).

If a sample has not been requested we reserve the right to refuse any claim on colour variance as photographic and printing processes make it impossible to guarantee colours from this brochure and images are intended as a guide only.



Idigbo, Oak & Accoya  
are available in  
any RAL colour or  
matched to paint  
colour included in the  
price.

### EXTRA STAIN

1 Litre Stain (STANDARD CEDAR COLOURS & IDIBGO)	42
1 Litre Stain (SILVERS & SLATE GREY)	65
1 Litre RAL Colour/Paint	55

Delivered free when ordered with a door + P&P  
when ordered separately.

**OPTIONS** Single doors ≤ 10'0" wide  
Double doors > 10'0" wide

### HANDLES UP & OVER DOORS

Black (standard)  
Brass effect or Chrome effect\*

0	40 / 50
---	---------

\*Masta-Gear Only



Black Super-Chassis



Black Masta-Gear



Brass Effect Masta-Gear



Chrome Effect Masta-Gear

### FRAMES UP & OVER DOORS

Single doors ≤ 10'0" wide Double doors > 10'0" wide

<sup>△</sup> 60mm for canopy doors  
\* Super-Chassis Only

	75mm (Super) <sup>△</sup> single/double	70mm x 70mm single	70mm x 90mm single/double
Steel white/brown*	130 / 198	-	-
Hardwood	-	490	490 / 595
Softwood	-	268	268 / 318
Cedar Clad softwood	-	557	557 / 617
Cedar Clad hardwood	-	721	721 / 860
Oak	-	1350	1350 / 1675
Idigbo	-	590	590 / 780
Accoya	-	850	720 / 955



Steel White



Steel Brown



Hardwood



Softwood



Cedar Clad Softwood




Cedar Clad Hardwood



Oak



Idigbo



Accoya



Rebated personnel

Need a special size frame? Get in touch!

### FRAMES SIDE HINGED & PERSONNEL

	70mm x 90mm side hinged	70mm rebated personnel
Hardwood	490	400
Softwood	268	215
Cedar Clad softwood	557	467
Cedar Clad hardwood	721	618
Idigbo	590	495
Accoya	720	596

Please note:  
Frames will only  
be supplied  
with a door

### FRAMES FINISHES

#### Frame finishes

Light Oak Antique Oak Chestnut Mahogany Walnut Burnt Oak Teak Pale Oak  
Silver Silver Grey Ice Silver Slate Grey

RAL

White or Grey primer (Please state when ordering)

Black Frame and Chassis for Super-Chassis Doors

single/double	side/pers
55 / 80	65 / 55
80 / 110	90 / 80
120 / 195	130 / 90
35 / 80	55 / 50
105 / 165	-

All frames will be finished to match the door/s unless otherwise stated.

### ARCHITRAVE



Cedar  
Architrave

#### CEDAR

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*  
Standard Board Tongue & Groove per linear metre  
Wide Board Tongue & Groove per linear metre

Finished in standard colours 34 RAL 39  
Finished in standard colours 29 RAL 34

Finished in standard colours 34 RAL 39

Finished in standard colours 49 RAL 55

\* 4mm chamfer to one edge ideal as cover strips for frames



Oak  
Architrave

#### OAK

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*  
Standard Board Tongue & Groove per linear metre  
Wide Board Tongue & Groove per linear metre

Finished in standard colours 49 RAL 55

Finished in standard colours 42 RAL 47

\* 4mm chamfer to one edge ideal as cover strips for frames



Idigbo  
Architrave

#### IDIGBO

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*  
Standard Board Tongue & Groove per linear metre  
Wide Board Tongue & Groove per linear metre

Finished in standard colours 37 RAL 41

Finished in standard colours 32 RAL 36

Finished in standard colours 37 RAL 41

Finished in standard colours 44 RAL 50

\* 4mm chamfer to one edge ideal as cover strips for frames



Accoya  
Architrave

#### ACCOYA

Architrave 6mm x 75mm per linear metre\*  
Architrave 6mm x 50mm per linear metre\*  
Standard Board Tongue & Groove per linear metre  
Wide Board Tongue & Groove per linear metre

Finished in standard colours 44 RAL 49

Finished in standard colours 38 RAL 43

Finished in standard colours 44 RAL 49

Finished in standard colours 53 RAL 59

\* 4mm chamfer to one edge ideal as cover strips for frames

Stainless steel fixings must be used on Accoya

Single doors ≤ 10'0" wide Double doors > 10'0" wide

#### GLAZING Up & Over

Stippled Polycarb (standard)	Doors with windows single/double	Granborough* single/double	Sherington* single/double
Clear Polycarb	0	175 / 340	175 / 340
4mm toughened glass clear	0	175 / 340	175 / 340
4mm toughened glass stippled	75 / 150	215 / 420	215 / 420
	75 / 150	215 / 420	215 / 420



#### GLAZING Side / Personnel

Stippled Polycarb (standard)	Doors with windows side / pers	Granborough* side / pers	Sherington* side / pers
Clear Polycarb	0	175 / 95	175 / 95
4mm toughened glass clear	0	175 / 95	175 / 95
4mm toughened glass stippled	75 / 75	215 / 115	215 / 115
	75 / 75	215 / 115	215 / 115



Square or diamond leading is available on the following styles as a no cost option:  
Coleshill Hatton and Ickford.

\*The Granborough & Sherington, which do not have windows as standard, are available with glazing to the top row of features at the prices shown above. With the supplement added, leading options are then available as a no cost option.

Please Note: Doors with windows may have cross bracings/metal plates visible behind windows depending on door style/size and gear type.

#### SIDE HINGED FURNITURE PACKS

Contemporary Pack (standard)	side / pers	0 / 0
Classic Pack		65 / 45
Traditional Pack		85 / 65

#### Upgrade to Mortice lock & lever\*

Black	side & pers	85 / 20
Brass effect		65 / 0
Chrome effect		75 / 10
Stainless steel		75 / 10

\* Personnel doors include a mortice lock and lever as standard

Contemporary Pack (Standard)



Also available with black or silver effect hinges finger pull bolts and white or black stays. Please specify when ordering.

Classic Pack



Traditional Pack



#### THRESHOLDS - SIDE HINGE & PERSONNEL DOORS

Hardwood 2'0" - 4'0" wide	side / pers	-- / 114
Hardwood 4'0" - 10'0" wide		164 / --
Idigbo 2'0" - 4'0" wide		-- / 130
Idigbo 4'0" - 10'0" wide		158 / --
Accoya 2'0" - 4'0" wide		-- / 157
Accoya 4'0" - 10'0" wide		190 / --



Hardwood Thresholds are 35mm thick and a maximum of 180mm deep.

#### WIDE BOARD

+10%

Any door made with narrow boards can be ordered with wide boards. Whilst the precise size of boards varies from design to design typically narrow boards are 85mm wide and wide boards 138mm.



Wide Board

#### ROUNDED CHAMFER

210

(Not available on Somerset or Monmouth range doors and is standard on all solid built up and over doors)



Rounded Chamfer

#### CRANKED ARM

Retractable gear upgrade - single doors

Masta-Gear

Standard on doors up to 2743mm wide x 2134mm high

Super-Chassis

Available on door heights 1931mm 1981mm & 2134mm on doors up to 2743mm wide

Masta-Gear cranked arm is NOT available on Warwick (idigbo) or Thetford (Accoya) doors



Cranked Arm

# Clearances & Dimensions

Doors should be fitted to a Woodrite steel frame or timber goalpost type frame. Doors can be fitted within or behind the garage reveal - see the details shown right

When fitting within the reveal a 3mm gap for timber frames and 5mm gap for steel frames on all three sides should be included in the size to allow for brickwork coursing tolerances.

Door sizes represent the inside dimensions of the frame. Up and over door sizes are approximately 19mm narrower and 25mm shorter to allow for operating clearances and tolerances.

A 19 mm square weather bead should always be fitted to the under-side of the door frame lintel in front of the door to hide the top gap. This feature is integral on Woodrite steel up and over frames.

## Between the reveal fixing up & over

### Super-Chassis to a Woodrite Steel Frame



### Super-Chassis & Masta-Gear to a Woodrite Timber Frame



## Behind the reveal fixing up & over

### Super-Chassis to a Woodrite Steel Frame





### Super-Chassis & Masta-Gear to a Woodrite Timber Frame



## Opening Arcs & Clearances up & over

		DOOR HEIGHT								
Masta-Gear Cranked		Masta-Gear Straight		Super-Chassis Single Straight		Super-Chassis Plus Cranked		Super-Chassis Double Straight		
1981	2134	1981	2134	2286	2438	1981	2134	2286	2438	
6'6"	7'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	6'6"	7'0"	
<b>A</b>	<b>888</b>	<b>1041</b>	<b>888</b>	<b>1041</b>	<b>1194</b>	<b>1347</b>	<b>935</b>	<b>1010</b>	<b>1085</b>	<b>1163</b>
<b>B</b>	<b>1720</b>	<b>1890</b>	<b>1720</b>	<b>1890</b>	<b>2195</b>	<b>2195</b>	<b>1931</b>	<b>2084</b>	<b>2236</b>	<b>2388</b>
<b>C</b>	<b>1900</b>	<b>2053</b>	<b>1900</b>	<b>2053</b>	<b>2206</b>	<b>2359</b>	<b>1871</b>	<b>2024</b>	<b>2176</b>	<b>2328</b>
<b>D</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>
							<b>45</b>	<b>45</b>	<b>50</b>	<b>50</b>



		DOOR HEIGHT								
Masta-Gear Cranked		Masta-Gear Straight		Super-Chassis Single Straight		Super-Chassis Plus Cranked		Super-Chassis Double Straight		
1981	2134	1981	2134	2286	2438	1981	2134	2286	2438	
6'6"	7'0"	6'6"	7'0"	7'6"	8'0"	6'6"	7'0"	6'6"	7'0"	
<b>E</b>	<b>1050</b>	<b>1126</b>	<b>820</b>	<b>972</b>	<b>1073</b>	<b>1225</b>	<b>1005</b>	<b>1080</b>	<b>1155</b>	<b>1230</b>
<b>F</b>	<b>23</b>	<b>23</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>45</b>	<b>45</b>	<b>55</b>	<b>55</b>

# Between & behind the reveal fixing side hinged & personnel

## Side hinged to a Woodrite Timber Frame



Outward opening shown


## Behind

When fitting behind the reveal stays must be set to allows the doors to open no further than 90°.

## Personnel to a Woodrite Timber Rebated Frame



## Side hinged to a Woodrite Timber Frame



Outward opening shown

## Between

## Personnel to a Woodrite Timber Rebated Frame




# Opening Sizes

Typical opening sizes are tabulated below for the most common sizes of door fitted within the reveal.

Door size code	Door size width x height	70mm timber frame Brickwork aperture width x height	75mm steel frame Brickwork aperture width x height	60mm steel frame canopy gear Brickwork aperture width x height	70mm timber frame (side hinged) Brickwork aperture width x height
6666	1981mm x 1981mm	2127mm x 2054mm	2134mm x 2044mm	2104mm x 2044mm	2127mm x 2054mm
6670	1981mm x 2134mm	2127mm x 2207mm	2134mm x 2199mm	2104mm x 2199mm	2127mm x 2207mm
7066	2134mm x 1981mm	2280mm x 2054mm	2284mm x 2044mm	2254mm x 2044mm	2280mm x 2054mm
7070	2134mm x 2134mm	2280mm x 2207mm	2284mm x 2199mm	2254mm x 2199mm	2280mm x 2207mm
7364	2222mm x 1930mm	2368mm x 2003mm	2374mm x 1994mm	2343mm x 1994mm	2368mm x 2003mm
7566	2261mm x 1981mm	2407mm x 2054mm	2409mm x 2044mm	2379mm x 2044mm	2407mm x 2054mm
7570	2261mm x 2134mm	2407mm x 2207mm	2409mm x 2199mm	2379mm x 2199mm	2407mm x 2207mm
7666	2286mm x 1981mm	2432mm x 2054mm	2434mm x 2044mm	2404mm x 2044mm	2432mm x 2054mm
7670	2286mm x 2134mm	2432mm x 2207mm	2434mm x 2199mm	2404mm x 2199mm	2432mm x 2207mm
8066	2438mm x 1981mm	2584mm x 2054mm	2589mm x 2044mm	2559mm x 2044mm	2584mm x 2054mm
8070	2438mm x 2134mm	2584mm x 2207mm	2589mm x 2199mm	2559mm x 2199mm	2584mm x 2207mm
1466	4267mm x 1981mm	4413mm x 2054mm	4419mm x 2044mm	n/a	n/a
1470	4267mm x 2134mm	4413mm x 2207mm	4419mm x 2199mm	n/a	n/a

Typical opening sizes are tabulated below for the most common sizes of door fitted behind the reveal.


Door size code	Door size width x height	All frame sizes Brickwork aperture width x height
6666	1981 x 1981mm	2007 x 1981mm
6670	1981 x 2134mm	2007 x 2134mm
7066	2134 x 1981mm	2160 x 1981mm
7070	2134 x 2134mm	2160 x 2134mm
7364	2222 x 1930mm	2248 x 1930mm
7566	2261 x 1981mm	2287 x 1981mm
7570	2261 x 2134mm	2287 x 2134mm
7666	2286 x 1981mm	2312 x 1981mm
7670	2286 x 2134mm	2312 x 2134mm
8066	2438 x 1981mm	2464 x 1981mm
8070	2438 x 2134mm	2464 x 2134mm
1466	4267 x 1981mm	4293 x 1981mm
1470	4267 x 2134mm	4293 x 2134mm



# Frames

Dimension for each frame type as shown in the table.

Dimension	Super-Chassis Canopy 60mm steel frame	Super-Chassis Retractable 75mm steel frame	70mm x 70mm timber frame (single doors only)	70mm x 90mm timber frame	Personnel 70mm rebated timber frame (20mm rebate)
L	60mm	75mm	70mm	70mm	50mm
H	49mm	49mm	70mm	70mm	50mm
D	40mm	40mm	70mm	90mm	70mm



## guarantee

Woodrite doors are guaranteed against any form of manufacturing defect or mechanical failure for a period of 2 years from the date of original purchase.

The exterior factory fully finished panel is guaranteed to provide a weatherproof membrane which will resist perforation of the substrate from the weather side due to corrosion for a period of up to 5 years (10 years for Accoya) dependent on location and position of door and provided door has been maintained in accordance with the manufacturers instructions.

## conditions

1. During the comprehensive 2 year guarantee period Woodrite undertake to repair or replace (at its discretion) and without charge products or components which have suffered any form of manufacturing defect. Claims must be notified within 3 days from the date of delivery or within a reasonable time after discovery of any defect.
2. Products covered by these guarantees must have been purchased through an authorised Woodrite garage door supplier or as original equipment attached to a newly built dwelling.
3. The warranties shall apply for normal use only. Normal use constitutes no more than 5 operations (open/close cycles) per day.
4. The warranties offered attach to Woodrite product only and no consequential damages will apply no matter how caused.
5. No liability will be accepted as a result of normal wear and tear incorrect storage incorrect handling faulty installation incorrect use or wilful damage.
6. Claims under this guarantee must be made through the original supplier and accompanied by relevant documentation indicating the date of purchase (e.g. receipt).
7. Woodrite's maximum liability shall be the original purchase price inclusive of Value Added Tax at the rate prevailing when supplied.
8. Any product which is the subject of a claim:
  - i) must have been correctly installed in accordance with the installation instructions supplied and thereafter properly maintained by a suitably experienced engineer on a regular basis as set out in the Maintenance and Operating Instructions provided with every door. (Additional copies of these instructions are available by contacting the installer or the manufacturing company). We recommend that regular maintenance is provided by a suitably experienced engineer.
  - ii) must have the manufacturers reference number still intact
  - iii) must not have been modified in any way.
9. Claims will not be accepted where the cause is due to:
  - i) impact or mechanical damage suffered during or following installation e.g scratches indentations tears scuffs or other surface abrasion.
  - ii) damage or discolouration caused by contact with any form of caustic abrasive or corrosive substance fumes bird droppings fire smoke floodwater salts acids or from exposure to abnormal atmospheric pollution.
10. The Exterior Finish Guarantee applies only to the weatherside surface and where more than 5% of the surface area of the door is affected. Surfaces must be freely exposed to washing by rainfall and kept clear of accumulated dirt and debris and given equal exposure to local environmental conditions and consistent natural lighting conditions across the face of the door. Special attention is drawn to Clause (9) (ii).
11. **Basecoated timber doors** are supplied with a dip immersion coat of Teknos low build matt water based basecoat of light oak. This operation is for temporary protection for transit and installation purposes only. If the timber panel becomes exposed to excessive water splashes or rain it may result in water marks or stains which could effect the final coating of the door. The topcoat finish must be applied immediately after installation to all surfaces. We recommend a Teknos high build microporous water based finishing stain or equivalent.
12. **Fully finished RAL colours** - Tannin bleed through is possible with Western Red Cedar on white and pale colours. Whilst Woodrite Doors Limited uses tannin blockers within the primer Woodrite will not guarantee against this phenomenon.
13. **Fully finished Cedar, Idigbo, Oak & Accoya** - The stain used will offer an up to 5 yr /10yr (accoya only) protection as per the guarantee within this time scale you will find that the colour may fade. This is a natural process and does not effect the protection of the stain.
14. Due to the acetylation processes with Accoya the use of non-stainless steel fixings may result in the failure of these fixing - this will not be covered under warranty.
15. Storage – All doors are delivered with cardboard and shrink wrap protection this should remain in place until final finishing on site. Doors must always be stored in an upright position and protected from possible contaminations prior to fixing. Do not store doors in direct sunlight. Do not puncture the polythene shrink wrap before installation. Do not expose doors to water contaminations as staining may occur.
16. Attempted repairs by non-qualified individuals shall invalidate this guarantee.
17. The specific terms of this guarantee shall only apply to products purchased on or after September 2010 within the UK and Eire.
18. Woodrite garage doors and associated products are sold subject to the Woodrite's Standard Terms and Conditions of Sale copies of which are available upon request. Woodrite shall not be liable as a result of any representation implied warranty or other term or condition or for any consequential loss or damage costs expenses or other claims whatsoever except as expressly set out in these Terms and Conditions of Sale.

### General Advice

**Door Cleaning.** Periodically clean the door panel using warm water and a soft cloth or sponge. Allow to dry naturally. Never use detergent abrasive caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic.

### Door Servicing and Maintenance

All doors should be operated and maintained in line with operating and maintenance instructions supplied with every door. Every six months visually inspect all wear items (including cables) for signs of wear. If wear is detected we recommend you contact your supplier to arrange for a replacement. Garage door springs are under extreme tension and should only be repaired or replaced by a suitably qualified engineer.

### Other performance issues affecting Woodrite garage doors are:

The fully finished factory option is supplied in various coloured woodstains and can provide up to 5 years erosion period (dependant on location and position of door). If the door becomes affected by rain soon after installation you may notice a milky coloured staining on the finish of the door and where the sealant is used this will disappear when dry. This is common phenomenon in water based coatings and over a period of time this will disperse and disappear this has no adverse effect on the quality and finish of the door.

Woodrite doors are individually handcrafted products manufactured to specific customer order. Due to the nature of the product and the hand finishing processes used they may occasionally display small blemishes which do not detract from the overall appearance of the product. These are regarded as being within manufacturers tolerance when such blemishes are not visible to the naked eye when viewed from a distance of three metres.

Similarly Timber products will display colour variations across their surface and colour will vary from door to door. Ordering doors to match helps reduce the variation but will not eradicate it entirely.

Woodrite's timber doors are made from the finest timber obtained from managed and sustainable sources. Prior to fitting they must not be stored in direct sunlight or exposed to splashes or rain as colour fading and/or staining may result. Woodrite's product guarantee does not cover natural variations in colour, warping, swelling or shrinkage due to the ordinary natural processes of ageing, fading or the effects of weather or climate, nor does it cover the incidence of similar degradation which could have been prevented by carrying out finishing and maintenance procedures as recommended by Woodrite. Doors that are not factory finished should be finished with a microporous stain front and back in accordance with the stain manufacturers instructions immediately after fitting.

Garage doors should be inspected upon delivery and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion, stains, blemishes, indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.

These terms and conditions do not affect your statutory rights.

# Care & Maintenance

## Doors Finish

These notes are for guidance only and do not form any part of the guarantee given with your door. Woodrite Doors Limited uses only the top grades of timber available however timber is a natural product therefore colour grain and finish will vary from panel to panel.

A regular visual inspection of your door is essential with periodic cleaning of the door panel using warm water and a soft clean cloth or sponge. Allow the door to dry naturally never use detergents abrasives caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic. Initial application and periodic treatment should be carried out strictly in accordance with the wood stain manufacturer's instructions. Failure to follow these instructions will result in early deterioration of the timber panel.

## Doors Supplied Basecoated Light Oak (Western Red Cedar only)

### Preparation

Lightly de-nib all surfaces with fine grade abrasive paper e.g P280 or P320 rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of decorative stain. Wash the surface with clean warm water to remove any dirt grease and all de-nibbing dust and allow surfaces to dry naturally.

### Method of Application

The stain should be applied in a full flowing coat using a long synthetic bristle brush laying off in the direction of the grain and using the minimum number of brush strokes necessary to produce an acceptable finish. Avoid over brushing as this will reduce the protection afforded. Always pay special attention to any area of exposed end grain tops and bottoms of doors and undersides of thresholds. Your door must be treated on both sides and all exposed timber to the sides tops and bottoms.

**Plywood doors + Raised and Fielded panel doors**  
Decide on whether to start on the left or the right hand side of the door. Coat the cedar moulding around the first panel then complete the panel itself carefully wiping excess stain from the face of the moulded section with a damp cloth. Treat each panel in the same way until all panels are coated.

The faces of each of the vertical uprights between panels should then be coated with any excess coating on horizontal rails wiped off with damp cloth to avoid build up of stain at each vertical/horizontal join. The top horizontal rail should then be finished and finally the bottom horizontal rail.

## Tongue & Groove panels

Decide on whether to start on the left or the right hand side of the door. Coat the first section of boarding leaving the outer rails until later. Brush the stain into the grooves each side of the first board then fully coat the complete board. Carefully wipe off excess stain with a damp cloth from the outer vertical/horizontal rails to avoid build up of stain which may dry before the door can be completed. Brush stain in to the next groove and finish the board remove excess as described above. Complete the full width of the door in the same manner. The top horizontal rail should be coated followed by the bottom rail finally finishing with the vertical rails.

Two coats of top coat stain should be applied to all exposed surfaces. The second coat should be applied to all exposed surfaces as soon as possible after the first coat has dried but no sooner than 5 hours.

### Weather Conditions

Do not apply if there is a risk of rain high winds or when air temperatures are below 8°C or above 25°C during application and drying periods. Protect from frost and rain until dry failure to meet these requirements may adversely effect the drying visual quality and durability of the finish.

\*\*Please note these are guidance notes only – always use a top quality water based stain and ensure you read the stain manufacturer's instructions carefully prior to finishing your timber door\*\*

## Maintenance of Fully Finished Western Red Cedar Doors and Existing Coatings

The period between maintenance applications will vary and is dependent upon the degree of exposure elevation and design of the door panel. A lightening of colour reduction in sheen as the coating erodes and a loss of water repellency indicate the need for maintenance. Follow instructions for the Basecoated door – if a definite colour change is chosen more than one coat maybe required.

## Doors Supplied White Primed (Western Red Cedar only)

Timber panels that have been supplied White Primed have been given one coat of a water borne tannin blocking primer that has been spray applied under factory conditions. Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system.

To reduce the risk of this phenomenon occurring it is recommended that a solvent borne coating system is to be applied over the water borne primer. The primer is compatible with most commercially available solvent borne coating systems but it is always advisable to try a small test area. Even using a solvent borne system does not guarantee that it will not occur.

Irrespective of the product selected always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

### Doors Supplied Fully Finished RAL Colours (Western Red Cedar Only)

Timber panels that have been supplied factory fully finished have been given one coat of a water borne tannin blocking primer and two top coats that have been spray applied under factory conditions.

Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system. To reduce the risk of this phenomenon occurring when re-treating it is recommended that a solvent borne coating system is employed. Always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

### Fully Finished Idigbo Accoya & Oak Doors

To help optimise the life of surfaces factory treated the following procedures should be followed. All vertical treated surfaces should be at least annually cleaned to remove all atmospheric soiling. If you need to re-stain your door a fine grade abrasive paper e.g. P280 or P320 should be used rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of stain. Wash the surface with a damp clean cloth or sponge and allow surfaces to dry naturally.

Apply new coat of stain in accordance with the manufacturer's instructions.

### Door Gear – Masta-Gear or Super-Chassis

Door lifting gear is guaranteed for a maximum of two years against any form or manufacturing defect from date of purchase. See the back page for applicable conditions.

### Upon Installation

Immediately after the door is fitted and after every 5000 operations of the door or at least once a year oil all pivot points check screws and clamp connections for tightness.

Keep the running tracks clean (do not grease them) check parts and replace any worn components as necessary.

Springs should be replaced after approximately 25000 operations by an experienced door fitter.

Do not oil the lock cylinder. If it is sticking lubricate with graphite dust.


Check the lifting cables on canopy doors every 6 months with normal usage (8 ops per day). Cables should be replaced by an expert if any wear is found.

# Coach house



# Coach house kinver

The brochure features a grid of eight gate designs: Shaveshall, Blakeshall Panelled, Highley, Highley Panelled, Romsley, Romsley Panelled, Envile, and Winwood 5 Bar Gate. To the right, there are three color swatch charts: Accoya Colours (Accoya, Merbau, Iroko, Teak, Cedar), Idigbo & Iroko Colours (Idigbo, Iroko, Teak, Cedar, Rosewood, Agati, Mahogany), and Cedar Colours (Cedar, Pine, Sapele, African Sapele, Spotted Gum, Jarrah). A circular logo for 'Woodrite doors good with wood' is at the top right. Below it is a section titled 'A simple thing...' with a photograph of a person working on a gate. At the bottom left is a section titled '...glorious wood' with a photograph of four gate panels labeled 'Gated', 'Iroko', 'Accoya', and 'Rosewood'. At the bottom right is a small '3'.




## gates in Accoya, Iroko, Idigbo and Cedar

### The Kinver Gate collection

The Kinver Gate collection uses proven construction techniques to ensure each gate looks great and will maintain its integrity over time.

Ask for your copy of our brochure and price list today!

**presented by:**



Woodrite Doors Limited Unit G2 Borough Road Buckingham Road Industrial Estate Brackley Northants NN13 7BE

Tel 01280 841010 Fax 01280 843180 Email [sales@woodritedoors.co.uk](mailto:sales@woodritedoors.co.uk) Web [www.woodritedoors.co.uk](http://www.woodritedoors.co.uk)

Woodrite reserves the right to alter specifications to design and manufacture without notification. All specifications are correct at time of publication errors and omissions excepted. Jun 2021